

Гидразиды

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70


Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: pva@nt-rt.ru || сайт: <https://pallav.nt-rt.ru/>

ALAR (B-9) 99% AR (DIAMINOZIDE)
Daminozide ;(Succinic Acid-2, 2-Dimethyl Hydrazide)

Product Code.	00089	Grade	
Purity	Min. 98%	CAS No.	1596-84-5
Molecular Formula	C6H12N2O3	Molecular Weight	160.17
H.S.Code	3808.93400	Shelf Life	60 Months



Physical Properties

Physical state at 20 °C	Solid	Colour	White crystalline	Melting point/ Freezing point [°C]	162 - 164°C
-------------------------	-------	--------	-------------------	------------------------------------	-------------

Packaging



Specification

Appearance	White to light yellow to light beige powder
Assay	Min 98.0%
Melting point	153 - 159°C


Safety Information and Hazard Symbols

--

BIS-CYCLOHEXANONE OXALYL DIHYDRAZIDE 99% AR

Super sensitive reagent for spectrophotometric determination of copper (II). Cuprizon, Cuprizone, Oxalic acid bis(cyclohexylidenehydrazide)

Product Code.	00420	Grade	
Purity	95%	CAS No.	370-81-0
Molecular Formula	C ₁₄ H ₂₂ N ₄ O ₂	Molecular Weight	278.36
H.S.Code	2928.00900	Shelf Life	60 Months



Physical Properties

Physical state at 20 °C	Solid	Colour	White powder	Melting point/ Freezing point [°C]	210 - 214 °C
Density [g/cm ³]	>1	Solubility in water [% weight]	Insoluble in water		

Packaging



Specification

Appearance	White to tan crystals or powder
Assay	Min 99%
Melting point	206 - 214 deg C
Substance insoluble in methanol	Max 0.005%

Heavy metal (as Pb)	Max 0.001%
Iron (Fe)	Max 0.001%
Sulphated ash	Max 0.1%
Loss on drying (at 105°C)	Max 0.5%
Suitability (for determination of copper)	Passes test


Safety Information and Hazard Symbols

--

ISONIAZIDE 99% EXTRAPURE

Isonicotinic acid hydrazide

Product Code.	01475	Grade	
Purity	99%	CAS No.	54-85-3
Molecular Formula	C ₆ H ₇ N ₃ O	Molecular Weight	137.14
H.S.Code	2933.39900	Shelf Life	60 Months



Physical Properties

Physical state at 20 °C	Solid	Colour	White to off white	Odour	Odorless
pH value	5.5 - 6.5 at 10 g/l at 25 °C	Melting point/ Freezing point [°C]	171 - 173 °C	Solubility in water [% weight]	Soluble in water
Partition coefficient Log Pow octanol / water at 20°C	-0.7				

Specification

Appearance	White to off white powder
Assay (by HClO ₄ titration)	Min 99%
Melting point	169 - 172°C


Safety Information and Hazard Symbols


Symbol: GHS07 Signal Word: Warning Hazardous Statement: H302-H315

LUMINOL 97% FOR SYNTHESIS

3-Aminophthalhydrazide; 5-Amino-2,3-dihydro-1,4-phthalazinedione

Product Code.	01570	Grade	
Purity	97%	CAS No.	521-31-3
Molecular Formula	C8H7N3O2	Molecular Weight	177.16
H.S.Code	2933.99000	Shelf Life	60 Months



Specification

Appearance	Off-White to Yellow with a Tan Cast Powder
Assay (HPLC, area%)	Min 97.0%
Solubility (50 mg/mL in dimethylsulfoxide)	Clear to Hazy yellowish green liquid
Identity (IR)	Passes test
Water (by KF)	Max 5.0%

Safety Information and Hazard Symbols



Symbol: GHS07

Signal Word: Warning


Hazardous Statement: H315-H319-H335

Precaution Statement: P261-P305 + P351 + P338

MALEIC HYDRAZIDE 98% EXTRAPURE

1,2-Dihydro-3,6-pyridazinedione; 3,6-Dihydroxypyridazine; 3,6-Pyridazinediol

Product Code.	02919	Grade	
Purity	98%	CAS No.	123-33-1
Molecular Formula	C4H4N2O2	Molecular Weight	112.09
H.S.Code	2933.99000	Shelf Life	60 Months



Physical Properties

Physical state at 20 °C	Solid	Colour	White crystalline	Odour	Odorless
Melting point/ Freezing point [°C]	299 - 301 °C	Auto-ignition temperature [°C]	375 °C	Flash point [°C]	300 °C

Packaging

--

Specification

Appearance	White crystalline powder
Assay (acidimetric)	Min 98%


Safety Information and Hazard Symbols

Symbol: GHS07, GHS08 Signal Word: Warning Hazardous Statement: H315-H319-H335-H341 Precaution Statement: P210-P261-P281-P305 + P351 + P338

OXALIC ACID DIHYDRAZIDE AR

Oxalyldihydrazide; Oxalyldihydrazide

Product Code.	01906	Grade	
Purity	98%	CAS No.	996-98-5
Molecular Formula	(CO.NH.NH)2	Molecular Weight	118.10
H.S.Code	2928.00900	Shelf Life	60 Months



Physical Properties

Physical state at 20 °C	Solid	Colour	White to off white	Odour	Odorless
Melting point/ Freezing point [°C]	242 - 244 °C				

Packaging

--

Specification

Appearance	White to off-white powder
Melting point	243 - 247 deg C
Sulphated ash	Max 0.1%

Safety Information and Hazard Symbols

--

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: pva@nt-rt.ru || сайт: <https://pallav.nt-rt.ru/>