

Воск и масла

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: pva@nt-rt.ru || сайт: <https://pallav.nt-rt.ru/>

AJOWAN OIL EXTRA PURE

Product Code.	00084A	Grade	
Purity		CAS No.	8001-99-8
Molecular Formula		Molecular Weight	0.00
H.S.Code	0.00000	Shelf Life	

Physical Properties

Packaging



Specification

Density	Liquid, d. 0.910-0.930
---------	------------------------

Safety Information and Hazard Symbols

--

ALMOND OIL EXTRA PURE (SWEET)

Product Code.	00110B	Grade	
Purity		CAS No.	8007-69-0
Molecular Formula		Molecular Weight	0.00
H.S.Code	15159099.00000	Shelf Life	

Physical Properties

Packaging



Specification

Density	0.910-0.915
---------	-------------

Safety Information and Hazard Symbols

--

ALMOND OIL EXTRAPURE (BITTER)

Product Code.	0110A	Grade	
Purity		CAS No.	8007-69-0
Molecular Formula		Molecular Weight	0.00
H.S.Code	15159099.00000	Shelf Life	

Physical Properties

Packaging



Specification

Appearance	Pale yellow liquid
Density	0.910-0.915 g/ml

Safety Information and Hazard Symbols

--

ARACHIS OIL EXTRAPURE

Product Code.	00298A	Grade	
Purity		CAS No.	8002-03-7
Molecular Formula		Molecular Weight	0.00
H.S.Code	15089099.00000	Shelf Life	

Physical Properties

Packaging



Specification

Safety Information and Hazard Symbols

--

BASIL OIL EXTRA PURE

Product Code.	00353A	Grade	Extra pure
Purity		CAS No.	8015-73-4
Molecular Formula		Molecular Weight	0.00
H.S.Code	0.00000	Shelf Life	

Physical Properties

Packaging



Specification

Description	Colorless to light yellow liquid
Assay	25.00 - 45.00 %
refractive index n20/D	1.515(lit.)
B.P	215°C(lit.)
density	0.956 g/mL at 25 °C(lit.)
Acid Value	≤1.0 ml
Saponification Value	4.0 - 10.0
Arsenic (As) ≤3 ppm	≤3 ppm
Cadmium (Cd)	≤1 ppm
Mercury (Hg)	≤1 ppm
Lead (Pb)	≤10 ppm

Safety Information and Hazard Symbols

--

BAY OIL EXTRAPURE

Product Code.	00357A	Grade	
Purity		CAS No.	
Molecular Formula		Molecular Weight	0.00
H.S.Code	33012990.00000	Shelf Life	

Physical Properties

Packaging



Specification

Safety Information and Hazard Symbols

BEES WAX PURE (WHITE) FOR HISTOLOGY

Product Code.	00360	Grade	(For Histology)
Purity		CAS No.	8012-89-3
Molecular Formula		Molecular Weight	0.00
H.S.Code	1521.90100	Shelf Life	60 Months

Physical Properties

Physical state at 20 °C	Solid	Colour	Yellowish white soft wax	Melting point/ Freezing point [°C]	61 - 65°C
Density [g/cm3]	0.964	Solubility in water [% weight]	Insoluble in water		

Packaging



Specification

Appearance	Yellowish white soft wax
Acid value (mg KOH/gm)	5 - 8
Sapnification value	85 - 105
Ester value	80 - 95
Melting point	61 - 65 deg C
Total volatile matter (at 105°C)	Max 1%
Paraffin ceresine test	Passes test
Japan wax and resin test	Passes test
Ratio EV/AV	10 - 16

Safety Information and Hazard Symbols

--

BEES WAX YELLOW

Product Code.	00361	Grade	For Histology
Purity		CAS No.	8012-89-3
Molecular Formula		Molecular Weight	0.00
H.S.Code	15219010.00000	Shelf Life	

Physical Properties

Packaging



Specification

Safety Information and Hazard Symbols

BERGAMOT OIL

Product Code.	00407A	Grade	
Purity		CAS No.	8007-75-8
Molecular Formula		Molecular Weight	0.00
H.S.Code	0.00000	Shelf Life	

Physical Properties

Packaging



Specification

Description	Colorless to Pale Yellow Liquid
Refractive index n20/D	1.4675(lit.)
BP	159 °C(lit.)
density	0.877 g/mL at 25 °C(lit.)
Flash Point(C)	58 °C

Safety Information and Hazard Symbols

CASTOR OIL (REFINED)

Product Code.	00701	Grade	
Purity		CAS No.	8001-79-4
Molecular Formula		Molecular Weight	0.00
H.S.Code	1515.30900	Shelf Life	60 Months

Physical Properties

Physical state at 20 °C	Liquid	Colour	Yellow	Odour	Slight characteristic odor
Melting point/ Freezing point [°C]	-10°C	Auto-ignition temperature [°C]	449°C	Flash point [°C]	> 113°C
Boiling point [°C]	313 °C	Density [g/cm3]	0.961 - 0.963	Solubility in water [% weight]	Negligible (< 0.1%)

Specification

Appearance	Yellow colored viscous liquid
Specific gravity (at 25°C)	0.957 - 0.961
Free fatty acids	Passes test
Hydroxyl number	160 -168
Sapnification value	176 - 182
Iodine value	83 - 88
Acid value (mg KOH/gm)	Max 2.0
Unsapnonifiable matter	Max 0.8%

Safety Information and Hazard Symbols


Symbol: GHS07 Signal Word: Warning Hazardous Statement: H319 Precaution Statement: P305 + P351 + P338

CERESIN WAX (WHITE)

Insoluble in water, soluble in 30 parts absolute alcohol, benzene, chloroform, petroleum ether not oils.

Product Code.	00715	Grade	
Purity		CAS No.	8001-75-0
Molecular Formula		Molecular Weight	0.00
H.S.Code	2712.20900	Shelf Life	60 Months

Physical Properties

Physical state at 20 °C	Solid	Colour	White waxy	Odour	Odorless
Melting point/ Freezing point [°C]	61 - 78 °C	Flash point [°C]	113 °C	Density [g/cm3]	0.91
Solubility in water [% weight]	Insoluble in water				

Packaging

--

Specification

Appearance	White waxy solid
Melting point	61 - 78 deg C

Safety Information and Hazard Symbols

CLOVE OIL FOR MICROSCOPY

Redistilled and dried.Cleaning botanical Sections. Eugenia spp., Oil of cloves

Product Code.	00827	Grade	For Microscopy
Purity		CAS No.	8000-34-8
Molecular Formula		Molecular Weight	0.00
H.S.Code	3301.29210	Shelf Life	60 Months

Physical Properties

Physical state at 20 °C	Liquid	Colour	Yellow	Flash point [°C]	115 °C
Boiling point [°C]	251 °C	Evaporation rate	>1	Density [g/cm3]	1
Solubility in water [% weight]	Insoluble in water				

Packaging

--

Specification

Appearance	Pale yellow coloured oily liquid.
Eugenol content (v/v)	Min 85%
Weight/ mL at 25°C	1.038 - 1.060 g/ml
Refractive index (20°C; 589 nm)	1.5300 - 1.5310
Optical rotation	-1.5° to 0°

Safety Information and Hazard Symbols


Symbol: GHS07 Signal Word: Warning Hazardous Statement: H315-H319-H335 Precaution Statement: P261-P305 + P351 + P338

EUCALYPTUS OIL

Contain min.60% w/w Eucalyptus globulus Labillardiere, Yo-shu oil

Product Code.	01196	Grade	
Purity		CAS No.	8000-48-4
Molecular Formula	C10H18O	Molecular Weight	0.00
H.S.Code	3301.29240	Shelf Life	60 Months

Physical Properties

Physical state at 20 °C	Liquid	Colour	Colourless to pale yellow	Flammability (solid, gas)	Flammable
Flash point [°C]	57.1 °C	Boiling point [°C]	175 °C	Density [g/cm3]	0.909

Packaging

--

Specification

Appearance	Colourless to Pale Yellow
Optical rotation	-5 to +10 deg
Refractive index (25°C; 589 nm)	1.457 - 1.469


Safety Information and Hazard Symbols


Symbol: GHS02, GHS07, GHS08, GHS09 Signal Word: Warning UN No.: 1993 IMCO Class No.: 3 Packing Group: III Hazardous Statement: H226-H304-H315-H317-H411 Precaution Statement: P273-P280-P301 + P310-P331 Risk Statement: 10-38-43-51/53-65 Safety Statement: 36/37-61-62

MALACHITE GREEN 1% AQUEOUS SOLUTION

Stain for plant cytoplasm

Product Code.	01611	Grade	
Purity		CAS No.	2437-29-8
Molecular Formula		Molecular Weight	0.00
H.S.Code	3822.00900	Shelf Life	60 Months



Physical Properties

Packaging

Specification

Appearance	Dark green solution
Suitability (for staining)	Passes test

Safety Information and Hazard Symbols

--

OLIVE OIL

Highly refined, low acidity suitable for preparing a lipase substrate.

Product Code.	01890	Grade	
Purity		CAS No.	8001-25-0
Molecular Formula		Molecular Weight	0.00
H.S.Code	1509.10000	Shelf Life	60 Months

Physical Properties

Physical state at 20 °C	Liquid	Colour	Yellow to greenish yellow	Odour	Pleasant odour
Auto-ignition temperature [°C]	343°C	Flash point [°C]	113 °C	Vapour density	>1
Density [g/cm3]	0.91	Solubility in water [% weight]	Insoluble in water		

Packaging

Specification

Appearance	A clear yellow or greenish-yellow liquid
Weight/ mL at 20°C	About 0.91 gm
Acid value (mg KOH/gm)	Max 0.3%
Peroxide number	Max 10

Safety Information and Hazard Symbols


Symbol: GHS07 Signal Word: Warning Hazardous Statement: H315-H319 Precaution Statement: P305 + P351 + P338

PARAFFIN LIQUID COLOURIES, HEAVY
 Mineral oil heavy ;liquid paraffin heavy

Product Code.	01924	Grade	
Purity		CAS No.	8012-95-1
Molecular Formula		Molecular Weight	0.00
H.S.Code	2710.19900	Shelf Life	60 Months

Physical Properties

Physical state at 20 °C	Liquid	Colour	Clear colorless	Odour	Odorless
Auto-ignition temperature [°C]	245°C	Flash point [°C]	215 °C	Density [g/cm3]	0.86 - 0.89
Solubility in water [% weight]	Insoluble in water				

Packaging

--

Specification

Appearance	A clear colorless liquid
Weight/ mL at 20°C	0.860 - 0.890 g
Kinematic viscosity at 37.8 °C	Min 64 cS

Safety Information and Hazard Symbols


Symbol: GHS07 Signal Word: Warning Hazardous Statement: H319 Precaution Statement: P305 + P351 + P338

PARAFFIN LIQUID COLOURLESS, LIGHT
Mineral oil light ; liquid paraffin light

Product Code.	01925	Grade	
Purity		CAS No.	8012-95-1
Molecular Formula		Molecular Weight	0.00
H.S.Code	2710.19900	Shelf Life	60 Months

Physical Properties

Physical state at 20 °C	Liquid	Colour	Clear colorless	Odour	Odorless
Auto-ignition temperature [°C]	245°C	Flash point [°C]	215 °C	Density [g/cm3]	0.83 - 0.86
Solubility in water [% weight]	Insoluble in water				

Packaging

--

Specification

Appearance	A clear colorless liquid
Weight/ mL at 20°C	0.830 - 0.860 g/ml
Kinematic viscosity at 37.8 °C	Max 30 cS

Safety Information and Hazard Symbols


Symbol: GHS07 Signal Word: Warning Hazardous Statement: H319 Precaution Statement: P305 + P351 + P338

PARAFFIN LIQUID FOR IR SPECTROSCOPY

Mineral oil light

Product Code.	01926	Grade	
Purity		CAS No.	8012-95-1
Molecular Formula		Molecular Weight	0.00
H.S.Code	2710.19900	Shelf Life	60 Months

Physical Properties

Physical state at 20 °C	Liquid	Colour	Clear colorless	Odour	Odorless
Auto-ignition temperature [°C]	245°C	Flash point [°C]	215 °C	Density [g/cm3]	0.83 - 0.86
Solubility in water [% weight]	Insoluble in water				

Packaging

Specification

Appearance	A clear colorless liquid
Weight/ mL at 20°C	About 0.88 g

Safety Information and Hazard Symbols


Symbol: GHS07 Signal Word: Warning Hazardous Statement: H319 Precaution Statement: P305 + P351 + P338

PARAFFIN WAX 56-58°C FOR HISTOLOGY

Product Code.	01929	Grade	
Purity		CAS No.	8002-74-2
Molecular Formula		Molecular Weight	0.00
H.S.Code	2712.20100	Shelf Life	60 Months

Physical Properties

Packaging

Specification

Appearance	White soft waxy pellets
Melting range	56 - 58 °C
Impurities matter in xylene	Passes test
Acidity or alkalinity	Max 0.05%

Safety Information and Hazard Symbols

PARAFFIN WAX PELLETS 58-60°C

Product Code.	01930	Grade	
Purity		CAS No.	8002-74-2
Molecular Formula		Molecular Weight	0.00
H.S.Code	2712.20100	Shelf Life	60 Months

Physical Properties

Packaging

Specification

Appearance	White soft waxy pellets
Melting range	58 - 60 °C
Residue on ignition	Max 0.05%

Safety Information and Hazard Symbols

PARAFFIN WAX PELLETS 60-62°C

Product Code.	01931	Grade	
Purity		CAS No.	8002-74-2
Molecular Formula		Molecular Weight	0.00
H.S.Code	2712.20100	Shelf Life	60 Months

Physical Properties

Packaging

Specification

Appearance	White soft waxy pellets
Melting range	60 - 62 °C
Residue on ignition	Max 0.05%

Safety Information and Hazard Symbols

PARAFFIN WAX WITH CERESIN CONGEALING POINT ABOUT 60°C
congealing point about 60 degree

Product Code.	01927	Grade	For Histology
Purity		CAS No.	NA
Molecular Formula		Molecular Weight	0.00
H.S.Code	2712.20100	Shelf Life	60 Months

Physical Properties

Packaging

Specification

Appearance	White translucent waxy, odourless smooth mass
Congealing point	About 60°C

Safety Information and Hazard Symbols

PEPPERMINT OIL EXTRAPURE

Confirms to IP Mentha Piperita Oil

Product Code.	01949	Grade	Extrapure
Purity		CAS No.	8006-90-4
Molecular Formula		Molecular Weight	0.00
H.S.Code	3301.24000	Shelf Life	60 Months

Physical Properties

Physical state at 20 °C	Liquid	Colour	Pale yellow	Odour	Mint odour
Flash point [°C]	66 °C	Boiling point [°C]	215 °C	Density [g/cm3]	0.898
Solubility in water [% weight]	Insoluble in water				

Packaging

--

Specification

Appearance	Pale yellow liquid with mint odor
Density (d20°C/4°C)	0.896 - 0.908 g/ml
Refractive index (20°C; 589 nm)	1.460 - 1.471

Safety Information and Hazard Symbols

--

SILICON OIL

For oil baths upto 250°C

Product Code.	02312	Grade	
Purity		CAS No.	63148-62-9
Molecular Formula		Molecular Weight	0.00
H.S.Code	3910.00200	Shelf Life	60 Months

Physical Properties

Physical state at 20 °C	Liquid	Colour	Clear colorless viscous	Odour	Odorless
Auto-ignition temperature [°C]	>400	Flash point [°C]	>300	Density [g/cm3]	1.061
Solubility in water [% weight]	Insoluble in water				

Packaging

--

Specification

Appearance	Clear colorless viscous liquid
Viscosity (25°C)	330 - 370 cSt
Specific gravity	0.966 - 0.972

Safety Information and Hazard Symbols

--

TURPENTINE OIL PURE

Product Code.	02626	Grade	
Purity		CAS No.	8006-64-2
Molecular Formula		Molecular Weight	0.00
H.S.Code	3805.10100	Shelf Life	60 Months

Physical Properties

Physical state at 20 °C	Liquid	Colour	Clear Colorless	Odour	Pungent
Melting point/ Freezing point [°C]	-55 °C	Auto-ignition temperature [°C]	233 °C	Flammability (solid, gas)	Flammable
Flash point [°C]	36 °C	Boiling point [°C]	153 - 175 °C	Initial boiling point [°C]	153 °C
Final boiling point [°C]	175 °C	Evaporation rate	0.86	Vapour pressure [20°C]	5 hPa at 20 °C
Vapour density	4.7	Density [g/cm3]	0.86	Solubility in water [% weight]	Insoluble in water
Explosion limits - upper [%]	6%	Explosion limits -lower [%]	0.80%		

Specification

Appearance	Pale yellow color liquid or Clear colourless bright liquid.
Solubility	Soluble in ethanol
Refractive index (25°C; 589 nm)	1.466 - 1.476
Specific gravity (at 25°C)	0.850 - 0.868
Distillation range	Min 90% between 154 - 170 °C
Residue on evaporation	Max 0.5%

Safety Information and Hazard Symbols


Symbol: GHS02, GHS07, GHS08, GHS09 Signal Word: Danger UN No.: 1299 IMCO Class No.: 3 Packing Group: III Hazardous Statement: H226-H302-H304-H312-H315-H317-H319-H332-H411 Precaution Statement: P273-P280-P301 + P310-P305 + P351 + P338-P331

VASELINE WHITE

Used in cosmetic aid & lubricant. Vaseline; Paraffin soft white ;(petroleum jelly white) (petrolatum white)

Product Code.	02825	Grade	
Purity		CAS No.	8009-03-8
Molecular Formula		Molecular Weight	0.00
H.S.Code	2712.10900	Shelf Life	60 Months

Physical Properties

Physical state at 20 °C	Solid	Colour	Snow white jelly	Odour	Odorless
Melting point/ Freezing point [°C]	38°C	Flash point [°C]	185°C	Density [g/cm3]	0.820 - 0.865
Solubility in water [% weight]	Insoluble in water				

Packaging

--

Specification

Appearance	A snow white jelly
Melting point	38 - 55°C
UV absorbance (0.05% in iso octane at 290 nm)	Max 0.75

Safety Information and Hazard Symbols

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: pva@nt-rt.ru || сайт: <https://pallav.nt-rt.ru/>