

Каталог продукции Pallav

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: pva@nt-rt.ru || сайт: <https://pallav.nt-rt.ru/>

PALLAV OFFERS

- ✓ **High Quality Products**
- ✓ **Expert Chemists & Staff for Support**
- ✓ **Diverse range of products**
- ✓ **Wide range of International Packing**
- ✓ **90% Stock Availability**
- ✓ **Competitive pricing**
- ✓ **Timely Delivery**
- ✓ **Excellent Customer Support**

About us

PALLAV Chemicals & Solvents Pvt. Ltd. at present manufacturers, tests and packs an enormous range of 5000+ Laboratory fine chemicals including

*High Purity Solvents, Organic/Inorganic Acids, Buffer Salts, AAS Standard Solutions,
Precious Metal Salts, Dyes, Indicators, Microscopical Staining Solutions
LR / AR Grade Laboratory Chemicals etc.*

Our manufacturing facility is situated in Tarapur MIDC, Boisar. The Quality Management System is monitored by **ISO 9001:2008**.

PALLAV stands for its motto - **Quality is Supreme**. Our QC and R & D departments are armed with highly up-to-date and sophisticated equipments like – GC, Karl Fischer, UV, Sensitive Weighing Balance, Polarimeter, Refractometer etc. for maximum compliance of all our products



(Pallav)[®]

We have built an infrastructure to keep a large stock availability, to ensure timely delivery and competent services. **PALLAV**'s professionally equipped and able staff have a varied experience and good knowledge to serve our customers to their complete satisfaction.

PALLAV safeguards all products and has a clearly defined specifications by highly qualified quality control with compliance to the standard requirements. We follow a regime of Class wise segregation for all our goods stored in the plant.



Our pledge emphasizes on **"Quality is Supreme"**. Quality is of utmost importance to us and adhere to rigorous quality control procedure for all our products. The manufacturing process is carried out under strict supervision of technically competent staff as per predefined processes and procedures. Furthermore, we are constantly monitoring our sales and customer care services to build closer relation with our customers.





QUALITY CONTROL & ANALYSIS CAPABILITIES

PALLAV assumes responsibility in the prevention of risks at work, environmental protection and quality assurance. An integrated Quality Management system is implemented throughout all activities in the company. As a result of this policy, ISO Certification 9001 : 2015 supports the Quality Management System for the production and processing of analytical reagents and fine chemicals.

All environmental regulations about waste water and gaseous emissions from production processes are accomplished due to a modern waste treatment plant. The quality of Pallav Products is assured by a strict analytical control.

The management and staff at Pallav are committed to developing, manufacturing, testing and delivering high quality product in optimal condition. To optimize, formalize and underpin our quality systems, Pallav have implemented the following systems:

ISO 9001 : 2015 : The Quality Management Systems in Pallav is structured around the ISO 9001: 2008 and involves all personnel in all areas of the company. The system ensures a structured and systematic method of working in order to meet with, and here possible exceed customer expectations.

PRODUCT PACKAGING



(Pallav)[®]



Terms and Conditions of Sale



Price:

All Prices mentioned in the price list are applicable at the time of printing and are subject to fluctuating without notice. We reserve the right to change the prices prevalent on the date OD dispatch.



Taxes:

GST will be charged extra as applicable at the time of supply.



HSN Code:

HSN Code are mentioned against all products. However, it may change at the time of billing as per GST Classification.



Payments:

The payment of invoice shall be made by the customer within the time period and accordance with the manner as agreed during the placement of order. Pallav reserves the right to discontinue /recall delivery and do all such actions against the customer as are permitted to it under the laws of India for recovery of fully or partly unpaid invoices. Interest @21% will be charged on all the payments received after due dates.



Insurance:

The goods can be insured at customer's request at 1.5% of the invoice value.

Charges for such insurance will be added value in invoice



Delivery :

All supplies are made from our factory at Boisar. Every effort is made to effect delivery or arrange dispatches in time. However, under unavoidable circumstances, no responsibility and/or liability will be accepted for delay or non-delivery of goods.

(For mineral acids, the quantity ordered of the 500 ml pack should be in multiples of 8 and that of the 2.5 ltrs pack in multiples of 4.

For Narcotic department's guidelines, all orders of Acetic Anhydride and other such controlled substances must accompany a declaration giving details of the usage and quantity used in the process.)



Minimum Order & Freight:

All orders of invoice value of Rs.15,000/- and above are offered F.O.R. Destination

by Road Transport or Goods Train. Goods can be despatched by Post, Courier/ An gadia or by Passenger Train on customer's request, Freight will borne by customer. Orders less than Rs.10,000/- will be sent on Freight 'To Pay' basis.

**Shortage Breakages/
Damages:**

Our products are packed with utmost care and forwarded at the customers risk. No claim for breakage, delay or damage will be entertained after 15 days from receipt of goods.

**Rejection of Goods & Cancellation:**

In the event of any rejection, the same must be brought to our notice within a month's time from the date of dispatch and must be accompanied by an official letter, failing which the complaint will not be entertained. Cancellation of order received after despatching the materials will not be considered.

**Bulk Enquiries:**

Special prices will be offered for enquiries in bulk packaging.


**Jurisdiction:**

All disputes are subject to arbitration Act, 1940 or any modification thereof with MUMBAI jurisdiction only.

**Special Note:**

All products are sold for LABORATORY USE ONLY. PALLAV undertakes no responsibility if they are used as DRUGS, FOOD ADDITIVES or HOUSEHOLD CHEMICALS.

Label Explanation



Batch No. : PC/3234/16-3

Net Content : 500 ml

M.R.P. Rs. : 1222.00 (Inclusive of all taxes)

IMPORTANT NOTE : The container must be kept tightly closed and stored in a cool and dry ventilated area separate from incompatible products. Protect against physical damage and moisture. Observe all hazard and safety precautions listed in our product catalogue. Request for MSDS. Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Dispose off containers and unused content with standard methods.

No liability will be accepted for accidents arising in handling or use.

Packed for service industry including Quality Control Laboratories, Academic and Research Institutes, universities etc.

FOR LAB USE ONLY

ISO 9001 2008 CERTIFIED
www.pallavchemicals.com

Manufactured by:
Pallav Chemicals & Solvents Pvt. Ltd.
N-226, Near Kumbhavalli Naka, MIDC, Tarapur,
Boisar - 401 506, INDIA.
Customer Care Number: +91 22 4928 4000

(Pallav)

Product Code - 00019 00500

Acetic Anhydride

AR

CAS No : 108-24-7

MF-(CH₃CO)₂O

MW - 102.09

Specifications:

Appearance....Clear Colourless and pungent odour

Min assay.....98%

Wt/ml (20°C).....1.077-1.085gm

Maximum Limits of Impurities:

Chloride(Cl).....0.0005%

Sulphate(SO₄).....0.0005%

Phosphate (PO₄).....0.0005%

Zinc (Zn).....0.01%

Date of Mfg: Mar 2017

Retest Date: Feb 2022

ABCDELKJIHGFNOM

A Batch No. of Product
B Net Weight of Product
C M.R.P of Product
D Important Note of Product
E Company's Product Code of Product

F Primary Name of Product
G Secondary Name of Product
H Grade of Product
I CAS No. of Product
J Molecular Formula of Product

K Molecular weight of Product
L Hazard Symbol
M Specifications of Product
N Date of Mfg of Product
O Date of Retest



Oxidizing



Compressed Gas



Toxic



Flammable



Environmentally Damaging



Health Hazard




Corrosion



Irritant



Explosive



Grade Information

AR, For Synthesis, Purified and extra pure, HPLC and Spectroscopy, Gradient Grade, Bio chemistry, Dry solvents, PRA solvents, ACS Reagents, Microbiology, Electronic Grade, GCHS, Ion Pair Chromatography

AR: These chemicals are useful in sophisticated analytical instruments and research work, where high purity is essential. Our strength quality control guarantees, minimum assays and maximum limit of trace impurities.

For Synthesis: General purpose reagents used in many potential applications in chemical laboratories. Careful control ensures that a consistently high defined quality is maintained throughout.

Extra Pure/LR/Purified: These consist of wide range of organic reagent in preparative chemistry and other diverse fields. Its range covers all the chemicals required on day-to-day basis of all type of chemicals laboratories, we offer guaranteed quality at an affordable prices.

HPLC & Spectroscopy: The selective State of art manufacturing and packaging facility delivers highest purity of HPLC & Spectroscopy" grade solvents. These solvents offer lowest background and reproducible UV absorbance profile, and the UV curves consistently conform to theoretical limits. Freedom from impurity peaks ensures the highest purity of the solvents. Extremely low levels non-volatile matter, water and other generic and secondary impurities in the HPLC & Spectroscopy grade solvents assure longer life and optimum performance to the expensive columns and supportive system components. These solvents are most suitable for UV, Visible, IR, NMR & HPLC techniques.

Gradient Grade: Gradient grade solvents are specified with a gradient elution test at short wavelengths to illustrate the interference-free baselines. Both, UV transmission & fluorescence signals are monitored. Gradient Grade solvents are lot tested and precisely controlled to meet the high quality requirements of Gradient Applications.

Bio Chemistry: Highly purified reagents for use in bio chemical research and analysis. They are free from inhibitors such as traces of heavy metals and tested with a view of bio chemical work. Our range includes alkaloids,

amino acids, buffers, carbohydrates, enzymes, enzyme substrates, nucleotides and derivatives

Dry Solvents: These solvents are processed and distilled with drying agents to obtain a minimum possible moisture content and are most suitable for Moisture Sensitive Reactions.

PRA Solvents: The range of high purity solvents Pesticide Residue Trace Analysis have been specifically designed for the analysis of pesticide residues in the food industry and in the environment control, for example in drinking water.

ACS Reagents: The de facto standard for chemicals used in many high purity applications-ACS Grade reagents have been introduced. All products offered under the ACS grade bear specifications in line with the monographs as per the 10th edition of Reagent Chemicals published by the American Chemical Society.

Micro Biology: A broad range of culture media bases, additives, stains and indicators, for use in detection, growth and identification of micro-organisms.

Electronic Grade: Electronic grade chemicals are specially meant for the electronic industry that requires high levels of purity and trace impurities. These products contain metallic and ionic impurities that are reduced up to ppb levels.

GC-HS: Analysis of residue solvents using GC Headspace techniques, has become a major control procedure in pharmaceuticals and food related industries. The newly Introduced GC-HS grade solvents are most suitable for such applications and they bear purity and specifications that meet the requirement of the latest Ph.Eur, USP & ICH Guidelines.

Ion Pair Chromatography: Highly pure additives for ion pair chromatography are suitable for detection in the low UV range. Reagents of this special quality inspected by means of a filter test.



Acetic Anhydride

Pallav offers a range of high purity grades of Acetic Anhydride to meet the requirements of our customers. Acetic anhydride is a colorless liquid commonly used for acetylations.

It finds applications in Drugs & Pharmaceuticals, Agrochemicals, Perfumes Industry, Dyestuff & Intermediates, Textiles Acetic Anhydride is a colorless liquid commonly used for acetylations.

Acetic Anhydride LR Specification [CAS NO : 108-24-7]

Assay (GC)	Min 98 %
Colour (APHA)	Max 10
Boiling point	136 - 142 C
Chloride (cl)	Max 0.001%
Sulphate (SO4)	Max 0.001%

Acetic Anhydride AR Specification [CAS NO : 108-24-7]

Assay (GC)	Min 98 %
Colour (APHA)	Max 10
Boiling point	136 - 142 C
Chloride (cl)	Max 0.001%
Sulphate (SO4)	Max 0.001%
Cadmium (Cd)	Max 0.00005%
Permanganate (O)	Passes Test

Pack Size

8 x 250ml	Thermocol Packing
8 x 500ml	Thermocol Packing
4 x 2.5ltr	Thermocol Packing

(Pallav)



Karl fischer Reagent

Pallav offers KARL FISCHER reagent to address high precision in moisture estimation, which is available in pack 250ml and 500ml pack.

Karl Fischer is the finest for moisture determination.

Product Highlights:

- Pyridine free
- Sharp and stable end point
- No crystallization
- Min. factor: 5.0%
- Accurate & Reproducible Results
- High titration speed
- Appropriate Viscosity for use in automatic/manual titration
- Ready to use single solution
- Suitable for all commercially available instruments
- Available in 250 ml & 500ml pack size



(Pallav)[®]

PC Klean

Pallav introduces it's own line of special cleaning solutions. PC Klean solutions are adequate and reliable alternatives to hazardous solvents and dangerous chromic acid cleaners for cleaning bench tops plastic, glassware, bench tops, tables. It is a Micro emulsion based solution designed for removing silicon and hydrocarbon grease, paraffin oil dirt.

Product Features:

- Optimum for cleaning tables, tiles and floor in laboratory, glass instruments and much more...
- Available in 3 ranges Alkaline, Neutral & Phosphate free.
- All Grades are Available in 500 ml & 5 lit pack.



Product	Contents	Cleaning Application	Advantage
PC Klean Alkaline pH :11.6-12	It is a blend of premium non-ionic and ionic surfactant in phosphate medium. The broad Spectrum of composition is : 1. Phosphate < 5% 2. Non-ionic Surfactant<30% 3. Sulphonate <30%	Universal cleaning agent for heavy contamination. For hard water even up to 40d,For cleaning tables, tiles and floor in laboratory. Tested for radioactive decontamination, suitable for ultrasonic cleaning, Biodegradable.	Optimally alkaline detergent working on Micro emulsion technique. It penetrates and emulsifies the stubborn grease, oil and dirt marks away from the polymer and metal surface.
PC Klean – Neutral: pH : 6.0-8.0	Is a high quality detergent based anionic surfactant with total solid content over 17%	Special cleaner for precious instrument of glass (Neutral) quartz and sensitive metals. Suitable for ultrasonic cleaning, Biodegradable.	General application detergent which can be used for regular cleaning of stains from all forms of surfaces. Neutral pH, making it absolutely safe for hands and surfaces.
PC Klean – Phosphate free pH :11.6-12.0	Is an alkaline detergent made up of premium anionic and non-ionic surfactants with total solid content over 10 %	Universal cleaning agent for heavy contamination. With(Phosphate-free)very hard water add demineralized water.	Useful in all types of cleaning biotechnological laboratories where phosphate free cleaning is required.

(Pallav)

pH Indicators & papers

Salient features:

- Instant pH reading
 - User friendly pack
 - Accurate results
 - Economical for routine pH testing
 - Distinct colour for each pH value
-
- Congo red Indicator Papers
 - Litmus pH indicator
 - Litmus paper BLUE
 - Litmus paper RED
 - pH indicator paper pH 2.0-4.5
 - pH indicator paper pH 3.5-6.0
 - pH indicator paper pH 5.0-7.5
 - pH indicator paper pH 6.5-9.0
 - pH indicator paper pH 8.0-10.5
 - pH indicator paper wide range pH 2.0-10.5
 - Starch iodide paper
 - Universal Indicator Paper pH 1-10
- And more....



(Pallav)[®]



pH Indicators Solids and solutions

Pallav's range of pH indicators that meets various customer applications with their standard and specification. They are typically organic compounds that change colour in proportion to the concentration of Hydrogen ions in the solutions.

Product features:

- High colour contrast for each pH value
- Useful in various titrations Accurate results

Product Name

- | | |
|---|--|
| • Alizarin AR | • O-Cresol Phthalein (ph indicator) |
| • Alizarine Red S | • M-Cresol Purple Indicator |
| • Alizarine Red S AR | • Cresol Red Indicator AR |
| • Amaranth Indicator solution | • Diazo Reagent |
| • Brilliant Green Indicator | • 2,6 Dichlorophenol IndoPhenol Sodium Salt AR |
| • Bromo Cresol BLUE indicator | • Dimethyl Yellow |
| • Bromo Cresol Green Indicator AR | • 2,4 Dinitrophenol (indicator) AR |
| • Bromo Cresol Green Indicator (0.04%) | • N,N Diphenyl Benzidine AR |
| • Bromo Cresol Purple Indicator AR | • Eriochrome Black T indicator solution |
| • Bromo Cresol Purple indicator solution (0.04%) | • Fast Green indicator solution |
| • Bromo Phenol Blue Indicator AR | • Litmus Indicator Extra Pure |
| • Bromo Phenol Red | • Metanil yellow AR |
| • Bromothymol Blue Indicator AR (Molecular Biology) | • Methyl Orange Indicator |
| • Calcine Indicator AR | • Methyl Red Indicator AR |
| • Chloro Red Phenol indicator AR | • Neutral red Indicator AR |
| • Congo Red Indicator | • p-Nitrophenol Indicator AR |
| | • Phenolphthalein Indicator AR |
| | • Phenol Red AR |
| | • Thymolphthalein Indicator AR |
| | • Titan Yellow AR |



(Pallav)

Dyes & Stains

Pallav offers an extensive range of dyes and stains for applications in histopathology, cytopathology, bacteriology, protein staining & DNA staining.

Product features:

- High contrast & excellent staining power
- Longer duration colour retention
- No prefiltration required Longer shelf life

Product Name

Acriflavin	staining solution
Amido black 10B	Gentian violet for microscopy
Azur A	Giemsa stain
Azur B	Gram's iodine
Azur I	Haematoxylin stain certified
Azur II	Indigo carmine AR
Borax carmine Powder	Janus green B
Brilliant Cresyl blue indicator	Jenner's stain
Brilliant green indicator	Leishman's stain
Carmine	May & Grunwalds stain
Congo Red	Methyl blue
Crystal Violet AR	Methylene blue AR
Eosin blue	Methyl green
Eosin spirit soluble	Methyl violet
Eosin Yellow(water soluble)	Nigrosine alcohol Soluble
Erioglaucine A	Nigrosine water Soluble
Evan's blue	Orange G
Fast Green (Malachite Green)	Rhodamine B
Fields Stain A	Rhodamine 6G
Fields Stain B	Rose Bengal AR
Fluorescein	Safranine
Fuchsin acid	Sudan III
Fuchsin basic	Sudan IV
Gentian violet (alcoholic)	Sudan Black B
	Wright's Stain



(Pallav)[®]

Reagents for Biochemistry

Pallav offers an extensive range of chemicals for biochemical studies in its endeavor to meet the standards and specifications of various customer applications.

- These products are subjected to a strict quality control in order to guarantee the maximum content of the main component and the minimum concentrations of possible impurities, especially referring to the heavy metal salts.
- For the main part of these reagents the UV absorbance values are determined at the most significant wavelength values

Product Name

Acriflavine for Biochemistry
Adenine 99% for biochemistry
Adenosine for biochemistry
DL-Alanine for biochemistry
L-Arginine 99% for biochemistry
L-Asparagine monohydrochloride for biochemistry
L-Aspartic Acid for biochemistry
6-Benzyl adenine 99% for biochemistry
Cholesterol AR
L-Cysteine Hydrochloride Monohydrate
D-Galactose for biochemistry
L-Glutamic Acid 99+% for biochemistry
L-Histidine 99 +% for biochemistry
Indole-3-acetic acid 99% for biochemistry
Indole-3-butyric acid 99% for biochemistry
Inositol for biochemistry.
Kinetin puriss CHR 99.5%
Maltose Monohydrate for biochemistry

L-Methionine for biochemistry
Nicotinamide for biochemistry
Palmitic Acid AR for biochemistry
DL- Phenylalanine 99+% for biochemistry
L- Phenylalanine 99+% for biochemistry
RHODAMINE B AR for biochemistry
DL-Serine 99+% for biochemistry
L-Serine 99+% for biochemistry
Sodium Pyruvate 99% for biochemistry
DL- Threonine 99+% for biochemistry
L- Threonine 99+% for biochemistry
Urea for biochemistry
DL- Valine 99+% for biochemistry
L- Valine 99+% for biochemistry
D-Xylose for biochemistry



(Pallav)[®]

Clinical & Diagnostic Reagents

Pallav offers a diverse range of clinical and diagnostic reagents to cater the ever increasing demand of hospitals, pathological laboratories, diagnostic centers for the diagnosis of various parameters in blood, urine etc.

Since these reagents have such an significant use, they need to be very Accurate.

Product Name

Albert stain A solution	Gram's iodine stain solution
Albert stain B solution	Haematoxin Monohydrate
Alkaline copper solution	Haematoxin (Delafield's) solution
Benedict's Reagent(Qualitative)	Immersion oil
Benedict's Reagent(Quantitative)	Jenner's stain
Biuret Reagent	Leishman's stain
Biuret Reagent solution	Leishman's stain solution
Brilliant cresyl blue solution	Lugol's iodine
Crystal Violet	Mayr's Solution
Crystal violet stain solution	Methylene blue (aqueous) solution
Diazo Reagent A	Million's Reagent
Diazo Reagent B	Nessler's Reagent
Ehrlich's Reagent	Nigrosin water solution
Ehrlich's Reagent solution	Pandy's reagent solution
Eosin stain solution (2% W/V)	Paraffin wax congealing point 58-60 C
Esbach's Reagent	Paraffin wax congealing point 60-62 C
EDTA disodium salt	Paraffin wax with ceresin, congealing point abt. 60 C
Fehling's Solution No.1	Phosphomolybdate acid solution
Fehling's Solution No.2	Picric Acid (Saturated Aqueous)
Field stain A	Safranin stain solution
Field stain B	Schiff's Reagent
Folin & Ciocateau's phenol Reagent	Sodium Tungstate 10%w/v
Fouchet's Reagent	Sulphosalicylic acid 20% w/v solution
Fuchsin Basic	Topfer's Reagent
Gentian violet for microscopy	Trichloroacetic acid AR 20 % w/v
Gentian Violet (alcoholic) solution	W.B.C.Diluting Fluid
Giemsa's stain	Wright's stain
Giemsa's solution	
Gower's Reagent soution	

.....And more



(Pallav)

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Abscisic Acid (Cas No. 21293-29-8) (ABA, Dormin, Abscissin II) (Abscission - accelerating plant hormone Store at - 20° C)	00001 00025M	GB	25 mg	29189900	18
	00001 00100M	GB	100 mg	29189900	18
Assay : Min 98% C ₁₅ H ₂₀ O ₄ M.W. 264.32	00001 01000M	GB	1 gm	29189900	18
Acacia (Confirming to IP) (Cas No. 9000-01-5) (gum acacia Powder)	00002 00500	PB	500 gm	13012000	5
	00002 05000	PB	5 kg	13012000	5
Acacia AR (Enzyme free) (Cas No. 9000-01-5) d. 1.39 - 1.49	00003 00500	PB	500 gm	13012000	5
Acenaphthene (For synthesis) (Cas No. 83-32-9)	00004 00100	GB	100 gm	29029090	18
Assay : Min 96% C ₁₂ H ₁₀ M.W. 154.21	00004 00500	GB	500 gm	29029090	18
ACES Buffer (For Molecular Biology) (Cas No. 7365-82-4) [N-(2-Acetamido)-2-aminoethane sulphonic acid]	00005 00005	GB	5 gm	29241900	18
Assay : Min 99% C ₄ H ₁₀ N ₂ O ₄ S M.W.182.20	00005 00025	GB	25 gm	29241900	18
Acetaldehyde Solution (Cas No. 75-07-0) (Ethanal) Assay : Min 20-30% C ₂ H ₄ O M.W. 44.05, Liquid, d. 0.785	00006 00500	GB	500 ml	29121200	18
Acetamide (For Synthesis) (Cas No. 60-35-5) (Ethanamide) Assay : Min 98% C ₂ H ₅ NO M.W. 59.07	00007 00500	PB	500 gm	29241900	18
Acetamide AR (Cas No. 60-35-5) (Ethanamide) Assay : Min 99% C ₂ H ₅ NO M.W. 59.07	00008 00500	PB	500 gm	29241900	18
Acetamide (For Molecular Biology) (Cas No. 60-35-5) (Ethanamide)	00009 00100	PB	100 gm	29241900	18
N-(2-Acetamido)-2-aminoethano Sulphonic acid 99% See ACES Buffer Page No. 1					
Acetanilide (For Synthesis) (Cas No. 103-84-4) (N-Phenylacetamide) Assay : Min 98.5% C ₈ H ₉ NO M.W.135.17	00011 00500	PB	500 gm	29242910	18
Acetanilide AR (Cas No. 103-84-4) (N-Phenylacetamide) Assay : Min 99% C ₈ H ₉ NO M.W.135.17	00012 00500	PB	500 gm	29242910	18
Acetate Buffer Solution pH 4.6 Liquid. d. 1.000	00013 00500	PB	500 ml	38220090	12
Acetic Acid Glacial (Cas No. 64-19-7) Assay : Min 99.5% CH ₃ CO ₂ H M.W. 60.05 Liquid,d.1.05	00014 00500	GB	500 ml	29152100	18
	00014 02500	GB	2.5 Lt	29152100	18
Acetic Acid Glacial AR (Cas No. 64-19-7) Assay : Min 99.7% CH ₃ CO ₂ H M.W. 60.05 Liquid, d.1.05	00015 00500	GB	500 ml	29152100	18
	00015 02500	GB	2.5 Lt	29152100	18
Acetic Acid Glacial AR (Aldehyde Free) (For Cholestrol Estimation) (Cas No. 64-19-7) Assay : Min 99.7% CH ₃ CO ₂ H M.W. 60.05 Liquid,d.1.05	00016 00500	GB	500 ml	29152100	18
	00016 02500	GB	2.5 Lt	29152100	18
Acetic Acid Glacial For HPLC And Spectroscopy (Cas No. 64-19-7) Assay : Min 99.8% CH ₃ CO ₂ H M.W. 60.05 Liquid, d.1.05	00017 01000	GB	1 lt	29152100	18
	00017 02500	GB	2.5 Lt	29152100	18
Acetic Anhydride (Cas No. 108-24-7) (Order of 8 Bottle Only) (Net Price) Assay : Min 98% (C ₄ H ₆ O ₃) M.W. 102.099 (Thermocol Packing) Liquid, d. 1.08	00018 00500	GB	500 ml	29152400	18
	00018 02500	GB	2.5 Lt	29152400	18
Acetic Anhydride AR (Cas No. 108-24-7) (Order of 8 Bottle Only) (Net Price) Assay : Min 98% (C ₄ H ₆ O ₃) M.W. 102.099 (Thermocol Packing) Liquid, d. 1.08	00019 00500	GB	500 ml	29152400	18
	00019 02500	GB	2.5 Lt	29152400	18
Acetic Acid 0.1M (0.1N) Standardized Solution	00020 00500	PB	500 ml	38220090	12

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Acetic Acid 1Mol/L (1N) Standardized Solution	00021 00500	PB	500 ml	38220090	12
Acetic Acid 2M (2N) Standardized Solution	00022 00500	PB	500 ml	38220090	12
Acetoacetanilide (For Synthesis) (Cas No. 102-01-2) Assay : Min 98% $C_{10}H_{11}NO_2$ M. W. 177.20	00023 00500	PB	500 gm	29242920	18
Acetoacetic Ester Ethyl See Ethyl Acetoacetate Page No. 65					
Acetoacetic Ester Methyl See Methyl Acetoacetate Page No .99					
Aceto Carmine Solution (for microscopical staining) (Carmine Aceto Solution)	00024 00100	GB	100 ml	38220090	12
	00024 00250	GB	250 ml	38220090	12
Aceto Carmine Solution AR (Carmine Aceto Solution)	00025 00100	GB	100 ml	38220090	12
1- Acetonaphthone (Cas No. 941-98-0) (1-Acetylnaphthalene) Methyl-1-naphthyl ketone)	00026 00050	PB	50 gm	29143990	18
Assay: Min. 97.5% $C_{12}H_{10}O$ M.W.170.21 Liquid, d. 1.12	00026 00250	PB	250 gm	29143990	18
Acetone (for Synthesis) (Cas No. 67-64-1) Assay: Min. 98% $(CH_3)_2CO$ M.W. 58.08 Liquid, d. 0.79	00027 00500	GB	500 ml	29141100	18
	00027 02500	GB	2.5 Lt	29141100	18
Acetone AR (Cas No. 67-64-1) Assay: Min. 99.5% $(CH_3)_2CO$ M.W. 58.08 Liquid, d. 0.79	00028 00500	GB	500 ml	29141100	18
	00028 02500	GB	2.5 Lt	29141100	18
Acetone for HPLC and Spectroscopy (Cas No. 67-64-1) Assay: Min. 99.8% $(CH_3)_2CO$ M.W. 58.08 Liquid, d. 0.79	00029 01000	GB	1 Lt	29141100	18
	00029 02500	GB	2.5 Lt	29141100	18
Acetone Alcohol (Decolourizer 50% Solution)	02912 00500	GB	500 ml	29144000	18
Acetone Cyanohydrin (for Synthesis) (Cas No. 75-86-5) Assay : Min 98.5% C_4H_7NO M.W. 85.10, Liquid, d. 0.932	00030 00250	GB	250 ml	29269000	18
Aceto Orcein Solution (Orcein aceto Solution) (Connective Tissue Stain)	00036 00100	GB	100 ml	32030090	18
Acetophenone (for Synthesis) (Cas No. 98-86-2) Assay : Min. 99% C_8H_8O M.W. 120.15 Liquid, d. 1.03	00037 00500	GB	500 ml	29143910	18
	00037 02500	GB	2.5 Lt	29143910	18
Acetophenone AR (Cas No. 98-86-2) Assay : Min. 99.5% C_8H_8O M.W. 120.15 Liquid, d. 1.03	00038 00500	GB	500 ml	29143910	18
Acetyl Acetone (for Synthesis) (Cas no. 123-54-6) Assay : Min. 98% $C_5H_8O_2$ M.W. 100.12, Liquid, d. 0.970	00039 00250	GB	250 ml	29141990	18
	00039 00500	GB	500 ml	29141990	18
Acetyl Acetone AR (Cas no. 123-54-6) Assay : Min. 99.5% $C_5H_8O_2$ M.W. 100.12, Liquid, d. 0.975	00040 00250	GB	250 ml	29141990	18
	00040 00500	GB	500 ml	29141990	18
Acetyl Bromide (for Synthesis) (Cas No. 506-96-7) Assay : Min. 98% CH_3COBr M.W. 122.95, Liquid, d. 1.663	00041 00250	GB	250 ml	29159090	18
	00041 00500	GB	500 ml	29159090	18
Acetyl Bromide AR (Cas No. 506-96-7) Assay : Min. 98% CH_3COBr M.W. 122.95, Liquid, d. 1.663	00042 00250	GB	250 ml	29159090	18
	00042 00500	GB	500 ml	29159090	18
Acetyl Chloride (for Synthesis) (Cas No. 75-36-5) Assay : Min. 98% CH_3COCl M.W. 78.50 Liquid, d. 1.10	00043 00500	GB	500 ml	29159010	18
	00043 02500	GB	2.5 Lt	29159010	18
Acetyl Chloride AR (Cas No. 75-36-5) Assay : Min. 98-102% CH_3COCl M.W. 78.50 Liquid, d. 1.10	00044 00500	GB	500 ml	29159010	18
Acetyl Choline Chloride AR (Cas No. 60-31-1) (Store at -20° C) Assay : Min. 99% $C_7H_{16}ClNO_2$ M.W. 181.66	00045 00005	GB	5 gm	29239000	18
	00045 00025	GB	25 gm	29239000	18
Acetyl Choline Iodide AR (Cas No. 2260-50-6) (Store at -20° C) Assay : Min. 99% $C_7H_{16}INO_2$ M.W. 273.11	00046 00005	GB	5 gm	29239000	18
	00046 00025	GB	25 gm	29239000	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
N-Acetyl-L-Cysteine (for Biochemistry) (Cas No. 616-91-1) (Store at -20 ^o C)	00047 00010	GB	10 gm	29309040	18
Assay : Min. 99% C ₅ H ₉ NO ₃ S M.W. 163.19	00047 00100	GB	100 gm	29309040	18
Acetylene Tetrabromide (Cas No. 79-27-6) (1,1,2,2 - Tetrabromo Ethane)	00048 00250	GB	250 ml	29033990	18
Assay : Min. 98% C ₂ H ₂ Br ₄ M.W. 345.67 Liquid, d. 2.967	00048 00500	GB	500 ml	29033990	18
1-Acetyl Naphthalene (for Synthesis) (Cas No. 941-98-0) Assay : Min. 97.5% C ₁₂ H ₁₀ O M.W. 170.21, Liquid, d.1.12	00049 00100	GB	100 ml	29143990	18
	00049 00250	GB	250 ml	29143990	18
Acetyl Salicylic Acid (for Synthesis) (Cas No. 50-78-2) (Aspirin) Assay : Min. 99% C ₉ H ₈ O ₄ M.W. 180.15	00050 00500	PB	500 gm	29182310	18
Acetyl Salicylic Acid AR (Cas No. 50-78-2) (Aspirin) Assay : Min. 99% C ₉ H ₈ O ₄ M.W. 180.15	00051 00500	PB	500 gm	29182310	18
2-Acetylthiophene (for synthesis) (Cas No. 88-15-3) (Methyl-2-Thienyl ketone)	00052 00025	PB	25 gm	29349900	18
Assay : Min. 98% C ₆ H ₆ OS M.W. 126.18 Liquid, d. 1.168	00052 00100	PB	100 gm	29349900	18
N-Acetyl-DL-Tryptophan (for Biochemistry) (Cas No. 87-32-1) (AC-DL-Trp-OH)	00053 00025	PB	25 gm	29339900	18
Assay : Min. 99% C ₁₃ H ₁₄ N ₂ O ₃ M.W. 246.27 (Store at 2-8 ^o C)					
Acid Fuchsin See Fuchsin Acid Page No. 72					
Acridine Orange (M.S) (Cas No. 494-38-2) (C.I. No. 46005) Dye Content : Min. 75% C ₁₇ H ₁₉ N ₃ M.W. 265.35	00054 00010	GB	10 gm	32041391	18
	00054 00025	GB	25 gm	32041391	18
Acriflavin, Neutral (for Molecular Biology) (Cas No. 8048-52-0) (C.I. No. 46000) C ₁₄ H ₁₄ ClN ₃ M.W. 259.74	00055 00025	PB	25 gm	29339900	18
	00055 00100	PB	100 gm	29339900	18
	00055 00500	PB	500 gm	29339900	18
Acrylamide (for Synthesis) (Cas No. 79-06-1) Assay : Min. 98% C ₃ H ₅ NO M.W. 71.08	00056 00500	PB	500 gm	29241900	18
Acrylamide (for Molecular Biology) (Cas No. 79-06-1) Assay : Min. 99% C ₃ H ₅ NO M.W. 71.08	00057 00025	PB	25 gm	29241900	18
	00057 00100	PB	100 gm	29241900	18
Acrylamide AR (Cas No. 79-06-1) Assay : Min. 99% C ₃ H ₅ NO M.W. 71.08	00058 00100	GB	100 gm	29241900	18
Acrylic Acid (for Synthesis) (Cas No. 79-10-7) Assay: Min. 99% C ₃ H ₄ O ₂ M.W. 72.06, Liquid, d.1.05	00059 00500	GB	500 ml	29161100	18
Acrylonitrile (for Synthesis) (Cas No. 107-13-1) (Vinyl Cyanide) Assay: Min. 99% CH ₂ CH.CN M.W. 53.06, Liquid, d.0.81	00060 00500	GB	500 ml	29261000	18
	00060 02500	GB	2.5 Lt	29261000	18
Acrylonitrile AR (Cas No. 107-13-1) (Vinyl Cyanide) Assay: Min. 99% CH ₂ CH.CN M.W. 53.06, Liquid, d.0.81	00061 00500	GB	500 ml	29261000	18
Actidione AR (Cas No. 66-81-9) (Cycloheximide) Assay: Min. 98% C ₁₅ H ₂₃ NO ₄ M.W. 281.35	00062 00001	GB	1 gm	29419011	18
	00062 00005	GB	5 gm	29419011	18
Activated Charcoal (Cas No. 7440-44-0) (Decolorizing Powder) (Charcoal Activated Powder) A.W.12.01	00063 00500	PB	500 gm	38021000	18
	00063 05000	PB	5 kg	38021000	18
Activated Charcoal Strong (Cas No. 7440-44-0) (Decolorizing Powder, Acid Washed) C A.W. 12.01	00064 00500	PB	500 gm	38021000	18
	00064 05000	PB	5 kg	38021000	18
Activated Charcoal AR (Cas No. 7440-44-0) (Phosphorous Free Powder) C A.W. 12.01	00065 00100	PB	100 gm	38021000	18
	00065 00500	PB	500 gm	38021000	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Activated Charcoal (Granular) (Cas No. 7440-44-0) (2.5 - 5.0 mm) C A.W. 12.01	00066 00500	PB	500 gm	38021000	18
	00066 05000	PB	5 kg	38021000	18
Ada Buffer (Cas No. 26239-55-4) [N-2-Acetamido] Iminodiacetic acid) Assay : Min. 98% $C_6H_{10}N_2O_5$ M.W.190.16	00067 00025	GB	25 gm	29241900	18
	00067 00100	GB	100 gm	29241900	18
Adam's Catalyst (Abt. 80% Pt) See Platinum Oxide Hydrate Page No. 120					
Adenine (for Biochemistry) (Cas No. 73-24-5) Assay : Min. 99% $C_5H_5N_5$ M.W.135.13	00068 00005	GB	5 gm	29335990	18
	00068 00025	GB	25 gm	29335990	18
Adenine Sulphate AR (Cas No. 321-30-2) (adenine hemisulphate) Assay : Min. 99% $(C_5H_5N_5)_2 \cdot 1/2 H_2SO_4$ M.W.184.17	00069 00010	GB	10 gm	29335990	18
	00069 00025	GB	25 gm	29335990	18
	00069 00100	GB	100 gm	29335990	18
Adenosine (for Biochemistry) (Cas No. 58-61-7) Assay : Min. 99% $C_{10}H_{13}N_5O_4$ M.W.267.25 (Store at 2-8°C)	00070 00005	GB	5 gm	29349900	18
	00070 00025	GB	25 gm	29349900	18
Adenosine-5-Diphosphoric Acid Disodium Salt (for Molecular Biology) (Cas No. 16178-48-6) (A.D.P) Assay : Min. 98% $C_{10}H_{13}N_5Na_2O_{10}P_2$ M.W. 471.16 (Store at -20°C)	00071 00001	GB	1 gm	29349900	18
	00071 00005	GB	5 gm	29349900	18
Adenosine-5-Monophosphoric Acid Sodium Salt (for Biochemistry) (Cas No. 4578-31-8) (A.M.P) Assay : Min. 95% $C_{10}H_{12}N_5Na_2O_7P$ M.W. 391.19 (Store at -20°C)	00072 00001	GB	1 gm	29349900	18
	00072 00005	GB	5 gm	29349900	18
Adenosine-5-Triphosphoric Acid Disodium Salt (for Molecular Biology) (Cas No. 987-65-5) (A.T.P) Assay : Min. 95% $C_{10}H_{14}N_5Na_2O_{13}P_3$ M.W. 551.14 (Store at -20°C)	00073 00001	GB	1 gm	29349900	18
	00073 00005	GB	5 gm	29349900	18
Adipic Acid (Extra Pure) (Cas No. 124-04-9) Assay : Min. 99% $C_6H_{10}O_4$ M.W. 146.14	00074 00500	PB	500 gm	29171200	18
Adipic Acid AR (Cas No. 124-04-9) Assay : Min. 99.5% $C_6H_{10}O_4$ M.W. 146.14	00075 00500	PB	500 gm	29171200	18
Adonitol (for Biochemistry) (Cas No. 488-81-3) (Adonite, Ribitol) Assay : Min. 99% $C_5H_{12}O_5$ M.W. 152.15	00076 00005	GB	5 gm	29054900	18
	00076 00025	GB	25 gm	29054900	18
L-Adrenaline AR (Cas No. 51-43-4) (Epinephrine) Assay : Min. 98.5% $C_9H_{13}NO_3$ M.W. 183.21 (Store at 2-8°C)	00077 00001	GB	1 gm	29379090	18
	00077 00005	GB	5 gm	29379090	18
	00077 00025	GB	25 gm	29379090	18
Adrenaline Bitartrate AR (Cas No. 51-42-3) (Adrenaline Hydrogen Tartrate) Assay : Min. 98% $C_{13}H_{19}NO_9$ M.W. 333.29 (Store at 2-8°C)	00078 00001	GB	1 gm	29379090	18
	00078 00005	GB	5 gm	29379090	18
Aesculin (Esculin) (Cas No. 66778-17-4) Assay : Min. 98% $C_{15}H_{16}O_9 \cdot 1.5H_2O$ M.W. 367.31	00079 00005	GB	5 gm	29389090	18
Agar Agar Powder (Cas No. 9002-18-0) (for Bacteriology) $(C_{12}H_{18}O_9)_n$	00080 00100	GB	100 gm	13023100	18
	00080 00250	GB	250 gm	13023100	18
	00080 00500	GB	500 gm	13023100	18
Agar Agar Powder (Cas No. 9002-18-0) (for Microbiology) $(C_{12}H_{18}O_9)_n$	00081 00250	PB	250 gm	13023100	18
	00081 00500	PB	500 gm	13023100	18
Agarose (H) (High EEO) (for Microbiology) (Cas No. 9012-36-6) (Nuclease and Protease free)	00082 00010	GB	10 gm	13021915	18
	00082 00025	GB	25 gm	13021915	18
	00082 00100	PB	100 gm	13021915	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Agarose (L) (Low EEO) (for Microbiology) (Cas No. 9012-36-6) (Nuclease and Protease free)	00083 00010	GB	10 gm	13021915	18
	00083 00025	GB	25 gm	13021915	18
	00083 00100	PB	100 gm	13021915	18
Agarose (M) (Medium EEO) (for Microbiology) (Cas No. 9012-36-6) (Nuclease and Protease free)	00084 00010	GB	10 gm	13021915	18
	00084 00025	GB	25 Gm	13021915	18
	00084 00100	PB	100 gm	13021915	18
Ajowan Oil Extra Pure (Cas No. 8001-99-8) Liquid, d. 0.910-0.930	00084A 00500	GB	500 ml	33019090	18
B-Alanine (For Biochemistry) (Cas No. 107-95-9) (B-Aminopropionic Acid) Assay : Min. 99% C ₃ H ₇ NO ₂ M.W. 89.09	00085 00025	GB	25 gm	29224990	18
	00085 00100	PB	100 gm	29224990	18
D-Alanine (for Biochemistry) (Cas No. 338-69-2) (D-2-Aminopropionic Acid) Assay : Min. 99% C ₃ H ₇ NO ₂ M.W. 89.09	00086 00001	GB	1 gm	29224990	18
	00086 00005	GB	5 gm	29224990	18
	00086 00025	GB	25 gm	29224990	18
DL-Alanine (for Biochemistry) (Cas No. 302-72-7) (DL-Aminopropionic acid) Assay : Min. 99% C ₃ H ₇ NO ₂ M.W. 89.09	00087 00025	GB	25 gm	29224990	18
	00087 00100	GB	100 gm	29224990	18
L-Alanine (for Biochemistry) (Cas No. 56-41-7) (2-Aminopropionic Acid) Assay : Min. 99% C ₃ H ₇ NO ₂ M.W. 89.09	00088 00025	GB	25 gm	29224990	18
	00088 00100	GB	100 gm	29224990	18
Alar (B-9) AR (Cas No. 1596-84-5) (Succinic Acid-2, 2-Dimethyl Hydrazide) Assay : Min. 99% C ₆ H ₁₂ N ₂ O ₃ M.W. 160.17	00089 00001	GB	1 gm	38089340	18
	00089 00005	GB	5 gm	38089340	18
Albert Stain 'A' (Solution)	00090 00125	GB	125 ml	38220090	12
	00090 00500	GB	500 ml	38220090	12
Albert Stain 'B' (Solution)	00091 00125	GB	125 ml	38220090	12
	00091 00500	GB	500 ml	38220090	12
Albumin Bovine Fraction V (For Molecular Biology) (Cas No. 9048-46-8) (Nuclease and Protease free) Assay : Min. 98% Store at 2 - 8°C	00092 00005	GB	5 gm	35029000	18
	00092 00010	GB	10 gm	35029000	18
	00092 00100	GB	100 gm	35029000	18
Albumin Egg (Flakes) (Cas No. 9006-59-1) (Store at 2-8°C)	00093 00250	PB	250 gm	35021100	18
	00093 00500	PB	500 gm	35021100	18
Albumin Egg (Powder) (Cas No. 9006-59-1) (Store at 2-8°C)	00094 00250	PB	250 gm	35021100	18
	00094 00500	PB	500 gm	35021100	18
Alcian Blue 8 GX (For Molecular Biology) (Cas No. 33864-99-2) (C.I. No. 74240) C ₅₆ H ₆₈ Cl ₄ CuN ₁₆ S ₄ M.W. 1298.86	00095 00005	PB	5 gm	32041979	18
	00095 00010	PB	10 gm	32041979	18
	00095 00025	PB	25 gm	32041979	18
Alcian Blue Solution (For Microscopy Clear, Permanent Stain for Mucin)	00096 00100	PB	100 ml	32041990	18
Alginate Acid (Cas No. 9005-32-7) (C ₈ H ₈ O ₆) _n M.W. 48000-186000 d, 1.601	02900 00500	PB	500 gm	39131010	18
Alizarin AR (pH Indicator) (C.I.No. 58000) (Cas No. 72-48-0) Dye Content : Min. 97% C ₁₄ H ₈ O ₄ M.W. 240.22	00097 00025	PB	25 gm	32129090	18
	00097 00100	PB	100 gm	32129090	18
Alizarin Complexone (Cas No. 3952-78-1) (3-Aminomethyl Alizarin-N, N1-Diacetic Acid) Assay : Min. 88% C ₁₉ H ₁₅ NO ₈ .2H ₂ O M.W.421.36	00098 00001	GB	1 gm	29147990	18
	00098 00005	GB	5 gm	29147990	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Alizarin Cyanine Green (C.I.No. 61570) (Cas No. 4403-90-1)	00099 00025	GB	25 gm	32129090	18
Dye Content : Min. 75% $C_{28}H_{20}N_2Na_2O_8S_2$ M.W. 622.59	00099 00100	GB	100 gm	32129090	18
Alizarin Red S (pH Indicator) (Cas No. 130-22-3)	00100 00025	GB	25 gm	32041213	18
(C.I. No. 58005) (Sodium Alizarin Sulphonate)	00100 00100	GB	100 gm	32041213	18
Dye Content : Min. 70% $C_{14}H_7NaO_7S$ M.W. 342.3					
Alizarin Red S AR (pH Indicator) (Cas No. 130-22-3)	00101 00025	GB	25 gm	32041213	18
(C.I. No. 58005) (Sodium Alizarin Sulphonate)	00101 00100	GB	100 gm	32041213	18
Dye Content : Min. 70% $C_{14}H_7NaO_7S$ M.W. 342.3					
Alkali Blue 6B (Indicator) (C.I. No. 42750) (Cas No. 1324-76-1)	00102 00005	GB	5 gm	32129090	18
Dye Content : Min. 50% $C_{37}H_{29}N_3O_3S$ M.W. 595.73	00102 00025	GB	25 gm	32129090	18
Alkali Blue 6B (Indicator Solution)	00103 00125	GB	125 ml	38220090	12
Liquid, d. 0.800	00103 00500	GB	500 ml	38220090	12
Alkaline Copper Tartrate (Folin & Wu's Alkaline Copper Solution)	00104 00500	PB	500 ml	38220090	12
Allantoin (Cas No. 97-59-6) (Fine Power)					
Allantoin (Cas No. 97-59-6) (Fine Power)	00105 00100	PB	100 gm	29332100	18
Assay : Min. 98.5% $C_4H_6N_4O_3$ M.W. 158.12	00105 00500	PB	500 gm	29332100	18
Alloxan (Hydrate) (Cas No. 2244-11-3)	00106 00025	GB	25 gm	29333990	18
Assay : Min. 98% $C_4H_2N_2O_4.H_2O$ M.W. 160.09					
Allyl Alcohol (for Synthesis) (Cas No. 107-18-6)	00107 00500	GB	500 ml	29052900	18
Assay : Min. 99% C_3H_6O M.W. 58.08 Liquid, d. 0.85					
Allylamine (For Synthesis) (Cas No. 107-11-9)	00108 00250	GB	250 ml	29211990	18
(2-Propen-1-ylamine, 3-Amino-1-Propene)					
Assay : Min. 99% C_3H_7N M.W. 57.10 Liquid, d. 0.761					
Allyl Bromide (For Synthesis) (Cas No. 106-95-6)	00109 00250	GB	250 ml	29033990	18
(3-Bromo-1-Propene)	00109 00500	GB	500 ml	29033990	18
Assay : Min. 98% C_3H_5Br M.W. 120.98 Liquid, d. 1.430					
(Store at 2-8°C)					
Allyl Chloride (For Synthesis) (Cas No. 107-05-1)	00110 00500	GB	500 ml	29032900	18
(3-Chloro-1-Propene)					
Assay : Min. 98% C_3H_5Cl M.W. 76.52 Liquid, d. 0.939					
(Store at 2-8°C)					
Almond Oil Extra Pure (bitter)	00110A 00500	GB	500 ml	15159099	5
(Cas No. 8007-69-0) Liquid, d. 0.910-0.915					
Almond Oil Extra Pure (sweet) (Cas No. 8007-69-0)	00110B 00500	GB	500 ml	15159099	5
Liquid, d. 0.910-0.915					
Alpha Benzoinoxime AR See a-Benzoin Oxime Page No. 22					
Alum Ammonium See Aluminium Ammonium Sulphate Page No. 7					
Alum Chrome Potassium See Chromium (III) Potassium Sulphate Page No. 45					
Alum Potassium (Alum Potash) See Aluminium Potassium Sulphate Page No. 8					
Aluminium AAS Standard Solution	00111 00125	GB	125 ml	38220090	12
1000mg/L in Nitric Acid	00111 00500	GB	500 ml	38220090	12
Aluminium ICP Standard Solution 1000mg/L in Nitric Acid	00111A 00125	GB	125 ml	38220090	12
Liquid, d. 1.02					

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Aluminium ICP Standard Solution 10000 mg/L in Nitric Acid Liquid, d. 1.02	00111B 00125	GB	125 ml	38220090	12
Aluminium (Metal) Foil (Thin) (Cas No. 7429-90-5) Assay : Min. 99% Al M.W. 26.98	00112 00500	PB	500 gm	76072090	18
Aluminium (Metal) Foil AR (Thin) (Cas No. 7429-90-5) Assay : Min. 99.9% Al M.W. 26.98	00113 00250	PB	250 gm	76072090	18
Aluminium (Metal) Powder (Cas No. 7429-90-5) Assay : Min. 99.7% Al M.W. 26.98	00114 00500	PB	500 gm	76061190	18
Aluminium Ammonium Sulphate (Dodecahydrate) (Cas No. 7784-26-1) (Ammonium Aluminium Sulphate) Assay : Min. 99% $\text{AlNH}_4\text{O}_8\text{S}_2 \cdot 12\text{H}_2\text{O}$ M.W. 453.33	00115 00500	PB	500 gm	28333010	18
	00115 05000	PB	5 kg	28333010	18
Aluminium Ammonium Sulphate AR (Dodecahydrate) (Cas No. 7784-26-1) (Ammonium Aluminium Sulphate) Assay : Min. 99.5% $\text{AlNH}_4\text{O}_8\text{S}_2 \cdot 12\text{H}_2\text{O}$ M.W. 453.33	00116 00500	PB	500 gm	28333010	18
	00116 05000	PB	5 kg	28333010	18
Aluminium Chloride (Anhydrous) (Cas No. 7446-70-0) Assay : Min. 98% AlCl_3 M.W. 133.34	00117 00500	GB	500 gm	28273200	18
Aluminium Chloride (Hexahydrate) (Cas No. 7784-13-6) Assay : Min. 97% $\text{AlCl}_3 \cdot 6\text{H}_2\text{O}$ M.W. 241.45	00118 00500	GB	500 gm	28273200	18
Aluminium Chloride (Hexahydrate) AR (Cas No. 7784-13-6) Assay : Min. 99% $\text{AlCl}_3 \cdot 6\text{H}_2\text{O}$ M.W. 241.45	00119 00500	GB	500 gm	28273200	18
Aluminium Fluoride (3-Hydrate) (Cas No. 15098-87-0) Assay : Min. 97% $\text{AlF}_3 \cdot 3\text{H}_2\text{O}$ M.W. 138.02	00120 00500	PB	500 gm	28261200	18
Aluminium Fluoride (3-Hydrate) AR (Cas No. 15098-87-0) Assay : Min. 97.5% $\text{AlF}_3 \cdot 3\text{H}_2\text{O}$ M.W. 138.02	00121 00500	PB	500 gm	28261200	18
Aluminium Hydroxide Gel (Cas No. 21645-51-2) (Light Powder) Assay : (as Al_2O_3) : 47-60% $\text{Al}(\text{OH})_3$ M.W. 78.00	00122 00250	PB	250 gm	28183000	18
	00122 00500	PB	500 gm	28183000	18
Aluminium Isopropoxide (Cas No. 555-31-7) (aluminium isopropylate) Assay : Min. 98% $\text{C}_9\text{H}_{21}\text{AlO}_3$ M.W. 204.24	00123 00500	PB	500 gm	29051990	18
Aluminium Nitrate (Nonahydrate) (Cas No. 7784-27-2) Assay : Min. 98% $\text{Al}(\text{NO}_3)_3 \cdot 9\text{H}_2\text{O}$ M.W. 375.13	00124 00500	PB	500 gm	28342990	18
Aluminium Nitrate (Nonahydrate) AR (Cas No. 7784-27-2) Assay : Min. 98.5% $\text{Al}(\text{NO}_3)_3 \cdot 9\text{H}_2\text{O}$ M.W. 375.13	00125 00500	PB	500 gm	28342990	18
Aluminium Oxide (Active) Acidic (Cas No. 1344-28-1) (For Column Chromatography, pH 3.5 to 4.5) Al_2O_3 M.,W. 101.96	00126 00500	PB	500 gm	28182010	18
Aluminium Oxide (Active) Basic (Cas No. 1344-28-1) (For Column Chromatography, pH 8.5 to 9.5) Al_2O_3 M.,W. 101.96	00127 00500	PB	500 gm	28182010	18
Aluminium Oxide (Active) Neutral (Cas No. 1344-28-1) (For Column Chromatography, pH 6.5 to 7.5) Al_2O_3 M.,W. 101.96	00128 00500	PB	500 gm	28182010	18
Aluminium Oxide G (Neutral) (Cas No. 1344-28-1) (For TLC, Contents 10% CaSO_4) Al_2O_3 M.,W. 101.96	0 00500	PB	500 gm	28182010	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Aluminium Potassium Sulphate (Dodecahydrate) (Cas No. 7784-24-9) (Alum Potash) (Alum Potassium) Assay : Min. 99.5% $\text{AlKO}_8\text{S}_2.12\text{H}_2\text{O}$ M.W. 474.38	00130 00500	PB	500 gm	28333030	18
	00130 02500	PB	2.5 kg	28333030	18
Aluminium Potassium Sulphate AR (Dodecahydrate) (Cas No. 7784-24-9) (Alum Potash) (Alum Potassium) Assay : Min. 99% - 102% $\text{AlKO}_8\text{S}_2.12\text{H}_2\text{O}$ M.W. 474.38	00131 00500	PB	500 gm	28333030	18
	00131 02500	PB	2.5 kg	28333030	18
Aluminium Stearate (Cas No. 637-12-7) Assay : Min. 6.5-8.9% $(\text{asAl}_2\text{O}_3) [\text{CH}_3(\text{CH}_2)_{16}\text{COO}]_3\text{Al}$ M.W. 877.35	00133 00500	PB	500 gm	28157090	18
Aluminium Sulphate Purified (18-Hydrate) (Cas No. 7784-31-8) Assay [as $\text{Al}_2(\text{SO}_4)_3$] ; 98% $\text{Al}_2(\text{SO}_4)_3.18\text{H}_2\text{O}$ M.W. 666.42	00134 00500	PB	500 gm	28332210	18
Aluminium Sulphate AR (18-Hydrate) (Cas No. 7784-31-8) Assay : Min. 98% $\text{Al}_2(\text{SO}_4)_3.18\text{H}_2\text{O}$ M.W. 666.42	00135 00500	PB	500 gm	28332210	18
Aluminon AR (Cas No. 569-58-4) (Aurin Tricarboxylic Acid Triammonium Salt) $\text{C}_{22}\text{H}_{14}\text{O}_9.3\text{NH}_3$ M.W. 473.44	00136 00025	PB	25 gm	29181990	18
	00136 00010	PB	10 gm	29181990	18
Aluminon Reagent Solution (Cas No. 569-58-4)	00137 00500	PB	500 ml	38220090	12
Amaranth (Cas No. 915-67-3) (C.I. No. 16185) (Azorubin S) $\text{C}_{20}\text{H}_{11}\text{N}_2\text{Na}_3\text{O}_{10}\text{S}_3$ M.W. 604.48	00138 00025	PB	25 gm	32041984	18
	00138 00100	PB	100 gm	32041984	18
	00138 00500	PB	500 gm	32041984	18
Amaranth Indicator Solution (Azorubin S Solution) Liquid. d. 1.03-1.09	00139 00125	PB	125 ml	38220090	12
	00139 00500	PB	500 ml	38220090	12
Amido Black 10B (For Molecular Biology) (Cas No. 1064-48-8) (C.I. No. 20470) (Naphthalene Black 12B) Dye Content : Min. 80% $\text{C}_{22}\text{H}_{14}\text{N}_6\text{Na}_2\text{O}_9\text{S}_2$ M.W. 616.49	00140 00025	PB	25 gm	32049000	18
	00140 00100	PB	100 gm	32049000	18
Amido Sulphonic Acid See Sulphamic Acid Page No. 151					
Amikacin Sulphate (Cas No. 39831-55-5) $\text{C}_{22}\text{H}_{43}\text{N}_5\text{O}_{13}.2\text{H}_2\text{SO}_4$ M.W.781.76	00141 00001	GB	1 gm	29419090	18
	00141 00005	GB	5 gm	29419090	18
P-Amino Acetanilide (Cas No. 122-80-5) Assay : Min. 99% $\text{C}_8\text{H}_{10}\text{N}_2\text{O}$ M.W. 150.18	00142 00500	PB	500 gm	29242990	18
Amino Acetic Acid (Cas No. 56-40-6) (Glycine) Assay : Min. 98.5% $\text{C}_2\text{H}_5\text{NO}_2$ M.W. 75.07	00143 00250	PB	250 gm	29224910	18
	00143 00500	PB	500 gm	29224910	18
Amino Acetic Acid AR (For Molecular Biology) (Cas No. 56-40-6) (Glycine) Assay : Min. 99% $\text{C}_2\text{H}_5\text{NO}_2$ M.W. 75.07	00144 00100	PB	100 gm	29224910	18
	00144 00500	PB	500 gm	29224910	18
M-Aminoacetophenone (Cas No. 99-03-6) (3-Aminoacetophenone) Assay : Min. 97% $\text{C}_8\text{H}_9\text{NO}$ M.W. 135.16	00145 00010	GB	10 gm	29223900	18
	00145 00025	GB	25 gm	29223900	18
o-Aminoacetophenone (Cas No. 551-93-9) (2-Aminoacetophenone) Assay : Min. 98% $\text{C}_8\text{H}_9\text{NO}$ M.W. 135.16	00146 00025	PB	25 gm	29223900	18
	00146 00100	PB	100 gm	29223900	18
p-Aminoacetophenone (Cas No. 99-92-3) (4-Aminoacetophenone) Assay : Min. 99% $\text{C}_8\text{H}_9\text{NO}$ M.W. 135.16	00147 00025	PB	25 gm	29223900	18
	00147 00100	PB	100 gm	29223900	18
Amino Acid Kit of 23 Items	00148 SET	GBC	SET	38220090	12

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
p-Amino Antipyrine (Cas No. 83-07-8)	00149 00025	PB	25 gm	29331100	18
(4-Aminophenazone) (Ampyrone)	00149 00100	PB	100 gm	29331100	18
Assay : Min. 98% $C_{11}H_{13}N_3O$ M.W.203.24					
p-Amino Antipyrine AR (Cas No. 83-07-8)	00150 00025	PB	25 gm	29331100	18
(4-Aminophenazone) (Ampyrone)	00150 00100	PB	100 gm	29331100	18
Assay : Min. 98.5% $C_{11}H_{13}N_3O$ M.W.203.24					
p-Amino Azobenzene (Cas N. 60-09-3) (4-Phenylazoaniline)	00151 00025	GB	25 gm	29331100	18
Assay : Min. 98% $C_{12}H_{12}N_2$ M.W. 197.24	00151 00100	GB	100 gm	29331100	18
p-Aminobenzene Sulphonamide See Sulphanilamide Page No. 151					
m-Amino Benzoic Acid (Cas No. 99-05-8) (3-Amino Benzoic Acid)	00152 00100	GB	100gm	29224990	18
Assay : Min. 98% $C_7H_7NO_2$ M.W. 137.14					
p-Amino Benzoic Acid (Cas No. 150-13-0)	02901 00100	PB	100 gm	29222190	18
Assay : Min. 99% $C_7H_7NO_2$ M.W. 137.14	02901 00500	PB	500 gm	29222190	18
S (+)-2-Amino-1- Butanol (Cas No. 5856-62-2)	00153 00001	GB	1 gm	29221990	18
(D-2-Aminobutanol)	02901 00005	GB	5 gm	29221990	18
Assay : Min. 98% $C_4H_{11}NO_2$ M.W. 89.14					
p-Amino Butyric Acid AR (Cas No. 56-12-2)	00154 00025	PB	25 gm	29224990	18
Assay : Min. 98% C_4H_9NO M.W. 103.12	00154 00100	PB	100 gm	29224990	18
6-Amino Caproic Acid (For Biochemistry) (Cas No. 60-32-2)	00155 00100	PB	100 gm	29224990	18
Assay : Min. 99% $C_6H_{13}NO_2$ M.W.113.17	00155 00500	PB	500 gm	29224990	18
N-(2-Aminoethyl) Ethanolamine (For Synthesis)	00156 00500	GB	500 ml	29221990	18
(Cas No. 111-41-1) [2-(2-Aminoethyl Amino) ethanol]	00156 02500	GB	2.5 Lt	29221990	18
[N-(2-Hydroxyethyl) ethylenediamine]					
Assay : Min. 98% $C_4H_{12}N_2O$ M.W. 104.15 Liquid, d.1.03					
Aminoguanidine Bicarbonate (For Synthesis) (Cas No. 2582-30-1)	00157 00100	PB	100 gm	29280090	18
Assay : Min. 97% $CH_6N_4H_2CO_3$ M.W. 136.11	00157 00500	PB	500 gm	29280090	18
2-Amino-2-Methyl-1, 3-Propanediol AR (Biological Buffer)	00158 00100	PB	100 gm	29224990	18
(Cas No. 115-69-5)					
Assay : Min. 99% $C_4H_{11}NO_2$ M.W. 105.14					
2-Amino-2-Methyl-1-Propanol Extra Pure (Cas No. 124-68-5)	00159 00500	GB	500 ml	29225090	18
(AMP) Suitable for Clinical Work	00159 02500	GB	2.5 Lt	29225090	18
Assay : Min. 95% $C_4H_{11}NO$ M.W. 89.14 Liquid, d. 0.934					
2-Amino-4-Methylpyridine (For Synthesis) (Cas No. 695-34-1)	00160 00100	PB	100 gm	29333990	18
Assay : Min. 98% $C_6H_8N_2$ M.W.108.14	00160 00500	PB	500 gm	29333990	18
2-Amino-5-Methylpyridine (Cas No. 1603-41-4)	00161 00100	PB	100 gm	29333990	18
Assay : Min. 98% $C_8H_8N_2$ M.W. 108.14	00161 00500	PB	500 gm	29333990	18
1-Amino-2-Naphthol-4-Sulphonic Acid (Cas No. 116-63-2)	00162 00025	PB	25 gm	29222190	18
(4-Amino-3-Hydroxynaphthalene-1-Sulphonic Acid)	00162 00100	PB	100 gm	29222190	18
Assay : Min. 98% $C_{10}H_9NO_4S$ M.W. 239.25	00162 00500	PB	500 gm	29222190	18
1-Amino-2-Naphthol-4-Sulphonic Acid AR (Cas No. 116-63-2)	00163 00025	PB	25 gm	29222190	18
(4-Amino-3-Hydroxynaphthalene-1-Sulphonic Acid)	00163 00100	PB	100 gm	29222190	18
Assay : Min. 98% $C_{10}H_9NO_4S$ M.W. 239.25	00163 00500	PB	500 gm	29222190	18
m-Amino Phenol (Cas No. 591-27-5) (3-Amino Phenol)	00164 00100	PB	100 gm	29222912	18
Assay : Min. 98% C_6H_7NO M.W. 109.13	00164 00500	PB	500 gm	29222912	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
o-Amino Phenol (Cas No. 95-55-6) (2-Amino Phenol) Assay : Min. 99% C_6H_7NO M.W. 109.13	00165 00100	PB	100 gm	29222990	18
	00165 00500	PB	500 gm	29222990	18
p-Amino Phenol (Cas No.123-30-8) (4-Amino Phenol) Assay : Min. 99% C_6H_7NO M.W. 109.13	00166 00100	PB	100 gm	29222913	18
	00166 00500	PB	500 gm	29222913	18
1-Aminopropane See N-Propylamine Page No. 129					
2-Aminopropane See ISO-Propylamine Page No. 129					
3-Amino-1-Propanol (for Synthesis) (Cas No. 156-87-6) (3-Aminopropyl Alcohol) Assay : Min. 99% C_3H_7NO M.W. 75.11, Liquid, d. 0.983	00167 00100	GB	100 ml	29221990	18
	00167 00500	GB	500 ml	29221990	18
m-Aminopyridine (For Synthesis) (Cas No. 462-08-8) (3-Aminopyridine) Assay : Min. 98% $C_5H_5N_2$ M.W. 94.11	00168 00025	GB	25 gm	29333100	18
	00168 00100	GB	100 gm	29333100	18
o-Aminopyridine (For Synthesis) (Cas No. 504-29-0) (2-Aminopyridine) Assay : Min. 98% $C_5H_5N_2$ M.W. 94.11	00169 00100	GB	100 gm	29333919	18
	00169 00250	GB	250 gm	29333919	18
p-Aminopyridine (For Synthesis) (Cas No. 504-24-5) (4-Aminopyridine) Assay : Min. 98% $C_5H_5N_2$ M.W. 94.11	00170 00010	PB	10 gm	29333990	18
	00170 00025	PB	25 gm	29333990	18
	00170 00100	PB	100 gm	29333990	18
2-Aminopyrimidine (For Synthesis) (Cas No. 109-12-6) (O-Aminopyrimidine) Assay : Min. 97% $C_4H_5N_3$ M.W. 95.10	00171 00100	PB	100 gm	29335995	18
	00171 00250	PB	250 gm	29335995	18
Ammonia Buffer Solution (For Hardness of Water Determination) Liquid,d. 0.960	00172 00500	PB	500 ml	38220090	12
	00172 05000	PC	5 lt	38220090	12
Ammonia Solution 32% (Cas No. 1336-21-6) (Ammonium Hydroxide 32%) Sp.gr. 0.89 Assay : Min. 32% NH_4OH M.W. 35.05 Liquid, d. 0.90	00173 00500	GB	500 ml	28142000	18
	00173 02500	GB	2.5 Lt	28142000	18
Ammonia Solution 25% (Cas No. 1336-21-6) Sp.gr. 0.910 (Ammonium Hydroxide 25%) Assay : Min. 25% NH_4OH M.W. 35.05, Liquid, d. 0.90	00174 00500	GB	500 ml	28142000	18
	00174 00500	GB	2.5 Lt	28142000	18
	00174 00500	GB	5 Lt	28142000	18
Ammonia Solution 25% AR (Cas No. 1336-21-6) (Ammonium Hydroxide 25%) Sp.gr. 0.910 Assay : Min. 25% NH_4OH M.W. 35.05, Liquid, d. 0.90	00175 00500	GB	500 ml	28142000	18
	00175 02500	GB	2.5 Lt	28142000	18
Ammonium Acetate (Cas No. 631-61-8) Assay : Min. 96% CH_3COONH_4 M.W. 77.08	00176 00500	PB	500 gm	29152990	18
Ammonium Acetate AR (Cas No. 631-61-8) Assay : Min. 98% CH_3COONH_4 M.W. 77.08	00177 00500	PB	500 gm	29152990	18
Ammonium Acetate (For Molecular Biology) (Cas No. 631-61-8) Assay : Min. 98% CH_3COONH_4 M.W. 77.08	00178 00100	PB	100 gm	29152990	18
	00178 00500	PB	500 gm	29152990	18
Ammonium Adipate (Cas No. 3385-41-9) Assay : Min. 99% $C_6H_{12}N_2O_4$ M.W.180.14	00179 00500	PB	500 gm	29171990	18
Ammonium Aluminium Sulphate See Aluminium Ammonium Sulphate Page No. 7					
Ammonium Amido Sulphonate See Ammonium Sulphamate Page No. 14					
Ammonium Benzoate (Cas No. 1863-63-4) Assay : Min. 98% $C_7H_5NO_2$ M.W. 1396.16	00180 00500	PB	500 gm	29163190	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Ammonium Bicarbonate (Cas No. 1066-33-7)	00181 00500	PB	500 gm	28369990	18
(Ammonium Hydrogen Carbonate)	00181 05000	PC	5 Kg	28369990	18
Assay : Min. 98% NH_4HCO_3 M.W. 79.06					
Ammonium Bicarbonate AR (Cas No. 1066-33-7)	00182 00500	PB	500 gm	28369990	18
(Ammonium Hydrogen Carbonate)					
Assay : Min. 99% NH_4HCO_3 M.W. 79.06					
Ammonium Bichromate (Cas No. 7789-09-5)	00183 00500	PB	500 gm	28415090	18
(Ammonium Dichromate)	00183 05000	PB	5 kg	28415090	18
Assay : Min. 99% $(\text{NH}_4)_2\text{Cr}_2\text{O}_7$ M.W. 252.06					
Ammonium Bichromate AR (Cas No. 7789-09-5)	00185 00500	PB	500 gm	28415090	18
(Ammonium Dichromate)					
Assay : Min. 99% $(\text{NH}_4)_2\text{Cr}_2\text{O}_7$ M.W. 252.06					
Ammonium Bifluoride (Cas No. 1341-49-7)	00186 00500	PB	500 gm	28261910	18
(Ammonium Hydrogen Difluoride)	00186 02500	PB	2.5 kg	28261910	18
Assay : Min. 98% NH_4HF_2 M.W. 57.04					
Ammonium Bismuth Citrate (Cas No. 31886-41-6)	00187 00100	PB	100 gm	29181590	18
(Bismuth Ammonium Citrate)	00187 00500	PB	500 gm	29181590	18
Assay : 43-49% $\text{C}_{24}\text{H}_{20}\text{Bi}_4\text{O}_{28}.6\text{NH}_3.10\text{H}_2\text{O}$ M.W. 1875					
Ammonium Bisulphite 60% Solution	02934 00500	PB	500 ml	28322090	18
Ammonium Bromide (Cas No. 12124-97-9)	00188 00500	PB	500 gm	28275990	18
Assay : Min. 99% NH_4Br M.W. 97.94					
Ammonium Bromide AR (Cas No. 12124-97-9)	00189 00500	PB	500 gm	28275990	18
Assay : Min. 99.5% NH_4Br M.W. 97.94					
Ammonium Carbonate (Cas No. 506-87-6)	00190 00500	PB	500 gm	28369990	18
Assay : Min. 30% $\text{CH}_8\text{N}_2\text{O}_3$ M.W. 96.09					
Ammonium Carbonate AR (Cas No. 506-87-6)	00191 00500	PB	500 gm	28369990	18
Assay : Min. 95% $\text{CH}_8\text{N}_2\text{O}_3$ M.W. 96.09					
Ammonium Ceric Nitrate (Cas No. 16774-21-3)	00193 00100	GB	100 gm	28461090	18
(Ceric Ammonium Nitrate) (Ammonium Cerium (IV) Nitrate)	00193 00500	GB	500 gm	28461090	18
Assay : Min. 97% $(\text{NH}_4)_2\text{Ce}(\text{NO}_3)_6$ M.W. 548.22					
Ammonium Ceric Nitrate AR (Cas No. 16774-21-3)	00194 00100	GB	100 gm	28461090	18
(Ceric Ammonium Nitrate) (Ammonium Cerium (IV) Nitrate)	00194 00500	GB	500 gm	28461090	18
Assay : Min. 99% $(\text{NH}_4)_2\text{Ce}(\text{NO}_3)_6$ M.W. 548.22					
Ammonium Ceric Nitrate 0.05 N Volumetric Solution (N/20) Liquid, d.1.1	00195 00500	PB	500 ml	38220090	12
Ammonium Ceric Sulphate (Cas No. 10378-47-9)	00196 00100	PB	100 gm	28461090	18
(Ceric Ammonium Sulphate) (Ammonium Cerium (IV) Sulphate)	00196 00500	PB	500 gm	28461090	18
Assay : Min. 98% $(\text{NH}_4)_4\text{Ce}(\text{SO}_4)_4.2\text{H}_2\text{O}$ M.W. 632.55					
Ammonium Ceric Sulphate AR (Cas No. 10378-47-9)	00197 00100	PB	100 gm	28461090	18
(Ceric Ammonium Sulphate) (Ammonium Cerium (IV) Sulphate)	00197 00500	PB	500 gm	28461090	18
Assay : Min. 99% $(\text{NH}_4)_4\text{Ce}(\text{SO}_4)_4.2\text{H}_2\text{O}$ M.W. 632.55					
Ammonium Chloride Extra pure (Cas No. 12125-02-9)	00198 00500	PB	500 gm	28271000	18
Assay : Min. 99% NH_4Cl M.W. 53.49	00198 02500	PB	2.5 kg	28271000	18
Ammonium Chloride AR (Cas No. 12125-02-9)	00199 05000	PB	500 gm	28271000	18
Assay : Min. 99.5% NH_4Cl M.W. 53.49					

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Ammonium Chloride (For Molecular Biology) (Cas No. 12125-02-9) Assay : Min. 99.5% NH_4Cl M.W. 53.49	00200 00500	PB	500 gm	28271000	18
di-Ammonium Citrate (Cas No. 3012-65-5) (Di-Ammonium Hydrogen Citrate) Assay : Min. 98% $(\text{NH}_4)_2\text{HC}_6\text{H}_5\text{O}_7$ M.W. 226.19	00201 00500	PB	500 gm	29181590	18
tri-Ammonium Citrate (Cas No. 3458-72-8) Assay : Min. 97-103% $\text{C}_6\text{H}_{17}\text{N}_3\text{O}_7$ M.W. 243.22	00202 00500	PB	500 gm	29181590	18
tri-Ammonium Citrate AR (Cas No. 3458-72-8) Assay : Min. 98.5-101% $\text{C}_6\text{H}_{17}\text{N}_3\text{O}_7$ M.W. 243.22	00203 00500	PB	500 gm	29181590	18
Ammonium Dichromate See Ammonium Bichromate Page No. 11					
Ammonium Dihydrogen Ortho Phosphate See Ammonium Phosphate Monobasic Page No. 14					
Ammonium Ferric Citrate (Brown) (Cas No. 1185-57-5) (Ferric Ammonium Citrate) Assay : 20.5 -22% $\text{C}_6\text{H}_8\text{O}_7 \cdot x\text{Fe}_3 + y\text{NH}_3$	00204 00500	PB	500 gm	29181550	18
Ammonium Ferric Sulphate (Dodecahydrate) (Cas No. 7783-83-7) (Ferric Alum) (Ammonium Iron (III) Sulphate) Assay : Min. 98% $\text{NH}_4\text{Fe}(\text{SO}_4)_2 \cdot 12\text{H}_2\text{O}$ M.W. 482.19	00206 00500	PB	500 gm	28332990	18
Ammonium Ferric Sulphate AR (Dodecahydrate) (Cas No. 7783-83-7) (Ferric Alum) (Ammonium Iron (III) Sulphate) Assay : Min. 98-101% $\text{NH}_4\text{Fe}(\text{SO}_4)_2 \cdot 12\text{H}_2\text{O}$ M.W. 482.19	00207 00500	PB	500 gm	28332990	18
Ammonium Ferrous Sulphate (Hexahydrate) (Cas No. 7783-85-9) (Diammonium Iron (II) Sulphate) Assay : Min. 98.5% $(\text{NH}_4)_2\text{SO}_4 \cdot \text{FeSO}_4 \cdot 6\text{H}_2\text{O}$ M.W. 392.14	00208 00500	PB	500 gm	28429090	18
	00208 01000	PB	1 kg	28429090	18
	00208 05000	PB	5 kg	28429090	18
Ammonium Ferrous Sulphate AR (Hexahydrate) (Cas No. 7783-85-9) (Diammonium Iron (II) Sulphate) Assay : Min. 99% $(\text{NH}_4)_2\text{SO}_4 \cdot \text{FeSO}_4 \cdot 6\text{H}_2\text{O}$ M.W. 392.14	00209 00500	PB	500 gm	28429090	18
Ammonium Fluoride (Cas No. 12125-01-8) Assay : Min. 95% NH_4F M.W. 37.04	00210 00500	PB	500 gm	28261990	18
Ammonium Fluoride AR (Cas No. 12125-01-8) Assay : Min. 98% NH_4F M.W. 37.04	00211 00250	PB	250 gm	28261990	18
	00211 00500	PB	500 gm	28261990	18
Ammonium Formate (Cas No. 540-69-2) Assay : Min. 97% CH_5NO_2 M.W. 63.06	00212 00250	PB	250 gm	29151290	18
	00212 00500	PB	500 gm	29151290	18
Ammonium Formate AR (Cas No. 540-69-2) Assay : Min. 98% CH_5NO_2 M.W. 63.06	00213 00500	PB	500 gm	29151290	18
Ammonium Heptamolybdate See Ammonium Molybdate Page No. 13					
Ammonium Hydrogen Carbonate See Ammonium Bicarbonate Page No. 11					
di-Ammonium Hydrogen Citrate See Di-Ammonium Citrate Page No. 12					
Ammonium Hydrogen Difluoride See Ammonium Bifluoride Page No. 11					
di-Ammonium Hydrogen Ortho Phosphate (Anhydrous) See Ammonium Phosphate Dibasic Page No. 14					
Ammonium Hydroxide See Ammonia Solution Page No. 10					
Ammonium Iodide Extra Pure (Cas No. 12027-06-4) Assay : Min. 99% NH_4I M.W. 144.94	00214 00100	PB	100 gm	28276090	18
	00214 00250	PB	250 gm	28276090	18
	00214 00500	PB	500 gm	28276090	18
Ammonium Iodide AR (Cas No. 12027-06-4) Assay : Min. 99% NH_4I M.W. 144.94	00215 00050	PB	50 gm	28276090	18
	00215 00100	PB	100 gm	28276090	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Ammonium Iron (III) Citrate (Brown) See Ammonium Ferric Citrate Page No. 12					
Ammonium Iron (II) Sulphate 0.1 M (0.1N) Standardized Solution Liquid d. 1.05	00216 00500	PB	500 ml	38220090	12
Ammonium Iron (III) Sulphate See Ammonium Ferrous Sulphate Page No. 12					
Ammonium Iron (II) Sulphate See Ammonium Ferrous Sulphate Page No. 12					
Ammonium Mercuric Chloride See Mercuric Ammonium Chloride Page No. 96					
Ammonium Metavanadate (Cas No. 7803-55-6) (Ammonium Monovanadate) Assay : Min. 98% NH_4VO_3 M.W. 116.98	00217 00100	PB	100 gm	28419000	18
	00217 00500	PB	500 gm	28419000	18
Ammonium Metavanadate AR (Cas No. 7803-55-6) (Ammonium Monovanadate) Assay : Min. 99% NH_4VO_3 M.W. 116.98	00218 00100	PB	100 gm	28419000	18
	00218 00500	PB	500 gm	28419000	18
Ammonium Molybdate (Tetrahydrate) (Cas No. 12054-85-2) (Ammonium Heptamolybdate) Assay : Min. 98% $(\text{NH}_4)_6\text{Mo}_7\text{O}_{24} \cdot 4\text{H}_2\text{O}$ M.W. 1235.86	00219 00100	PB	100 gm	28417090	18
	00219 00250	PB	250 gm	28417090	18
	00219 00500	PB	500 gm	28417090	18
Ammonium Molybdate AR (Tetrahydrate) (Cas No. 12054-85-2) (Ammonium Heptamolybdate) Assay : Min. 99% $(\text{NH}_4)_6\text{Mo}_7\text{O}_{24} \cdot 4\text{H}_2\text{O}$ M.W. 1235.86	00220 00100	PB	100 gm	28417090	18
	00220 00500	PB	500 gm	28417090	18
Ammonium Molybdate Reagent Solution Liquid, d. 1.0	00221 00500	PB	500 ml	38220090	12
Ammonium Nickel Sulphate (Cas No. 7785-20-8) (Nickel Ammonium Sulphate) Assay : Min. 98% $(\text{NH}_4)_2\text{SO}_4 \cdot \text{NiSO}_4 \cdot 6\text{H}_2\text{O}$ M.W. 394.97	00222 00500	PB	500 gm	28429090	18
Ammonium Nickel Sulphate AR (Cas No. 7785-20-8) (Nickel Ammonium Sulphate) Assay : Min. 98% $(\text{NH}_4)_2\text{SO}_4 \cdot \text{NiSO}_4 \cdot 6\text{H}_2\text{O}$ M.W. 394.97	00223 00500	PB	500 gm	28429090	18
Ammonium Oxalate (Cas No. 6009-70-7) Assay : Min. 99% $(\text{COONH}_4)_2 \cdot \text{H}_2\text{O}$ M.W. 142.11	00224 00500	PB	500 gm	29171190	18
Ammonium Oxalate AR (Cas No. 6009-70-7) Assay : Min. 99.5% $(\text{COONH}_4)_2 \cdot \text{H}_2\text{O}$ M.W. 142.11	00225 00500	PB	500 gm	29171190	18
Ammonium Persulphate (Cas No. 7727-54-0) (Ammonium Peroxy Disulphate) Assay : Min. 98% $(\text{NH}_4)_2\text{S}_2\text{O}_8$ M.W. 228.20	00226 00500	PB	500 gm	28334000	18
Ammonium Persulphate AR (Cas No. 7727-54-0) (Ammonium Peroxy Disulphate) Assay : Min. 98% $(\text{NH}_4)_2\text{S}_2\text{O}_8$ M.W. 228.20	00227 00500	PB	500 gm	28334000	18
Ammonium Persulphate (For Molecular Biology) (Cas No. 7727-54-0) Assay : Min. 98% $(\text{NH}_4)_2\text{S}_2\text{O}_8$ M.W. 228.20	00228 00025	GB	25 gm	28334000	18
	00228 00100	GB	100 gm	28334000	18
	00228 00500	GB	500 gm	28334000	18
Ammonium Phosphate Dibasic (Anhydrous) (Cas No. 7783-28-0) (Di-Ammonium Hydrogen Orthophosphate) Assay : Min. 97% $(\text{NH}_4)_2\text{HPO}_4$ M.W. 132.06	00229 00500	PB	500 gm	31053000	18
	00229 05000	PB	5 kg	31053000	18
Ammonium Phosphate Dibasic AR (Anhydrous) (Cas No. 7783-28-0) (Di-Ammonium Hydrogen Orthophosphate) Assay : Min. 98% $(\text{NH}_4)_2\text{HPO}_4$ M.W. 132.06	00230 00500	PB	500 gm	31053000	18
Ammonium Phosphate Dibasic (For Molecular Biology) (Cas No. 7783-28-0) (Di-Ammonium Hydrogen Orthophosphate) Assay : Min. 98% $(\text{NH}_4)_2\text{HPO}_4$ M.W. 132.06	00231 00500	PB	500 gm	31053000	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Ammonium Phosphate Monobasic (Cas No. 7722-76-1) (Ammonium Dihydrogen Orthophosphate) Assay : Min. 98% $\text{NH}_4\text{H}_2\text{PO}_4$ M.W. 115.03	00232 00500	PB	500 gm	31054000	18
Ammonium Phosphate Monobasic AR (Cas No. 7722-76-1) (Ammonium Dihydrogen Orthophosphate) Assay : Min. 99% $\text{NH}_4\text{H}_2\text{PO}_4$ M.W. 115.03	00233 00500	PB	500 gm	31054000	18
Ammonium Phosphate Monobasic (For Molecular Biology) (Cas No. 7722-76-1) (Ammonium Dihydrogen Orthophosphate) Assay : Min. 99% $\text{NH}_4\text{H}_2\text{PO}_4$ M.W. 115.03	00234 00500	PB	500 gm	31054000	18
Ammonium Purpurate (Cas No. 3051-09-0) (C.I. No. 56085) (Murexide) $\text{C}_8\text{H}_8\text{N}_6\text{O}_6$ M.W. 284.19	00235 00005	GB	5 gm	29335990	18
	00235 00025	GB	25 gm	29335990	18
	00235 00100	GB	100 gm	29335990	18
Ammonium Purpurate AR (Cas No. 3051-09-0) (C.I. No. 56085) (Murexide) $\text{C}_8\text{H}_8\text{N}_6\text{O}_6$ M.W. 284.19	00236 00005	GB	5 gm	29335990	18
	00236 00025	GB	25 gm	29335990	18
	00236 00100	GB	100 gm	29335990	18
Ammonium Purpurate Solution	00237 00125	GB	125 ml	29335400	18
	00237 00500	GB	500 ml	29335400	18
Ammonium Pyrrolidine Dithiocarbamate AR See Ammonium Tetramethylene Dithiocarbamate Page No. 15					
Ammonium Reineckate (Cas No. 13573-16-5) Assay : Min. 95% $\text{C}_4\text{H}_{10}\text{CrN}_7\text{S}_4\cdot\text{H}_2\text{O}$ M.W. 354.44	00238 00025	GB	25 gm	28429090	18
	00238 00100	GB	100 gm	28429090	18
Ammonium Reineckate AR (Cas No. 13573-16-5) Assay : Min. 96% $\text{C}_4\text{H}_{10}\text{CrN}_7\text{S}_4\cdot\text{H}_2\text{O}$ M.W. 354.44	00239 00010	GB	10 gm	28429090	18
	00239 00025	GB	25 gm	28429090	18
Ammonium Sulphamate (Cas No. 7773-06-0) (Ammonium Amido Sulphonate) Assay : Min. 98% $\text{NH}_4\text{SO}_3\cdot\text{NH}_2$ M.W. 114.12	00240 00500	PB	500 gm	28429090	18
Ammonium Sulphamate AR (Cas No. 7773-06-0) (Ammonium Amido Sulphonate) Assay : Min. 98.5% $\text{NH}_4\text{SO}_3\cdot\text{NH}_2$ M.W. 114.12	00241 00100	PB	100 gm	28429090	18
	00241 00500	PB	500 gm	28429090	18
Ammonium Sulphate (Cas No. 7783-20-2) Assay : Min. 98.5% $(\text{NH}_4)_2\text{SO}_4$ M.W. 132.14	00242 00500	PB	500 gm	31022100	18
Ammonium Sulphate AR (Cas No. 7783-20-2) Assay : Min. 99.5% $(\text{NH}_4)_2\text{SO}_4$ M.W. 132.14	00243 00500	PB	500 gm	31022100	18
Ammonium Sulphate (For Molecular Biology) (Cas No. 7783-20-2) Assay : Min. 99% $(\text{NH}_4)_2\text{SO}_4$ M.W. 132.14	00244 00250	PB	250 gm	31022100	18
	00244 00500	PB	500 gm	31022100	18
Ammonium Sulphate 0.5M (1N) Standardized Solution Liquid, d. 1.04	00245 00500	PB	500 ml	38220090	12
Ammonium Sulphide Yellow (Solution) (Cas No. 12135-76-1) Assay : Min. 20% $(\text{NH}_4)_2\text{S}$ M.W. 68.14	00246 00500	PB	500 ml	38220090	12
Ammonium Sulphocyanide See Ammonium Thiocyanate Page No. 15					
Ammonium (+) Tartrate (Cas No. 3164-29-2) Assay : Min. 99% $\text{C}_4\text{H}_{12}\text{N}_2\text{O}_6$ M.W. 184.15	00247 00500	PB	500 gm	29181390	18
Ammonium (+) Tartrate AR (Cas No. 3164-29-2) Assay : Min. 99% $\text{C}_4\text{H}_{12}\text{N}_2\text{O}_6$ M.W. 184.15	00248 00500	PB	500 gm	29181390	18
Ammonium Tetramethylene Dithiocarbamate AR (Cas No. 5108-96-3) (Pyrrolidine-1-Dithiocarboxylic Acid Ammonium Salt) Assay : Min. 99% $\text{C}_5\text{H}_{12}\text{N}_2\text{S}$ M.W. 164.29 (store at 2-8°C)	00249 00010	GB	10 gm	29309099	18
	00249 00025	GB	25 gm	29309099	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Ammonium Thiocyanate (Cas No. 1762-95-4) Assay : Min. 98% NH_4SCN M.W. 76.12	00250 00500	PB	500 gm	28429090	18
Ammonium Thiocyanate AR (Cas No. 1762-95-4) Assay : Min. 99% NH_4SCN M.W. 76.12	00251 00500	PB	500 gm	28429090	18
Ammonium Thiocyanate 0.1Mol (0.1N) Liquid, d.1.00	00252 00500	PB	500 ml	38220090	12
Ammonium Thiocyanate 1M (1N) Standardized Solution	00253 00500	PB	500 ml	38220090	12
Ammonium Thiosulphate (Cas No. 7783-18-8) Assay : Min. 98% $(\text{NH}_4)_2\text{S}_2\text{O}_3$ M.W. 148.20	00254 00500	PB	500 gm	28323090	18
	00254 01000	PB	1 kg	28323090	18
	00254 05000	PB	5 kg	28323090	18
iso-Amyl Acetate (For Synthesis) (Cas No. 123-92-2) Assay : Min. 98% $\text{C}_7\text{H}_{14}\text{O}_2$ M.W. 130.18 Liquid, d. 0.88	00255 00500	GB	500 ml	29153990	18
	00255 02500	GB	2.5 Lt	29153990	18
iso-Amyl Alcohol (For Synthesis) (Cas No. 123-51-3) Assay : Min. 98% $\text{C}_5\text{H}_{12}\text{O}$ M.W. 88.15 Liquid, d. 0.810	00256 00500	GB	500 ml	29051990	18
	00256 02500	GB	2.5 Lt	29051990	18
iso-Amyl Alcohol AR (Cas No. 123-51-3) Assay : Min. 99% $\text{C}_5\text{H}_{12}\text{O}$ M.W. 88.15 Liquid, d. 0.810	00257 00500	GB	500 ml	29051990	18
	00257 02500	GB	2.5 Lt	29051990	18
iso-Amyl Alcohol (For Molecular Biology) (Cas No. 123-51-3) Assay : Min. 98.5% $\text{C}_5\text{H}_{12}\text{O}$ M.W. 88.15 Liquid, d. 0.810	00258 00100	GB	100 ml	29051990	18
	00258 00500	GB	500 ml	29051990	18
n-Amyl Alcohol (Cas No. 71-41-0) (N-Pentanol) (Pentan-1-ol) Assay : Min. 99% $\text{C}_5\text{H}_{12}\text{O}$ M.W. 88.15 Liquid, d. 0.810	00259 00500	GB	500 ml	29054290	18
	00259 02500	GB	2.5 Lt	29054290	18
n-Amyl Alcohol AR (Cas No. 71-41-0) (N-Pentanol) (Pentan-1-ol) Assay : Min. 99% $\text{C}_5\text{H}_{12}\text{O}$ M.W. 88.15 Liquid, d. 0.810	00260 00500	GB	500 ml	29054290	18
	00260 02500	GB	2.5 Lt	29054290	18
tert-Amyl Alcohol (Cas No. 75-85-4) (2-Methyl-2-Butanol) Assay : Min. 99% $\text{C}_5\text{H}_{12}\text{O}$ M.W. 88.15 Liquid, d. 0.81	00261 00500	GB	500 ml	29051990	18
	00261 02500	GB	2.5 Lt	29051990	18
tert-Amyl Alcohol AR (Cas No. 75-85-4) (2-Methyl-2-Butanol) Assay : Min. 99.5% $\text{C}_5\text{H}_{12}\text{O}$ M.W. 88.15 Liquid, d. 0.81	00262 00500	GB	500 ml	29051990	18
	00262 02500	GB	2.5 Lt	29051990	18
a-Amylase See Diastase Page No. 54					
Andrade's Reagent Solution	00263 00125	GB	125 ml	38220090	12
	00263 00500	GB	500 ml	38220090	12
Anethi Oil Extrapure See Dill oil Page No. 58					
Anethol (For Synthesis) (Cas No. 104-46-1) Assay : Min. 99% $\text{C}_{10}\text{H}_{12}\text{O}$ M.W. 148.21 Liquid, d. 0.987-0.989	00264 00500	GB	500 ml	29093090	18
Aniline (For Synthesis) (Cas No. 62-53-3) Assay : Min. 99% $\text{C}_6\text{H}_5\text{NH}_2$ M.W. 93.13 Liquid, d. 1.022	00265 00500	GB	500 ml	29214110	18
	00265 02500	GB	2.5 Lt	29214110	18
	00265 05000	PC	5 Lt	29214110	18
Aniline AR (Cas No. 62-53-3) Assay : Min. 99% $\text{C}_6\text{H}_5\text{NH}_2$ M.W. 93.13, Liquid, d. 1.022	00266 00500	GB	500 ml	29214110	18
	00266 02500	GB	2.5 Lt	29214110	18
Aniline Blue (Cas No. 28631-66-5) (C.I. No. 42775) (Spirit Soluble) (China Blue) $\text{C}_{32}\text{H}_{25}\text{N}_3\text{Na}_2\text{O}_9\text{S}_3$ M.W. 737.73	00267 00025	PB	25 gm	32041251	18
	00267 00100	PB	100 gm	32041251	18
	00267 00500	PB	500 gm	32041251	18
Aniline Blue (Water Soluble) (Cas No. 28983-56-4) (C.I. No. 42780) (China Blue) (Cotton Blue) (HSN Code. 3204 1251) $\text{C}_{32}\text{H}_{25}\text{N}_3\text{Na}_2\text{O}_9\text{S}_3$ M.W. 737.73	00268 00025	PB	25 gm	32041251	18
	00268 00100	PB	100 gm	32041251	18
	00268 00500	PB	500 gm	32041251	18
Aniline Blue Stain Solution (China Blue Solution) (Cotton Blue Solution)	00269 00125	PB	125 ml	32041990	18
	00269 00500	PB	500 ml	32041990	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Aniline Hydrochloride (For Synthesis) (Cas No. 142-04-1) Assay : Min. 99% $C_6H_5NH_2 \cdot HCl$ M.W. 129.60	00270 00250	PB	250 gm	29211990	18
	00270 00500	PB	500 gm	29211990	18
Aniline Sulphate (Cas No. 542-16-5) Assay : Min. 98% $C_{12}H_{14}N_2 \cdot H_2SO_4$ M.W. 284.33	00271 00250	PB	250 gm	29214190	18
	00271 00500	PB	500 gm	29214190	18
p-Anisaldehyde (Cas No. 123-11-5) (P-Anisaldehyde) (4-Methoxy Benzaldehyde) Assay : Min. 98% $C_8H_8O_2$ M.W. 136.15 Liquid, d. 1.12	00272 00100	GB	100 ml	29124990	18
	00272 00500	GB	500 ml	29124990	18
Aniseed Oil Extra Pure (anise oil) (Cas No. 8007-70-3) Liquid, d. 0.98	00272A 00500	GB	500 ml	3390	18
o-Anisic Acid (Cas No. 579-75-9) (2-Methoxybenzoic Acid) Assay : Min. 98% $C_8H_8O_3$ M.W. 152.15	00273 00025	PB	25 gm	29189900	18
	00273 00100	PB	100 gm	29189900	18
p-Anisic Acid (Cas No. 100-09-4) (4-Methoxybenzoic Acid) Assay : Min. 99% $C_8H_8O_3$ M.W. 152.15	00274 00100	GB	100 gm	29189900	18
	00274 00500	GB	500 gm	29189900	18
m-Anisidine (Cas No. 536-90-3) (3-Methoxyaniline) (3-Aminoanisole) Assay : Min. 97% C_7H_9NO M.W. 123.16 Liquid, d. 1.096-1.101	00275 00100	GB	100 ml	29221990	18
o-Anisidine (Cas No. 90-04-0) (2-Methoxyaniline) (2-Aminoanisole) Assay : Min. 98% C_7H_9NO M.W. 123.16 Liquid, d. 1.092	00276 00500	GB	500 ml	29222990	18
p-Anisidine (Cas No. 104-94-9) (4-Methoxyaniline) (4-Aminoanisole) Assay : Min. 99% C_7H_9NO M.W. 123.16	00277 00500	GB	500 gm	29222990	18
Anisole (Methoxybenzene) (Cas No. 100-66-3) Assay : Min. 99% C_7H_8O M.W. 108.14 Liquid, d. 0.995	00278 00500	GB	500 ml	29093090	18
	00278 02500	GB	2.5 lit	29093090	18
Anisole AR (Methoxybenzene) (Cas No. 100-66-3) Assay : Min. 99.7% C_7H_8O M.W. 108.14 Liquid, d. 0.995	00279 00500	GB	500 ml	29093090	18
Anithole Oil Extra pure Liquid, d. 0.983-0.989	00279A 00500	GB	500 ml	33012590	18
Anthracene (Purified) (Cas No. 120-12-7) Assay : Min. 96% $C_{14}H_{10}$ M.W. 178.22	00280 00100	PB	100 gm	29029090	18
	00280 00500	PB	500 gm	29029090	18
Anthracene (Scintillation Grade) (Cas No. 120-12-7) Assay : Min. 99% $C_{14}H_{10}$ M.W. 178.22	00281 00100	PB	100 gm	29029090	18
Anthrone (For Synthesis) (Cas No. 90-44-8) Assay : Min. 98% $C_{14}H_{10}O$ M.W. 194.23	00283 00025	GB	25 gm	29143920	18
	00283 00100	GB	100 gm	29143920	18
Anthrone AR (For Synthesis) (Cas No. 90-44-8) Assay : Min. 99% $C_{14}H_{10}O$ M.W. 194.23	00284 00010	GB	10 gm	29143920	18
	00284 00025	GB	25 gm	29143920	18
Antimony AAS Standard Solution 1000mg/L in Nitric Acid	00284A 00125	GB	125 ml	38220090	12
	00284A 00500	GB	500 ml	38220090	12
Antimony ICP Standard Solution 1000mg/L in Nitric Acid	00284B 00125	GB	125 ml	38220090	12
Antimony (Metal) Lumps (Cas No. 7440-36-0) Assay : Min. 99.5% Sb A.W. 121.75	00285 00100	PB	100 gm	81101000	18
	00285 00500	PB	500 gm	81101000	18
Antimony (Metal) Powder (Cas No. 7440-36-0) Assay : Min. 99% Sb A.W. 121.75	00286 00100	PB	100 gm	81101000	18
	00286 00500	PB	500 gm	81101000	18
Antimony (III) Chloride (Cas No. 10025-91-9) (Antimony Trichloride) Assay : Min. 98.5% $SbCl_3$ A.W. 228.11	00287 00100	GB	100 gm	28273990	18
	00287 00250	GB	250 gm	28273990	18
	00287 00500	GB	500 gm	28273990	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Antimony (III) Chloride AR (Cas No. 10025-91-9) (Antimony Trichloride) Assay : Min. 99% SbCl ₃ A.W. 228.11	00288 00100 00288 00250 00288 00500	GB GB GB	100 gm 250 gm 500 gm	28273990 28273990 28273990	18 18 18
Antimony (III) Oxide (Cas No. 1309-64-4) Assay : Min. 98.5% Sb ₂ O ₃ A.W. 291.52	00289 00500	PB	500 gm	28258000	18
Antimony (III) Oxide AR (Cas No. 1309-64-4) Assay : Min. 99% Sb ₂ O ₃ A.W. 291.52	00290 00500	PB	500 gm	28258000	18
Antimony Pentasulphide (Golden) See Antimony Sulphide Golden Page No. 17					
Antimony Pentoxide (Cas No. 1314-60-9) (Antimony (V) Oxide) Assay : Min. 98% Sb ₂ O ₅ M.W. 323.52	00291 00250	GB	250 gm	28258000	18
Antimony Potassium Tartrate (Trihydrate) (Cas No. 28300-74-5) (Potassium Antimony (III) Oxide Tartrate) Assay : Min. 98.5% C ₈ H ₄ K ₂ O ₁₂ Sb ₂ ·3H ₂ O M.W. 667.87	00292 00500	PB	500 gm	29181390	18
Antimony Potassium Tartrate AR (Trihydrate) (Cas No. 28300-74-5) (Potassium Antimony (III) Oxide Tartrate) Assay : Min. 99% C ₈ H ₄ K ₂ O ₁₂ Sb ₂ ·3H ₂ O M.W. 667.87	00293 00100 00293 00500	PB PB	100 gm 500 gm	29181390 29181390	18 18
Antimony Sulphide Black (Cas No. 1345-04-6) (Antimony Tri Sulphide) Assay : Min. 95% Sb ₂ S ₃ M.W. 339.69	00294 00500	PB	500 gm	28332990	18
Antimony Sulphide Golden (Cas No. 1315-04-6) [Antimony Pentasulphide (Golden)] Assay : Min. 60% Sb ₂ S ₃ M.W. 403.82	00295 00500	PB	500 gm	28309010	18
Antimony Trichloride See Antimony (III) Chloride Page No. 17					
Antimony Trioxide See Antimony (III) Oxide Page No. 17					
Antipyrin (Phenazone) (Cas No. 60-80-0) Assay : Min. 99% C ₁₁ H ₁₂ N ₂ O M.W. 188.23	00296 00100	PB	100 gm	29331100	18
D (-) Arabinose AR (Cas No. 10323-20-3) Assay : Min. 98% C ₅ H ₁₀ O ₅ M.W. 150.13	00297 00005 00297 00010 00297 00025	GB GB GB	5 gm 10 gm 25 gm	29400000 29400000 29400000	18 18 18
L (+) Arabinose (Cas No. 5328-37-0) Assay : Min. 99% C ₅ H ₁₀ O ₅ M.W. 150.13	00298 00010 00298 00025 00298 00100	GB GB GB	10 gm 25 gm 100 gm	29400000 29400000 29400000	18 18 18
Arachis Oil Extra Pure (Cas No. 8002-03-7)	00298A 00500	GB	500 ml	15089099	5
L-Arginine (For Biochemistry) (Cas No. 74-79-3) Assay : Min. 99% C ₆ H ₁₄ N ₄ O ₂ M.W. 174.20	00299 00025 00299 00100	PB PB	25 gm 100 gm	29224990 29224990	18 18
L-Arginine Monohydrochloride (For Biochemistry) (Cas No. 1119-34-2) (HSN Code. 2922 4990) Assay : Min. 99% C ₆ H ₁₄ N ₄ O ₂ M.W. 210.66	00300 00025 00300 00100	PB PB	25 gm 100 gm	29224990 29224990	18 18
Arsenazo I AR (Cas No. 520-10-5) (Reagent for thorium) (Neothorine) C ₁₆ H ₁₀ AsN ₂ Na ₃ O ₁₁ S ₄ M.W. 668.34	00301 00001 00301 00005	GB GB	1 gm 5 gm	29319090 29319090	18 18
Arsenazo III AR (Cas No. 1668-00-4) (Reagent for thorium) C ₂₂ H ₁₆ As ₂ N ₄ Na ₂ O ₁₄ S ₂ ·4H ₂ O M.W. 892.40	00302 00005	GB	5 gm	29319090	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Arsenic AAS Standard Solution	00302A 00125	GB	125 ml	38220090	12
1000mg/L in Nitric Acid	00302A 00500	GB	500 ml	38220090	12
Arsenic ICP Standard Solution 1000mg/L in Nitric Acid	00302B 00125	GB	125 ml	38220090	12
Arsenic (Metal) Powder (Cas No. 7440-38-2)	00304 00025	GB	25 gm	28048000	18
Assay : Min. 99.5% As M.W. 74.92	00304 00100	GB	100 gm	28048000	18
Arsenic (III) Oxide (Cas No. 1327-53-3) (Arsenic Trioxide)	00305 00500	PB	500 gm	28112920	18
Assay : Min. 95% As ₂ O ₃ M.W. 197.84					
Arsenic Trioxide See Arsenic (III) Oxide Page No. 18					
L-Ascorbic Acid (Cas No. 50-81-7) (Vitamin C)	00307 00100	PB	100 gm	29362700	18
Assay : Min. 99% C ₆ H ₈ O ₆ M.W. 176.13 Store at 2-8°C	00307 00500	PB	500 gm	29362700	18
L-Ascorbic Acid AR (For Biochemistry)(Cas No.50-81-7)(Vitamin C)	00308 00100	PB	100 gm	29362700	18
Assay : Min. 99.7% C ₆ H ₈ O ₆ M.W. 176.13 Store at 2-8°C	00308 00500	PB	500 gm	29362700	18
L-Ascorbic Acid Sodium Salt See Sodium L (+) Ascorbate See Page No. 138					
L-Asparagine (Monohydrate) (For Biochemistry)	00309 00025	PB	25 gm	29224990	18
(Cas No. 5794-13-8)	00309 00100	PB	100 gm	29224990	18
Assay: Min. 99% C ₄ H ₈ N ₂ O ₃ .H ₂ O M.W. 150.13	00309 00500	PB	500 gm	29224990	18
DL-Aspartic Acid (For Chromatography) (Cas No. 617-45-8)	00310 00025	PB	25 gm	29224990	18
Assay : Min. 99% C ₄ H ₇ NO ₄ M.W. 133.10	00310 00100	PB	100 gm	29224990	18
L-Aspartic Acid (For Biochemistry)	00311 00025	PB	25 gm	29224990	18
(Cas No. 56-84-8)	00311 00100	PB	100 gm	29224990	18
Assay : Min. 98% C ₄ H ₇ NO ₄ M.W. 133.10	00311 00500	PB	500 gm	29224990	18
Aspirin See Acetyl Salicylic Acid See Page No. 3					
Atropine Sulphate AR (Cas No. 5908-99-6)	00312 00005	GB	5 gm	29396900	18
Assay : Min. 99% C ₃₄ H ₄₈ N ₂ O ₁₀ S.H ₂ O M.W. 694.85	00312 00025	GB	25 gm	29396900	18
Auramine (M.S.)	00313 00025	GB	25 gm	32041321	18
(Cas No. 2465-27-2) (C.I. No. 41000)	00313 00100	GB	100 gm	32041321	18
Auric Chloride (Au 25%) (Gold Chloride) (Cas No. 16903-35-8)	00314 00001	GB	1 gm	28433000	18
Assay : Min. 25% HAuCl ₄ .xH ₂ O M.W. 303.84					
Auric Chloride (Au 49%) (Gold Chloride) (Cas No. 16903-35-8)	00315 00001	GB	1 gm	28433000	18
Assay : Min. 49% HAuCl ₄ .xH ₂ O M.W. 303.84					
Aurin (Cas No. 603-45-2) (C.I. No. 43800) (P-Rosolic Acid)	00317 00025	GB	25 gm	32129020	18
Dye Content : Min. 85% C ₁₉ H ₁₄ O ₃ M.W. 290.32	00317 00100	GB	100 gm	32129020	18
Aurin Tricarboxylic Acid Triammonium Salt AR See Aluminon Page No. 8					
7-Azaindole (For Synthesis) (Cas No. 271-63-6)	00318 00001	GB	1 gm	29339900	18
(1H-Pyrrolo(2,3-b)Pyridine)	00318 00005	GB	5 gm	29339900	18
Assay : Min. 98% C ₇ H ₅ N M.W. 118.14	00318 00025	GB	25 gm	29339900	18
Azocarmine G (for histology) (Cas No. 25641-18-3)(HSN Code. 3204 9000) (C.I. No. 50085) C ₂₈ H ₁₈ N ₃ NaO ₆ S ₂ M.W. 579.59	00319 00025	GB	25 gm	32049000	18
a,a'-Azobisobutyronitrile (AIBN,2',-Azobis)	00320 00100	GB	100 gm	29270090	18
(2-Methylpropionitrile) (Cas No. 78-67-1) (For Synthesis)	00320 00500	GB	500 gm	29270090	18
Assay : Min. 98% C ₃ H ₁₂ N ₄ M. W. 164.21					
Azomethine-H Monosodium Salt Hydrate (Cas No. 5378-49-4)	00320A 00001	GB	1 gm	29252990	18
Assay : Min. 90% C ₁₇ H ₁₂ NNaO ₈ S ₂ .xH ₂ O M.W. 445.40	00320A 00005	GB	5 gm	29252990	18
(on anhydrous basis)					

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Azorubin C See Carmoisine A Page No. 38					
Azure A (M.S.)	00321 00005	GB	5 gm	32049000	18
(Cas No. 531-53-3) (C.I. No. 52005)	00321 00010	GB	10 gm	32049000	18
C ₁₄ H ₁₄ ClN ₃ S M.W. 291.80	00321 00025	GB	25 gm	32049000	18
Azure B (M.S.) (Cas No. 531-53-3)	00322 00005	GB	5 gm	32049000	18
(C.I. No. 52010) (Azur I)	00322 00025	GB	25 gm	32049000	18
C ₁₅ H ₁₆ ClN ₃ S M.W. 305.83					
Azure II (M.S.) (Cas No. 37247-10-2)	00323 00010	GB	10 gm	32049000	18
C ₁₆ H ₁₈ N ₃ S.C ₁₅ H ₁₆ N ₃ S.2Cl M.W. 625.68	00323 00025	GB	25 gm	32049000	18
Azure II Eosine (M.S.) (Cas No. 53092-85-6)	00324 00025	GB	25 gm	32129090	18

B

Balsam Canada (Synthetic) (Cas No. 8007-47-4)	00325 00500	PB	500 gm	13012000	5
Balsam Canada (Colourless)	00326 00500	PB	500 gm	13012000	5
Barbituric Acid (for Synthesis)	00327 00025	PB	25 gm	29335200	18
(Cas No. 67-52-7)	00327 00100	PB	100 gm	29335200	18
Assay : Min 99% C ₄ H ₄ N ₂ O ₃ M.W. 128.09	00327 00500	PB	500 gm	29335200	18
Barbituric Acid AR (For Molecular Biology)	00328 00025	PB	25 gm	29335200	18
(Cas No. 67-52-7)	00328 00100	PB	100 gm	29335200	18
Assay : Min 99% C ₄ H ₄ N ₂ O ₃ M.W. 128.09	00328 00500	PB	500 gm	29335200	18
Barfoed's Reagent	00329 00500	PB	500 ml	38220090	12
	00329 05000	PB	5 Lt	38220090	12
Barium AAS Standard Solution 1000 mg/L Liquid.d. 1.013	00330 00125	GB	125 ml	38220090	12
	00330 00500	GB	500 ml	38220090	12
Barium ICP Standard Solution	00330A 00125	GB	125 ml	38220090	12
1000 mg /L in Nitric Acid Liquid,d.1.013					
Barium Acetate (Cas No. 543-80-6)	00331 00500	PB	500 gm	29152990	18
Assay : Min 99% C ₄ H ₆ BaO ₄ M.W. 225.43					
Barium Acetate AR (Cas No. 543-80-6)	00332 00500	PB	500 gm	29152990	18
Assay : Min 99% C ₄ H ₆ BaO ₄ M.W. 225.43					
Barium Bromide (Cas No.7791-28-8)	00333 00500	PB	500 gm	28275990	18
Assay : Min 98% BaBr ₂ .2H ₂ O M.W. 333.17					
Barium Bromide AR (Cas No.7791-28-8)	00334 00500	PB	500 gm	28275990	18
Assay : Min 98.5% BaBr ₂ .2H ₂ O M.W.333.17					
Barium Carbonate (Cas No.513-77-9)	00335 00500	PB	500 gm	28366000	18
Assay : Min 98.5% BaCO ₃ M.W. 197.35	00335 05000	PC	5 Kg	28366000	18
Barium Carbonate AR (Cas No.513-77-9)	00336 00500	PB	500 gm	28366000	18
Assay : Min 99% BaCO ₃ M.W. 197.35					
Barium Chloranilate AR (Trihydrate) (Cas No. 32458-20-1)	00337 00025	GB	25 gm	29147000	18
(Chloranilic Acid Barium Salt)	00337 00100	GB	100 gm	29147000	18
Assay : Min 98.5% C ₆ BaCl ₂ O ₄ .3H ₂ O M.W. 398.36					
Barium Chloride purified (dihydrate) (Cas No. 10326-27-9)	00337A 00500	PB	500 gm	28273990	18
Assay : Min. 99% BaCl ₂ .2H ₂ O M.W. 244.28	00337A 05000	PC	5 kg	28273990	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Barium Chloride Purified AR (dihydrate) (Cas No. 10326-27-9) Assay : Min 99.0-100.5% BaCl ₂ .2H ₂ O M.W. 244.28	00338 00500	PB	500 gm	28273990	18
Barium Chloride 0.05M (0.1N) Standardized Solution Liquid, d. 1.000	00339 00500	PB	500 ml	38220090	12
Barium Chromate (Cas No. 10294-40-3) Assay : Min. 98% BaCrO ₄ M.W. 253.32	02913 00500	PB	500 gm	28415090	18
Barium Chromate AR (Cas No. 10294-40-3) Assay : Min. 99% BaCrO ₄ M.W. 253.32	00340 00100	PB	100 gm	28415090	18
	00340 00500	PB	500 gm	28415090	18
Barium Hydroxide (Octahydrate) (Cas No. 12230-71-6) Assay : Min. 97% Ba(OH) ₂ .8H ₂ O M.W. 315.48	00341 00500	PB	500 gm	28164000	18
	00341 05000	PC	5 Kg	28164000	18
Barium Hydroxide AR (Octahydrate) (Cas No. 12230-71-6) Assay : Min. 98% Ba(OH) ₂ .8H ₂ O M.W. 315.48	00342 00250	PB	250 gm	28164000	18
	00342 00500	PB	500 gm	28164000	18
Barium Nitrate (Cas No. 10022-31-8) Assay : Min. 98% Ba(NO ₃) ₂ M.W. 261.34	00343 00500	PB	500 gm	28342930	18
	00342 05000	PC	5 Kg	28342930	18
Barium Nitrate AR (Cas No. 10022-31-8) Assay : Min. 99% Ba(NO ₃) ₂ M.W. 261.34	00344 00500	PB	500 gm	28342930	18
Barium Perchlorate 0.005 Mol/Liter (0.005M) Aqueous Solution	00345 00500	PB	500 ml	38220090	12
Barium Perchlorate 0.005 Mol/Liter (0.005M) Alcoholic Solution	00346 00500	PB	500 ml	38220090	12
Barium Perchlorate AR (Anhydrous) (Cas No. 13465-95-7) Assay : Min. 97% Ba(ClO ₄) ₂ .3H ₂ O M.W. 336.23	00347 00250	PB	250 gm	28291990	18
Barium Peroxide (For Synthesis) (Cas No. 1304-29-6) Assay : Min. 97% BaO ₂ M.W. 169.34	00348 00500	TIN	500 gm	28164000	18
Barium Stearate (For Synthesis) (Cas No. 6865-35-6)) C ₃₆ H ₇₀ BaO ₄ M.W. 704.27	00349 00500	PB	500 gm	29157090	18
	00349 01000	PB	1 kg	29157090	18
Barium Sulphate (Precipitated) (Cas No. 7727-43-7) Assay : Min. 97% BaSO ₄ M.W. 233.39	00350 00500	PB	500 gm	28332700	18
Barium Sulphate AR (Cas No. 7727-43-7) Assay : Min. 98% BaSO ₄ M.W. 233.39	00351 00500	PB	500 gm	28332700	18
Basic Fuchsin (M.S.) (Cas No. 632-99-5) (C.I. No. 42510)) (Magenta Basic) (Fuchsin Basic) Dye Content : Min. 85% C ₂₀ H ₂₀ ClN ₃ M.W. 337.85	00352 00025	PB	25 gm	32041399	18
	00352 00100	PB	100 gm	32041399	18
	00352 00500	PB	500 gm	32041399	18
Basic Fuchsin 0.1 w/v Solution (Aqueous Staining Solution) Liquid,d.0.985	00353 00125	PB	125 ml	32041300	18
	00353 00500	PB	500 ml	32041300	18
Basil Oil Extra Pure (Cas No.8015-73-4), Liquid, d. 0.961	00353A 00500	GB	500 ml	33012590	18
Bathocuproine AR (Cas No. 4733-39-5) (2,9-Dimethyl-4, 7-Diphenyl-1, 10-Phenanthroline) Assay : Min. 99% C ₂₆ H ₂₀ N ₂ M.W. 360.45	00354 00100M	GB	100 mg	29335200	18
	00354 00001	GB	1 gm	29335200	18
Bathocuproine Disulphonic Acid Disodium Salt AR (Cas No.52698-84-7) Assay : Min. 98.5% C ₂₆ H ₁₈ N ₂ Na ₂ O ₆ S ₂ M.W. 564.55	00355 00100M	GB	100 mg	29339900	18
	00355 00500M	GB	500 mg	29339900	18
Bathophenanthroline AR (Cas No. 1662-01-7) (4,7-Diphenyle-1, 10-Phenanthroline) Assay : Min. 99% C ₂₄ H ₁₆ N ₂ M.W. 332.41	00356 00100M	GB	100 mg	29339900	18
	00356 00001	GB	1 gm	29339900	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Bathophenanthroline Disulphonic Acid Disodium Salt AR (Cas No. 53744-42-6) (Water Soluble) Assay : Min. 99% $C_{24}H_{14}N_2Na_2O_6S_2 \cdot 3H_2O$ M.W. 590.54	00357 00250M	GB	250 mg	29339900	18
BAY OIL Extra Pure Liquid, d.0.96	00357A 00250 00357A 00500	GB GB	250 ml 500 ml	3390 3390	18 18
BEAM'S REAGENT Solution	00357B 00500	GB	500 ml	38220090	12
Beef Extract Paste (For Bacteriology) (Lab Lemco Paste) (CAS NO. 68990-09-0) (Store at 15-25°C)	00358 00500	PB	500 gm	16030010	12
Beef Extract Powder (For Bacteriology) (Lab Lemco Powder) (CAS NO. 68990-09-0) (Store at 15-250C) (HSN Code.1603 0010)	00359 00500	PB	500 gm	16030010	12
Bees Wax White (Cas No. 8012-89-3) (For Histology)	00360 00500 00360 05000	PB PC	500 gm 5 Kg	15219010 15219010	18 18
Bees Wax Yellow (Cas No. 8012-89-3) (For Histology)	00361 00500 00361 05000	PB PC	500 gm 5 Kg	15219010 15219010	18 18
Benedict's Reagent (Qualitative) (Cas No. 63126-89-6) Liquid, d. 1.19	00362 00500 00362 05000	PB PC	500 ml 5 Lt	38220090 38220090	12 12
Benedict's Reagent (Quantitative) (Cas No. 63126-89-6)7 Liquid, d. 1.11-1.23	00363 00500 00363 05000	PB PC	500 ml 5 Lt	38220090 38220090	12 12
Benedict's Uric Acid Reagents (unic acid reagents)	00363A 00100 00363A 00500	PB PB	100 ml 500 ml	38220090 38220090	12 12
Bentonite Powder (Purified) (Cas No. 1302-78-9) $Al_2O_3 \cdot 4(SiO_2) \cdot H_2O$ M.W. 360.31	00364 00500	PB	500 gm	25081090	5
Benzaldehyde (For Synthesis) (Cas No. 100-52-7) Assay : Min. 99% $C_6H_5 \cdot CHO$ M.W. 106.12 Liquid, d. 1.044	00365 00500 00365 02500	GB GB	500 ml 2.5 lt	29122100 29122100	18 18
Benzaldehyde AR (Cas No. 100-52-7) Assay : Min. 99% $C_6H_5 \cdot CHO$ M.W. 106.12 Liquid, d. 1.044	00366 00500	GB	500 ml	29122100	18
Benzal Konium Chloride (50% aqueous Solution) (Cas No. 63449-41-2) Assay : Min. 50% (Via Cl) Liquid, d.0.989	00367 00500	GB	500 ml	34021200	18
Benzamide (For Synthesis) (Cas No. 55-21-0) Assay : Min. 98% $C_7H_7 \cdot NO$ M.W. 121.14	00368 00500	PB	500 gm	29242990	18
Benzanilide (For Synthesis) (Cas No. 93-98-1) Assay : Min. 98% $C_{13}H_{11} \cdot NO$ M.W. 197.23	00369 00100 00369 00500	PB PB	100 gm 500 gm	29242990 29242990	18 18
Benzene (Crystallizable) (For Synthesis) (Cas No. 71-43-2) Assay : Min. 99% C_6H_6 M.W. 78.11, Liquid, d. 0.874	00370 00500 00370 02500 00370 05000	GB GB PC	500 ml 2.5 lt 5 lt	29022000 29022000 29022000	18 18 18
Benzene AR (Crystallizable) (Cas No. 71-43-2) Assay : Min. 99.5% C_6H_6 M.W. 78.11 Liquid, d. 0.874	00371 00500 00371 02500	GB GB	500 ml 2.5 lt	29022000 29022000	18 18
Benzene Sulphonyl Chloride (Cas NO. 98-09-9) Assay : Min. 99% $C_6H_5 \cdot SO_2 \cdot Cl$ M.W. 176.62 Liquid, d. 1.384	00373 00250 00373 00500	GB GB	250 ml 500 ml	29049990 29049990	18 18
Benzethonium Chloride See Hyamine 1622 Page No. 78					
Benzhydrol (For Synthesis) (Cas No. 91-01-0) (Diphenyl Carbinol) Assay : Min. 98% $C_{13}H_{12} \cdot O$ M.W. 184.24	00374 00100 00374 00500	PB PB	100 gm 500 gm	29062990 29062990	18 18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Benzidine Reagent Solution	00375 00125	GB	125 ml	38220090	12
	00375 00500	GB	500 ml	38220090	12
Benzil (For Synthesis) (Cas No. 134-81-6) Assay : Min. 99% $C_{14}H_{10}O_2$ M.W. 210.23	00376 00100	PB	100 gm	29143990	18
	00376 00250	PB	250 gm	29143990	18
	00376 01000	PB	1 kg	29143990	18
Benzimidazole (For Synthesis) (Cas No. 51-17-2) Assay : Min. 98% $C_7H_6N_2$ M.W. 118.13	00377 00025	GB	25 gm	29339900	18
	00377 00100	GB	100 gm	29339900	18
	00377 00500	GB	500 gm	29339900	18
Benzoic Acid (For Synthesis) (Cas No. 65-85-0) Assay : Min. 99.5% $C_7H_6O_2$ M.W. 122.12	00378 00500	PB	500 gm	29163110	18
	00378 05000	PC	5 kg	29163110	18
Benzoic Acid AR (Cas No. 65-85-0) Assay : Min. 99.5% $C_7H_6O_2$ M.W. 122.12	00379 00500	PB	500 gm	29163110	18
	00379 05000	PB	5 kg	29163110	18
Benzoic Anhydride (For Synthesis) (Cas No. 93-97-0) Assay : Min. 98% $(C_6H_5CO)_2O$ M.W. 226.23	00380 00100	PB	100 gm	29163990	18
	00380 00500	PB	500 gm	29163990	18
Benzoin (For Synthesis) (Cas No. 119-53-9) Assay : Min. 98% $C_{14}H_{12}O_2$ M.W. 212.25	00381 00100	PB	100 gm	29143990	18
	00381 00250	PB	250 gm	29143990	18
	00381 00500	PB	500 gm	29143990	18
a-Benzoin Oxime AR (Cupron) (Cas No. 441-38-3) Assay : Min. 98% $C_{14}H_{12}O_2$ M.W. 227.27 Store at 2-8°C	00382 00025	PB	25 gm	29280090	18
	00382 00100	PB	100 gm	29280090	18
	00382 00500	PB	500 gm	29280090	18
Benzonitrile (For Synthesis) (Cas No. 100-47-0) (Phenyl Cyanide) Assay : Min. 99% C_7H_5N M.W. 103.12 Liquid, d. 1.004-1.005	00383 00500	GB	500 gm	29269000	18
	00383 02500	GB	2.5 lt	29269000	18
Benzophenone (Cas No. 119-61-9) (Diphenyl Ketone) Assay : Min. 99% $C_{15}H_{10}O$ M.W. 182.22	00384 00500	PB	500 gm	29143930	18
1,2,3-Benzotriazole (For Synthesis) (Cas No. 95-14-7) (1H-Benzotriazole) Assay : Min. 99% $C_6H_5N_3$ M.W. 119.13	00386 00100	PB	100 gm	29339900	18
	00386 00250	PB	250 gm	29339900	18
	00386 01000	PB	1 kg	29339900	18
Benzo Trichloride (Cas No. 98-07-7) Assay : Min. 98% $C_7H_5Cl_3$ M.W. 195.48 Liquid, d.1.38	00387 00500	GB	500 ml	29039930	18
a-N-Benzoyl-L-Arginine Ethyl Ester Hydrochloride (BAEE) (Cas No. 2645-08-1) Assay : Min. 99% $C_{15}H_{23}ClN_4O_3$ M.W. 342.83	00388 000001	GB	1 gm	29252990	18
	00388 00005	GB	5 gm	29252990	18
Benzoyl Chloride (Cas No. 98-88-4) Assay : Min. 98% C_6H_5COCl M.W. 140.57 Liquid, d. 1.21	00389 00500	GB	500 ml	29163200	18
	00389 02500	GB	2.5 Lt	29163200	18
Benzoyl Chloride AR (Cas No. 98-88-4) Assay : Min. 99% C_6H_5CoCl M.W. 140.57 Liquid, d. 1.21	00390 00500	GB	500 ml	29163200	18
	00390 02500	GB	2.5 Lt	29163200	18
Benzoyl Peroxide (Moistened with 25% Water) (Cas No. 94-36-0) Assay : Min. 98% $C_{14}H_{10}O_4$ M.W. 242.23	00391 00500	PB	500 gm	29163200	18
6-Benzyladenine (Cas No. 1214-39-7) (6-BAP) (6-Benzylaminopurine) Assay : Min. 99% $C_{12}H_{11}N_5$ M.W. 225.25	00392 00001	GB	1 gm	29335990	18
	00392 00005	GB	5 gm	29335990	18
	00392 00025	PB	25 gm	29335990	18
	00392 00100	PB	100 gm	29335990	18
Benzyl Alcohol (For Synthesis) (Cas No. 100-51-6) Assay : Min. 97% C_7H_8O M.W. 108.14 Liquid, d. 1.045	00393 00500	GB	500 ml	29062100	18
	00393 02500	GB	2.5 lt	29062100	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Benzyl Alcohol AR (Cas No. 100-51-6)	00394 00500	GB	500 ml	29062100	18
Assay : Min. 99% C ₇ H ₈ O M.W. 108.14 Liquid, d. 1.045	00394 02500	GB	2.5 lt	29062100	18
Benzylamine (For Synthesis) (Cas No. 100-46-9)	00395 00500	GB	500 ml	29214990	18
Assay : Min. 99% C ₇ H ₉ N M.W. 107.16 Liquid, d. 0.981	00395 02500	GB	2.5 lit	29214990	18
Benzyl Benzoate (Cas NO. 120-51-4)	00396 00500	GB	500 ml	29163120	18
Assay : Min. 99% C ₁₄ H ₁₂ O ₂ M.W. 212.25 Liquid, d. 1.112- 1.118	00396 02500	GB	2.5 lit	29163120	18
Benzyl Bromide (Cas No. 100-39-0)	00399 00250	GB	250 ml	29039990	18
Assay : Min. 98% C ₇ H ₇ Br M.W. 171.03 Liquid, d.1.44	00399 00500	GB	500 ml	29039990	18
Benzyl Chloride (Cas No. 100-44-7)	00400 00500	GB	500 ml	29039940	18
Assay : Min. 99% C ₆ H ₅ .CH ₂ Cl M.W. 126.59 Liquid, d. 1.10 (Store at 2-8°C)					
Benzyl Cyanide (For Synthesis)	00401 00500	GB	500 ml	29269000	18
(Cas No. 140-29-4) (Phenylacetoneitrile, A-Tolunitrile)	00401 02500	GB	2.5 lt	29269000	18
Assay : Min. 99% C ₈ H ₇ N M.W. 117.15 Liquid, d. 1.015-1.02					
N-Benzylmethylamine (Cas No. 103-67-3)	00402 00500	GB	500 ml	29214990	18
Assay : Min. 97% C ₈ H ₁₁ N M.W. 121.18 Liquid, d. 0.939					
S-Benzylthiurionium Chloride	00403 00025	GB	25 gm	29309099	18
(For Synthesis) (Cas No. 538-28-3)	00403 00100	GB	100 gm	29309099	18
Assay : Min. 98% C ₈ H ₁₁ ClN ₂ S M.W. 202.71	00403 00500	GB	500 gm	29309099	18
Benzyl Tributyl Ammonium Chloride (For Synthesis)	00404 00100	PB	100 gm	29239000	18
(Cas No. 23616-79-7) (HSN Code. 2923 9000)	00404 00500	PB	500 gm	29239000	18
Assay : Min. 98% C ₁₉ H ₃₄ ClN M.W. 311.94					
Benzyl Triethyl Ammonium Chloride (Cas No. 56-37-1)	00405 00500	PB	500 gm	29239000	18
Assay : Min. 98% C ₁₃ H ₂₂ ClN M.W. 227.78					
Benzyl Trimethyl Ammonium Chloride (Cas No. 56-93-9)	00406 00500	PB	500 gm	29239000	18
Assay : Min. 97% C ₁₀ H ₁₆ ClN M.W. 185.70					
Benzyl Trimethyl Ammonium Hydroxide Methanolic Solution	00407 00100	GB	100 ml	29239000	18
40% (Cas No.100-85-6)	00407 00500	GB	500 ml	29239000	18
Assay : Min. 40% C ₃ H ₁₇ NO M.W. 167.25, Liquid, d. 0.93					
Bergamot Oil	00407A 00500	GB	500 ml	3390	18
Beryllium AAS Standard Solution	00408 00125	GB	125 ml	38220090	12
1000 mg/L in Nitric Acid	00408 00500	GB	500 ml	38220090	12
Beryllium ICP Standard Souldution 1000mg/L in Nitric Acid	00408A 00125	GB	125 ml	38220090	12
BES Buffer (For Biochemistry) (Cas No. 10191-18-1)	00409 00025	GB	25 gm	29221990	18
(N,N-Bis (2-Hydroxyethyl) 2-Aminoethane Sulfonic Acid)	00409 00100	GB	100 gm	29221990	18
Assay : Min. 99% C ₆ H ₁₅ NO ₅ S M.W. 213.25					
Bial's Orcinol Reagent	00410 00100	GB	100 ml	38220090	12
(Sumner) Liquid,d.1.1885	00410 00250	GB	250 ml	38220090	12
For Detection of Pentoses And Glucuronic Acid	00410 00500	GB	500 ml	38220090	12
Bicine (For Molecular Biology) (Cas No. 150-25-4)	00411 00025	GB	25 gm	29224990	18
[N,N-Bis (2-Hydroxy ethyl) Glycine]	00411 00100	GB	100 gm	29224990	18
Assay : Min. 99% C ₆ H ₁₃ NO ₄ M.W. 163.17					
Biebrich Scarlet (W.S.) (C.I. No. 26905) (Cas No. 4196-99-0)	00412 00025	GB	25 gm	32049000	18
Dye Content : Min. 70% C ₂₂ H ₁₄ N ₄ Na ₂ O ₇ S ₂ M.W. 556.49	00412 00100	PB	100 gm	32049000	18
Bile Salt (For Bacteriology) (Cas No. 11006-55-6)	00413 00100	PB	100 gm	38210000	12
(Sodium Tauroglycocholate) (Store at 15° to 25°C)	00413 00500	PB	500 gm	38210000	12

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Bile Salt Reagent Solution	00414 00125	PB	125 ml	38220090	12
	00414 00500	PB	500 ml	38220090	12
Bilirubin AR (Cas No. 635-65-4) Assay : Min. 95% $C_{33}H_{36}N_4O_6$ M.W. 584.68 (Store at 2 ⁰ -8 ⁰ C)	00415 00100M	GB	100 mg	29339900	18
	00415 00001	GB	1 gm	29339900	18
D-Biotin (For Biochemistry) (Cas No. 58-85-5) (Vitamin 'H') Assay : Min. 97% $C_{10}H_{16}N_2O_3S$ M.W. 244.31 (Store at 2 ⁰ -8 ⁰ C)	00416 0100M	GB	100 mg	29362950	18
	00416 00001	GB	1 gm	29362950	18
	00416 00010	GB	10 gm	29362950	18
Biphenyl (For Synthesis) (Cas No. 92-52-4) (Diphenyl) Assay : Min. 99% $C_{12}H_{10}$ M.W. 154.21	00417 00100	PB	100 gm	29029030	18
	00417 00500	PB	500 gm	29029030	18
2, 2-Bipyridyl AR (Cas No. 366-18-7) (2, 2-Dipyridyl) Assay : Min. 99.5% $C_{10}H_8N_2$ M.W. 156.19	00418 00005	GB	5 gm	29333990	18
	00418 00025	GB	25 gm	29333990	18
2, 2-Biquinoline AR (Cas No. 119-91-5) (HSN Code. 2933 3990) (2, 2-Biquinolyl) (2, 2-Diquinolyl) Assay : Min. 99% $C_{18}H_{12}N_2$ M.W. 256.31	00419 00001	GB	1 gm	29334990	18
	00419 00005	GB	5 gm	29334990	18
Bis-Cyclohexanone Oxalyl Dihydrazide AR (Cas No. 370-81-0) Assay : Min. 95% $C_{14}H_{22}N_4O_2$ M.W. 278.36	00420 00025	GB	25 gm	29280090	18
Bismarck Brown R (M.S.) (Cas No. 5421-66-9) (Basic Brown 4) $C_{21}H_{24}N_8 \cdot 2HCl$ M.W. 461.39	00421 00025	PB	25 gm	32041392	18
	00421 00100	PB	100 gm	32041392	18
	00421 00500	PB	500 gm	32041392	18
1,2-Bis (2-Hydroxyphenylimino) Ethane AR (Cas No. 1149-16-2) [Glyoxal Bis (2-Hydroxyanil)] Assay : Min. 95% $C_{14}H_{12}N_2O_2$ M.W. 240.26	00422 00025	GB	25 gm	29252990	18
Bismuth AAS Standard Solution 1000 mg/L in Nitric Acid Liquid,d.1.013	00423 00125	GB	125 ml	38220090	12
	00423 00500	GB	500 ml	38220090	12
Bismuth ICP Standard Solution 1000 mg/L in Nitric Acid Liquid,d.1.013	00423A 00125	GB	125 ml	38220090	12
Bismuth (Metal) Granular AR (Cas No. 7440-69-9) Assay : Min 99.5% Bi M.W. 208.98	00424 00100	PB	100 gm	81060010	18
	00424 00500	PB	500 gm	81060010	18
Bismuth (Metal) Powder AR (Cas No. 7440-69-9) Assay : Min 99.9% Bi M.W. 208.98	00425 00100	PB	100 gm	81060010	18
Bismuth Carbonate (Basic) (Cas No. 5892-10-4) Assay : Min. 80-82% $(BiO)_2CO_3$ M.W. 509.97	00426 00100	PB	100 gm	28369990	18
	00426 00500	PB	500 gm	28369990	18
Bismuth Chloride (Tri) (Cas No. 7787-60-2) (Bismuth Trichloride) Assay : Min. 97% $BiCl_3$ M.W. 315.34	00427 00100	GB	100 gm	28273990	18
	00427 00500	GB	500 gm	28273990	18
Bismuth Chloride (Oxy) See Bismuth Oxychloride Page No. 25					
Bismuth Citrate (Cas No. 813-93-4) Assay : Min. 98% $C_6H_5O_7Bi$ M.W. 398.8	00428 00100	PB	100 gm	29181530	18
	00428 00500	PB	500 gm	29181530	18
Bismuth Gallate Basic See Bismuth Subgallate Page No. 25					
Bismuth Nitrate (Pentahydrate) (Cas No. 10035-06-0) (Bismuth (III) Nitrate) Assay : Min. 98% $Bi(NO_3)_3 \cdot 5H_2O$ M.W. 485.07	00429 00100	GB	100 gm	28342990	18
	00429 00500	GB	500 gm	28342990	18
Bismuth Nitrate AR (Pentahydrate) (Cas No. 10035-06-0) (Bismuth (III) Nitrate) Assay : Min. 98% $Bi(NO_3)_3 \cdot 5H_2O$ M.W. 485.07	00430 00100	GB	100 gm	28342990	18
	00430 00500	GB	500 gm	28342990	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Bismuth Oxide (Cas No. 1304-76-3) (Bismuth (III) Oxide) Assay : Min. 99% Bi_2O_3 M.W. 465.96	00431 00100	PB	100 gm	28259090	18
	00431 00500	PB	500 gm	28259090	18
Bismuth Oxycarbonate (Cas No. 5892-10-4) (Bismuth Subcarbonate) Assay : Min. 80-82% $(\text{BiO})_2\text{CO}_3$ M.W. 509.97	00432 00100	PB	100 gm	28369990	18
	00432 00500	PB	500 gm	28369990	18
Bismuth Oxychloride (Cas No. 7787-59-9) [Bismuth Chloride (Oxy)] Assay : Min. 98% BiClO M.W. 260.43	00433 00100	GB	100 gm	28273990	18
	00433 00500	GB	500 gm	28273990	18
Bismuth Subgallate Hydrate (Cas No. 99-26-3) (Bismuth Gallate Basic) Assay : Min. 98% $\text{C}_7\text{H}_5\text{BiO}_6 \cdot x\text{H}_2\text{O}$ M.W. 394.09 (Anhyd. Basis)	00434 00100	GB	100 gm	29182990	18
	00434 00500	GB	500 gm	29182990	18
Bismuth Subnitrate (Cas No. 1304-85-4) (Bismuth Oxynitrate) Assay : Min. 71% $\text{Bi}_2\text{O}(\text{OH})_9(\text{NO}_3)_4$ M.W. 1461.99	00435 00100	GB	100 gm	28342990	18
	00435 00500	GB	500 gm	28342990	18
Bismuth Sulphate (Cas No. 7787-68-0) (Bismuth (III) Sulphate) Assay : Min. 90% $\text{Bi}_2\text{O}_{12}\text{S}_3$ M.W. 706.13	00436 00100	PB	100 gm	28332990	18
	00436 00500	PB	500 gm	28332990	18
Bisphenol-A (Cas No. 80-05-7) [2,2-Di-(4-Hydroxyphenyl) Propane] Assay : Min. 97% $\text{C}_{15}\text{H}_{16}\text{O}_2$ M.W. 228.29	00437 00500	PB	500 gm	29071190	18
N,O-Bis-(Trimethylsilyl) Trifluoro Acetamide (Cas No. 25561-30-2) (BSTFA) Assay : Min. 98% $\text{C}_8\text{H}_{18}\text{F}_3\text{NOSi}_2$ M.W. 257.41, Liquid, d. 0.971	00438 00005	GB	5 ml	29319090	18
	00438 00025	GB	25 ml	29319090	18
	00438 00100	GB	100 ml	29319090	18
Bis-Tris (For Molecular Biology) (Cas No. 6976-37-0) (2,2-Bis (Hydroxymethyl)-2,2',2'' Nitrilotriethanol) Assay : Min. 98% $\text{C}_8\text{H}_{19}\text{NO}_5$ M.W. 209.24	00440 00025	GB	25 gm	29221990	18
	00440 00100	GB	100 gm	29221990	18
Biuret (For Molecular Biology) (Cas No. 108-19-0) Assay : Min. 97% $\text{C}_2\text{H}_5\text{N}_3\text{O}_2$ M.W. 103.08	00441 00100	GB	100 gm	29241900	18
Biuret Reagent Solution (Store at 2-8°C)	00442 00125	PB	125 ml	38220090	12
	00442 00500	PB	500 ml	38220090	12
Bleaching Powder (Cas No. 7778-54-3) (Calcium Hypochlorite) (Chlorinated Lime) CaCl_2O_2 M.W. 142.99	00443 00500	PB	500 gm	28289011	18
Blue Tetrazolium AR (Cas No. 1871-22-3) (Blue Tetrazolium Chloride) Assay : Min. 95% $\text{C}_{40}\text{H}_{32}\text{N}_8\text{O}_2\text{Cl}_2$ M.W. 727.66	00445 00001	GB	1 gm	29339900	18
	00445 00005	GB	5 gm	29339900	18
BOC Anhydride (For Synthesis) (Cas No. 24424-99-5) (Di-Tert-Butyl Pyrocarbonate) Liquid,d.0.95 Assay : Min. 98% $\text{C}_{10}\text{H}_{18}\text{O}_5$ M.W. 218.25	00446 00025	GB	25 ml	29209099	18
	00446 00100	GB	100 ml	29209099	18
	00446 00500	GB	500 ml	29209099	18
Borax (decahydrate) (Cas No. 1303-96-4) (Di-Sodium Tetraborate) Assay : Min. 99% $\text{Na}_2\text{B}_4\text{O}_7 \cdot 10\text{H}_2\text{O}$ M.W. 381.37	00447 00500	PB	500 gm	28401900	18
	00447 05000	PB	5 KG	28401900	18
Borax AR (decahydrate) (Cas No. 1303-96-4) (Di-Sodium Tetraborate) Assay : Min. 99.5% $\text{Na}_2\text{B}_4\text{O}_7 \cdot 10\text{H}_2\text{O}$ M.W. 381.37	00448 00500	PB	500 gm	28401900	18
	00448 05000	PB	5 kg	28401900	18
Borax Carmine (Grenacher) Powder	00449 00025	GB	25 gm	32030090	18
Borax Carmine (Grenacher) Liquid,d.0.967 Alcoholic Staining Solution	00450 00125	PB	125 ml	38220090	12
	00450 00500	PB	500 ml	38220090	12

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Borax Carmine (Grenacher)	00451 00125	PB	125 ml	38220090	12
Aqueous Staining Solution Liquid,d.0.967	00451 05000	PB	500 ml	38220090	12
Boric Acid (Fine Powder) (Cas No. 10043-35-3)	00452 00500	PB	500 gm	28100020	18
(Orthoboric Acid)	00452 01000	PB	1 kg	28100020	18
Assay : Min. 99.5% H_3BO_3 M.W. 61.83	00452 05000	PB	5 kg	28100020	18
Boric Acid (Powder) AR (Cas No. 10043-35-3) (Orthoboric Acid)	00453 00500	PB	500 gm	28100020	18
Assay : Min. 99.5% H_3BO_3 M.W. 61.83	00453 05000	PB	5 kg	28100020	18
Boric Acid (For Molecular Biology) (Cas No. 10043-35-3)	00454 00500	PB	500 gm	28100020	18
Assay : Min. 99.8% H_3BO_3 M.W. 61.83	00454 01000	PB	1 kg	28100020	18
Boric Acid (Crystals) (Cas No. 10043-35-3) (Orthoboric Acid)	00455 00500	PB	500 gm	28100020	18
Assay : Min. 99.5% H_3BO_3 M.W. 61.83					
meta-Boric Acid (Cas No. 13460-50-9)	00456 00050	PB	50 gm	28100010	18
Assay : Min. 98.5% HBO_2 M.W. 43.82	00456 00250	PB	250 gm	28100010	18
Boron AAS Standard Solution Liquid,d.1.000	00457 00125	GB	125 ml	38220090	12
1000 mg/L in Water	00457 00500	GB	500 ml	38220090	12
Boron ICP Standard Solution 1000mg/L in water, Liquid, d. 1.000	00457A 00125	GB	125 ml	38220090	12
Boron Carbide Powder 90 Mesh	00458 00100	PB	100 gm	28499010	18
(Cas No. 12069-32-8) CB_4 M.W. 55.25					
Boron Carbide Powder 150 Mesh	00459 00100	PB	100 gm	28499010	18
(Cas No. 12069-32-8) CB_4 M.W. 55.25					
Boron Carbide Powder 220 Mesh	00460 00100	PB	100 gm	28499010	18
(Cas No. 12069-32-8) CB_4 M.W. 55.25					
Boron Nitride (Lab) (Cas No. 10043-11-5)	00461 00050	PB	50 gm	28500020	18
Assay : Min. 99% BN M.W. 24.82					
Boron Powder (amorphous) (Cas No. 7440-42-8)	00462 00025	PB	25 gm	28045010	18
Assay : Min. 99% B M.W. 10.81	00462 00100	PB	100 gm	28045010	18
Boron Tribromide (For Synthesis) (Cas No. 10294-33-4)	00463 00100	PB	100 gm	28129000	18
Assay : Min. 99% BBr_3 M.W. 250.54, Liquid, d. 2.60					
Boron Trifluoride Diethyl Ether (Cas No. 109-63-7)	00464 00500	GB	500 ml	29420090	18
(Boron Trifluoride Ethyl Ether Complex)	00464 02500	GB	2.5 Lt	29420090	18
Assay : Min. 50% $C_4H_{10}BF_3O$ M.W. 141.93 Liquid, d. 1.15					
Di-Boron Trioxide (anhydrous)	00465 00250	PB	250 gm	28100010	18
(Cas No. 1303-86-2) (Boric Anhydride)	00465 00500	PB	500 gm	28100010	18
Assay : Min. 98% B_2O_3 M.W. 69.62					
Di-Boron Trioxide AR (anhydrous)	00466 00250	PB	250 gm	28100010	18
(Cas No. 1303-86-2) (Boric Anhydride)	00466 00500	PB	500 gm	28100010	18
Assay : Min. 99% B_2O_3 M.W. 69.62					
Bouin's Fluid Liquid,d.0.985	00467 00125	PB	125 ml	38220090	12
(Histopathology Fixative)	00467 00500	PB	500 ml	38220090	12
Bovine Albumin (Fraction V Powder) See Albumin Bovine Powder Page No. 5					
Brady's Reagent	00468 00125	PB	125 ml	38220090	12
Liquid,d. 1.06 Solution	00468 00500	PB	500 ml	38220090	12
Brass Powder	00469 00100	PB	100 gm	74061000	12
(Cas No. 63338-02-3)	00469 00500	PB	500 gm	74061000	12
Brij-35[®] (Main Component) (Polyoxyethylene Lauryl Ether)	00470 00500	PB	500 gm	34021300	18
(Cas No. 9002-92-0) Liquid,d.1.06					

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Brilliant Blue FCF (C.I.No. 42090)	00472 00005	GB	5 gm	32129090	18
(Cas No. 3844-45-9)	00472 00025	PB	25 gm	32129090	18
(Erioglaucine A) $C_{37}H_{34}Na_2N_2O_9S_3$ M.W. 792.85	00472 00100	PB	100 gm	32129090	18
Brilliant Blue G 250 (For Molecular Biology)	00473 00005	GB	5 gm	32041259	18
(Cas No. 6104-58-1) (Coomasie Brilliant Blue G 250)	00473 00025	PB	25 gm	32041259	18
$C_{47}H_{48}N_3NaO_7S_2$ M.W. 854.02	00473 00100	PB	100 gm	32041259	18
Brilliant Blue R (For Molecular Biology) (C.I. No. 42660)	00474 00005	GB	5 gm	32041259	18
(Cas No. 6104-59-2) (Coomasie Brilliant Blue R 250)	00474 00025	PB	25 gm	32041259	18
$C_{45}H_{44}N_3NaO_7S_2$ M.W. 825.97	00474 00100	PB	100 gm	32041259	18
Brilliant Cresyl Blue (M.S.) (C.I.No. 51010) (Cas No. 81029-05-2)	00475 00005	GB	5 gm	32049000	18
(Cresyl Blue) $C_{17}H_{20}N_3OCl-1/2ZnCl_2$ M.W. 385.96	00475 00025	GB	25 gm	32049000	18
Brilliant Cresyl Blue alcoholic Solution	00476 00100	PB	100 ml	38220090	12
Liquid, d. 0.808	00476 00500	PB	500 ml	38220090	12
Brilliant Green indicator (Cas No. 633-03-4)	00477 00025	PB	25 gm	32041310	18
(C.I. No. 42040)	00477 00100	PB	100 gm	32041310	18
Dye Content : Min. 90% $C_{27}H_{34}N_2O_4S$ M.W. 482.65	00477 00500	PB	500 gm	32041310	18
Brilliant Green	00478 00125	PB	125 ml	38220090	12
Indicator Solution	00478 00500	PB	500 ml	38220090	12
Brilliant Yellow (C.I. No. 24890) (Cas No. 3051-11-4)	00479 00025	PB	25 gm	32049000	18
Dye Content : Min. 70% $C_{26}H_{18}N_4Na_2O_8S_2$ M.W. 624.56	00479 00100	PB	100 gm	32049000	18
Brilliant Yellow Indicator Paper	00480 001PK	AC	PKT	38220090	12
Bromine AR (Cas No. 7726-95-6)	00482 00100	GB	250 ml	28013020	18
Assay : Min. 99.5% Br_2 M.W. 159.81 Liquid, d. 3.119					
Bromine Water (Concentrated)	00483 00500	GB	500 ml	28013020	18
p-Bromo Acetanilide (For Synthesis)	00484 00025	PB	25 gm	29242990	18
(Cas No. 103-88-8)	00484 00100	PB	100 gm	29242990	18
Assay : Min. 98% C_8H_8BrNO M.W. 214.06	00484 00500	PB	500 gm	29242990	18
Bromoacetic Acid (For Synthesis) (Cas No. 79-08-3)	00485 00100	PB	100 gm	29159090	18
Assay : Min. 98% $C_2H_3BrO_2$ M.W. 138.95 (Store at 2-8°C)	00485 00500	PB	500 gm	29159090	18
p-Bromo Acetophenone (Cas No. 99-90-1)	00486 00100	PB	100 gm	29147990	18
(4-Bromo Acetophenone)	00486 00250	PB	250 gm	29147990	18
Assay : Min. 98% C_8H_7BrO M.W. 199.06					
p-Bromo Aniline (Cas No. 106-40-1)	00487 00025	GB	25 gm	29214290	18
(For Synthesis)	00487 00100	GB	100 gm	29214290	18
Assay : Min. 98% C_6H_6BrN M.W. 172.03	00487 00500	GB	500 gm	29214290	18
m-Bromoanisole (For Synthesis) (Cas No. 2398-37-0)	00488 00100	GB	100 ml	29093012	18
(3-Bromoanisole) (1-Bromo-3-Methoxy Benzene)	00488 00500	GB	500 ml	29093012	18
Assay : Min. 98% C_7H_7BrO M.W. 187.04, Liquid, d. 1.477					
p-Bromoanisole (For Synthesis) (Cas No. 104-92-7)	00489 00100	GB	100 ml	29093012	12
(4-Bromoanisole) (1-Bromo-4-Methoxy Benzene)	00489 00500	GB	500 ml	29093012	12
Assay : Min. 98% C_7H_7BrO M.W. 187.04, Liquid, d. 1.494					
Bromobenzene (For Synthesis) (Cas No. 108-86-1)	00490 00250	GB	250 ml	29039990	18
(Phenyl Bromide)	00490 00500	GB	500 ml	29039990	18
Assay : Min. 99% C_6H_5Br M.W. 157.02 Liquid, d. 1.491					

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Bromobenzene AR (Phenyl Bromide) (Cas No. 108-86-1) Assay : Min. 99.5% C ₆ H ₅ Br M.W. 157.02 Liquid, d. 1.491	00491 00250	GB	250 ml	29039990	18
2-Bromobenzoyl Chloride (Cas No. 7154-66-7) Assay : Min. 97% BrC ₆ H ₄ COCl M.W. 219.46	00492 00050	GB	50 gm	29163990	18
5-Bromo-4-Chloro-3-Indolyl-a'-D-Galctopyranoside See X-Gal See Page No. 167					
1-Bromo-3-Chloropropane (Cas No. 109-70-6) (Trimethylene Bromochloride) Assay : Min. 99% C ₃ H ₆ BrCl M.W. 157.44 Liquid,d.1.592	00494 00100 00494 00500	GB GB	100 ml 500 ml	29033990 29033990	18 18
Bromo Cresol Green Indicator AR (Cas No. 76-60-8) (Bromo Cresol Blue) Dye Content : Min. 95% C ₂₁ H ₁₄ Br ₄ O ₅ S M.W. 698.04	00495 00005 00495 00010 00495 00025 00495 00100	GB GB GB GB	5 gm 10 gm 25 gm 100 gm	29349900 29349900 29349900 29349900	18 18 18 18
Bromo Cresol Green Indicator Solution (0.04%) (Bromo Cresol Blue Solution)	00498 00125 00498 00500	PB PB	125 ml 500 ml	38220090 38220090	12 12
Bromo Cresol Green Sodium Salt (water soluble) (CAS No. 62625-32-5) (Bromo Cresol Blue Sodium Salt) Dye Content : Min. 90% C ₂₁ H ₁₃ Br ₄ NaO ₅ S M.W. 720.00	02933 00005 02933 00025	GB GB	5 gm 25 gm	29349900 29349900	18 18
Bromo Cresol Purple indicator AR (Cas No. 115-40-2) Dye Content : Min. 90% C ₂₁ H ₁₆ Br ₂ O ₅ S M.W. 540.22	00499 00005 00499 00022 00499 00100	GB PB PB	5 gm 25 gm 100 gm	29349900 29349900 29349900	18 18 18
Bromo Cresol Purple Indicator Solution (0.04%)	00500 00125 00500 00500	PB PB	125 ml 500 ml	38220090 38220090	12 12
Bromocresol Purple Sodium Salt (Cas No. 62625-30-3) Dye Content : Min 90% C ₂₁ H ₁₅ Br ₂ NaO ₅ S M.W. 562.20	00501 00025 00501 00100	PB PB	25 gm 100 gm	29349900 29349900	18 18
Bromoethane See Ethyl Bromide Page No. 66					
2-Bromoethanesulphonic Acid Sodium Salt (For Synthesis) (Cas No. 4263-52-9) (Sodium 2-bromoethanesulphonate) Assay : Min. 98% C ₂ H ₄ BrNaO ₃ S M.W. 211.02	00502 00010 00502 00050	GB GB	10 gm 50 gm	29042090 29042090	18 18
2-Bromoethylamine Hydrobromide (Cas No. 2576-47-8) Assay : Min. 99% C ₂ H ₇ Br ₂ N M.W. 204.89	00503 00100	PB	100 gm	29033990	18
Bromoform (Tribromomethane) (Cas No. 75-25-2) Assay : Min. 98% CHBr ₃ M.W. 252.73 Liquid, d. 2.89	00504 00250	GB	250 ml	29033990	18
1-Bromoheptane (For Synthesis) (Cas No. 629-04-9) (N-Heptyl Bromide) Assay : Min. 99% CH ₃ (CH ₂) ₆ Br M.W. 179.1, Liquid, d. 1.14	00505 00100 00505 00500	GB GB	100 ml 500 ml	29033990 29033990	18 18
1-Bromohexane 98% (For Synthesis) (Cas No. 111-25-1) (N-Hexyl Bromide) Assay : Min. 98% C ₆ H ₁₃ Br M.W. 165.07 Liquid, d. 1.176	00506 00100 00506 00500	GB GB	100 ml 500 ml	29033990 29033990	18 18
1-Bromonaphthalene (For Synthesis) (Cas No. 90-11-9) (A-Bromonaphthalene) Assay : Min. 97% C ₁₀ H ₇ Br M.W. 207.08 Liquid, d. 1.48	00507 00100 00507 00500	GB GB	100 ml 500 ml	29039990 29039990	18 18
1-Bromo Octane (For Synthesis) See N-Octyl Bromide Page No. 111					
1-Bromo Pentane (Cas No. 110-53-2) (HSN Code. 2903 3990)(N-Pentyl Bromide) Assay : Min. 98% C ₅ H ₁₁ Br M.W. 151.04, Liquid, d. 1.218	00508 00100 00508 00500	GB GB	100 ml 500 ml	29033919 29033919	18 18
1-Bromo Propane See n-Propyl Bromide Page No. 129					

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
2-Bromo Propane See iso-Propyl Bromide Page No. 129					
3-Bromo-1-Propane See Allyl Bromide Page No. 6					
Bromo Phenol Blue Indicator AR (For Molecular Biology) (Cas No. 115-39-9) $C_{19}H_{10}Br_4O_5S$ M.W. 669.96	00509 00005	GB	5 gm	29349900	18
	00509 00025	PB	25 gm	29349900	18
	00509 00100	PB	100 gm	29349900	18
Bromo Phenol Blue Indicator Solution (0.04%)	00510 00125	PB	125 ml	38220090	12
	00510 00500	PB	500 ml	38220090	12
Bromo Phenol Red (Cas No. 2800-80-8) $C_{19}H_{12}Br_2O_5S$ M.W. 512.17	00511 00005	GB	5 gm	29349900	18
	00511 00025	GB	25 gm	29349900	18
Bromo Phenol Red Indicator Solution	00512 00125	PB	125 ml	38220090	12
	00512 00500	PB	500 ml	38220090	12
Bromo Pyrogallol Red AR (Cas No. 16574-43-9) Dye Content : Min. 70% $C_{19}H_{10}Br_2O_8S$ M.W. 558.15	00513 00001	GB	1 gm	29322090	18
	00513 00005	GB	5 gm	29322090	18
N-Bromosuccinimide (Cas No. 128-08-5) Assay : Min. 98% $C_4H_5BrNO_2$ M.W. 177.99 (Store at 0-8°C)	00514 00100	PB	100 gm	29251900	18
	00514 00500	PB	500 gm	29251900	18
Bromosulphalein Purified (Cas No. 71-67-0) $C_{20}H_8Br_4Na_2O_{10}S_2$ M.W. 838.02	00515 00001	GB	1 gm	29349900	18
Bromothymol Blue Indicator AR (For Molecular Biology) (Cas No. 76-59-5) (3',3''-Dibromothymolsulfonaphthalein) Dye Content : Min. 95% $C_{27}H_{28}Br_2O_5S$ M.W. 624.38	00516 00005	GB	5 gm	29349900	18
	00516 00025	PB	25 gm	29349900	18
	00516 00100	PB	100 gm	29349900	18
	00516 00500	PB	500 gm	29349900	18
Bromothymol Blue Indicator Solution (0.04%)	00517 00125	PB	125 ml	38220090	12
	00517 00500	PB	500 ml	38220090	12
Bromothymol Blue Indicator Paper	00518 001PK	AC	Pkt	38220090	12
Bromothymol Blue Sodium Salt (Water Soluble) (Cas No. 34722-90-2) $C_{27}H_{27}Br_2NaO_5S$ M.W. 646.36	00519 00010	GB	10 gm	29349900	18
4-Bromotoluene (For Synthesis) (Cas No. 106-38-7) Assay : Min. 98% C_7H_7Br M.W. 171.03 Liquid, d. 1.41	00520 00100	GB	100 gm	29039990	18
	00520 00500	GB	500 gm	29039990	18
5-Bromo Uracil (Cas No. 51-20-7) Assay : Min. 97% $C_4H_3BrN_2O_2$ M.W. 190.99	00521 00001	GB	1 gm	29335990	18
	00521 00005	GB	5 gm	29335990	18
Bronopol (For Synthesis) (Cas No. 52-51-7) (2-Bromo-2-Nitropropane-1,3-Diol) Assay : Min. 98% $C_3H_5BrNO_4$ M.W. 199.99	00522 00100	PB	100 gm	29053990	18
	00522 00500	PB	500 gm	29053990	18
Bronze Powder (Cas No. 7440-50-8)	00524 00500	PB	500 gm	74032290	18
Brucine (Free base) (for Lab Use) (Cas No. 357-57-3) Assay : Min. 98% $C_{23}H_{26}N_2O_4$ M.W. 394.47	00525 00025	GB	25 gm	29398000	18
Brucine AR (Free base) (for Lab Use) (Cas No. 357-57-3) Assay : Min. 99% $C_{23}H_{26}N_2O_4$ M.W. 394.47	00526 00010	GB	10 gm	29398000	18
	00526 00025	GB	25 gm	29398000	18
	00526 00100	GB	100 gm	29398000	18
Brucine Sulphate (For Lab Use) (Cas No. 4845-99-2) ($C_{23}H_{26}N_2O_4$) $_2$.H $_2$ SO $_4$.7H $_2$ O M.W. 1013.11	00527 00025	GB	25 gm	29399900	18
	00527 00100	GB	100 gm	29399900	18
	00527 00250	GB	250 gm	29399900	18
Buffer Acetate Solution See Acetate Buffer Solution PH 4.6 Page No. 1					

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Buffer Citrate Solution	00529 00500	PB	500 ml	38220090	12
Buffer Solution pH 2.0 Liquid, d.1.000	00530 00500	PB	500 ml	38220090	12
Buffer Solution pH 4 (Phthalate) Liquid, d.1.003	00531 00500	PB	500 ml	29173990	18
Buffer Solution pH 7 (Phosphate) Liquid, d. 1.01	00533 00500	PB	500 ml	38220090	12
Buffer Solution pH 9 (Borate)	00535 00500	PB	500 ml	38220090	12
Buffer Solution pH 10.0 , Liquid, d. 1.044	00537 00500	PB	500 ml	38220090	12
Buffer Solution pH 11.0 , Liquid, d. 1.01	00538 00500	PB	500 ml	38220090	12
Buffer Capsules pH 4.0	00539 10Cap	PB	10 Cap	38220090	12
Buffer Capsules pH 6.0	00540 10Cap	PB	10 Cap	38220090	12
Buffer Capsules pH 7.0	00541 10Cap	PB	10 Cap	38220090	12
Buffer Capsules pH9.2	00542 10Cap	PB	10 Cap	38220090	12
1,3-Butanediol (Cas No. 107-88-0) (For Synthesis)	00543 00500	GB	500 ml	29053990	18
(Assay : Min. 99% C ₄ H ₁₀ O ₂ M.W. 90.12 Liquid, d. 1.005	00543 02500	GB	2.5 lt	29053990	18
1,4-Butanediol (Cas No. 110-63-4) (1,4-Butylene Glycol)	00544 00500	GB	500 ml	29053990	18
(Tetramethylene Glycol)	00544 02500	GB	2.5 lt	29053990	18
Assay : Min. 99% C ₄ H ₁₀ O ₂ M.W. 90.12, Liquid, d. 1.017					
2,3-Butanedione See Diacetyl Page No. 53					
2,3-Butanedione Dioxime See Dimethyl Glyoxime Page No. 59					
2,3-Butanedione Oxime See Diacetyl Monoxime Page No. 54					
1-Butan Sulphonic Acid Sodium Salt AR & HPLC (Anhydrous)	00545 00005	GB	5 gm	29041090	18
(Cas No. 2386-54-1) (Sodium-1-Butanesulphonate Anhydrous)	00545 00025	GB	25 gm	29041090	18
Assay : Min. 99% C ₄ H ₉ NaO ₃ S.H ₂ O M.W. 160.16	00545 00100	GB	100 gm	29041090	18
1-Butan Sulphonic Acid Sodium Salt AR & HPLC (Monohydrate)	00546 00005	GB	5 gm	29041090	18
(Cas No. 2386-54-1) (Sodium-1-Butanesulphonate Monohydrate)	00546 00025	GB	25 gm	29041090	18
Assay : Min. 99% C ₄ H ₉ NaO ₃ S.H ₂ O M.W. 178.16	00546 00100	GB	100 gm	29041090	18
1-Butanol See N-Butyl Alcohol Page No. 30					
2-Butanol See sec-Butyl Alcohol Page No. 30					
Butanone See Ethyl Methyl Ketone Page No. 68					
2-Butoxyethanol See Ethylene Glycol Monobutyl Ether Page No. 67					
n-Butyl Acetate	00547 00500	GB	500 ml	29153300	18
(For Synthesis) (Cas No. 123-86-4)	00547 02500	GB	2.5 lt	29153300	18
(Assay : Min. 99% C ₆ H ₁₂ O ₂ M.W. 116.16 Liquid d. 0.88	00547 05000	PC	5 lt	29153300	18
n-Butyl Acetate AR (Cas No. 123-86-4)	00548 00500	GB	500 ml	29153300	18
Assay : Min. 99.5% C ₆ H ₁₂ O ₂ M.W. 116.16, Liquid d. 0.88	00548 02500	GB	2.5 lt	29153300	18
tert-Butyl Acetate (Cas No. 540-88-5)	00549 00500	GB	500 ml	29153990	18
Assay : Min. 99% C ₆ H ₁₂ O ₂ M.W. 116.16, Liquid, d. 0.866	00549 02500	GB	2.5 lt	29153990	18
Butyl Acrylate (Monomer) (For Synthesis) (Cas No. 141-32-2)	00550 00500	GB	500 ml	29161210	18
Assay : Min. 99% C ₇ H ₁₂ O ₂ M.W. 128.17 Liquid, d. 0.894					
n-Butyl Alcohol (For Synthesis) (Cas No. 71-36-3)	00551 00500	GB	500 ml	29051300	18
(N-Butanol) (1-Butanol) (Butan-1-ol)	00551 02500	GB	2.5 lt	29051300	18
Assay : Min. 99% C ₄ H ₁₀ O M.W. 74.12 Liquid, d.0.81	00551 05000	GB	5 lt	29051300	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
n-Butyl Alcohol AR (Cas No. 71-36-3)	00552 00500	GB	500 ml	29051300	18
(N-Butanol) (1-Butanol) (Butan-1-ol)	00552 02500	GB	2.5 lt	29051300	18
Assay : Min. 99.5% C ₄ H ₁₀ O M.W. 74.12, Liquid, d. 0.81					
n-Butyl Alcohol (For Molecular Biology)	00553 00500	GB	500 ml	29051300	18
(Cas No. 71-36-3) (1-Butanol)					
Assay : Min. 99.5% C ₄ H ₁₀ O M.W. 74.12 Liquid, d. 0.81					
iso-Butyl Alcohol (For Synthesis) (Cas No. 78-83-1)	00554 00500	GB	500 ml	29051490	18
Assay : Min. 99.5% C ₄ H ₁₀ O M.W. 74.12 Liquid, d. 0.803	00554 02500	GB	2.5 lt	29051490	18
iso-Butyl Alcohol AR (Cas No. 78-83-1)	00555 00500	GB	500 ml	29051490	18
Assay : Min. 99% C ₄ H ₁₀ O M.W. 74.12 Liquid, d. 0.803	00555 02500	GB	2.5 lt	29051490	18
sec-Butyl Alcohol (For Synthesis)	00556 00500	GB	500 ml	29051490	18
(Cas No. 78-92-2) (2-Butanol) (Butan-2-ol)	00556 02500	GB	2.5 lt	29051490	18
Assay : Min. 99% C ₄ H ₁₀ O M.W. 74.12 Liquid, d. 0.808					
sec-Butyl Alcohol AR (Cas No. 78-92-2)	00557 00500	GB	500 ml	29051490	18
(2-Butanol) (Butan-2-ol)	00557 02500	GB	2.5 lt	29051490	18
Assay : Min. 99.5% C ₄ H ₁₀ O M.W. 74.12 Liquid, d. 0.808					
sec-Butyl Alcohol (For Molecular Biology)	00558 00500	GB	500 ml	29051490	18
(Cas No. 78-92-2) (2-Butanol)					
Assay : Min. 99% C ₄ H ₁₀ O M.W. 74.12 Liquid, d. 0.808					
tert-Butyl Alcohol (Tert-Butanol) (Cas No. 75-65-0)	00559 00500	GB	500 ml	29051490	18
Assay : Min. 98.5% C ₄ H ₁₀ O M.W. 74.12 Liquid, d. 0.78	00559 02500	GB	2.5 lit	29051490	18
tert-Butyl Alcohol AR (Cas No. 75-65-0) (Tert-Butanol)	00560 00500	GB	500 ml	29051490	18
Assay : Min. 99% C ₄ H ₁₀ O M.W. 74.12 Liquid, d. 0.78	00560 02500	GB	2.5 lit	29051490	18
n-Butylamine (Cas No. 109-73-9)	00561 00500	GB	500 ml	29211990	18
Assay : Min. 98% C ₄ H ₁₁ N M.W. 73.14 Liquid, d. 0.742	00561 02500	GB	2.5 lit	29211990	18
n-Butylamine AR (Cas No. 109-73-9)	00562 00500	GB	500 ml	29211990	18
Assay : Min. 99% C ₄ H ₁₁ N M.W. 73.14 Liquid, d. 0.742	00562 02500	GB	2.5 lt	29211990	18
tert-Butylamine (Cas No. 75-64-9)	00563 00500	GB	500 ml	29211990	18
Assay : Min. 99% C ₄ H ₁₁ N M.W. 73.14 Liquid, d. 0.694	00563 02500	GB	2.5 lit	29211990	18
Butylated Hydroxy Anisole (Cas No. 25013-16-5) (B.H.A.)	00564 00100	PB	100 gm	29095090	18
(2-Tert-Butyl-4-Methoxy Phenol)	00564 00500	PB	500 gm	29095090	18
Assay : Min. 98% C ₁₁ H ₁₆ O ₂ M.W. 180.25					
Butylated Hydroxy Toluene (Cas No. 128-37-0) (B.H.T.)	00565 00500	PB	500 gm	29072990	18
(2,6-di-Tert-Butyl-4-Methyl Phenol) (2,6-di-Tert-Butyl-P-Cresol)	00565 05000	PB	5 kg	29072990	18
Assay : Min 99% C ₁₅ H ₂₄ O M.W. 220.36					
iso-Butyl Benzene (For Synthesis) (Cas No. 538-93-2)	00566 00500	GB	500 ml	29029090	18
Assay : Min. 98% C ₁₀ H ₁₄ M.W. 134.22 Liquid, d. 0.854	00566 02500	GB	2.5 lt	29029090	18
tert-Butyl Benzene (For Synthesis) (Cas No. 98-06-6)	00567 00500	GB	500 ml	29029090	18
Assay : Min. 99% C ₁₀ H ₁₄ M.W. 134.22 Liquid, d. 0.87	00567 02500	GB	2.5 lt	29029090	18
p-Tert-Butyl Benzoic Acid (For Synthesis) (Cas No. 98-73-7)	00568 00500	PB	500 gm	29163990	18
Assay : Min 99% C ₁₁ H ₁₄ O ₂ M.W. 178.23 (PTBBA)					
n-Butyl Bromide (For Synthesis)	00569 00500	GB	500gm	29051300	18
(Cas No. 109-65-9) (1-Bromo Butane)	00569 02500	GB	2.5 lt	29051300	18
Assay : Min 98% C ₄ H ₉ Br M.W. 137.03 Liquid, d. 1.276					
Butyl Carbitol See Diethylene Glycol Monobutyl Ether Page 56					

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
4-tert-Butyl Catechol (Cas No.98-29-3) (4-Tert-Butyl Pyrocatechol) Assay : Min. 98.% $(\text{CH}_3)_3\text{C}.\text{C}_6\text{H}_3(\text{OH})_2$ M.W. 166.22	00570 00250	PB	250 gm	29072990	18
Butyl Cellosolve See Ethylene Glycol Monobutyl Ether Page No. 67					
n-Butyl Chloride (For Synthesis) (Cas No. 109-69-3) (1-Chlorobutane) Assay : Min. 98.5% $\text{C}_4\text{H}_9\text{Cl}$ M.W. 92.58 Liquid, d. 0.887	00571 00500	GB	500 ml	29031990	18
tert-Butyl Chloride (For Synthesis) (Cas N. 507-20-0) (2-Chloro-2-Methylpropane) Assay : Min. 99% $\text{C}_4\text{H}_9\text{Cl}$ M.W. 92.58, Liquid, d. 0.851	00572 00250	GB	250 ml	29031990	18
	00572 00500	GB	500 ml	29031990	18
iso-Butylchloroformate (For Synthesis) (Cas No. 543-27-1) Assay : Min. 98% $\text{C}_5\text{H}_9\text{ClO}_2$ M.W. 136.58 Liquid, d. 1.053	00573 00100	GB	100 ml	29159020	18
	00573 00500	GB	500 ml	29159020	18
n-Butyl Diethanolamine (For Synthesis) (Cas No.102-79-4) [2,2-(N-Butylimino) Diethanol] Assay : Min. 98% $\text{C}_8\text{H}_{19}\text{NO}_2$ M.W. 161.24 Liquid, d. 0.986	00574 00250	GB	250 ml	29221990	18
	00574 01000	GB	1 Lt	29221990	18
Butyl Digol See Diethylene Glycol Monobutyl Ether Page No. 54					
tert-Butyldimethylsilyl Chloride (For Synthesis) (Cas No. 18162-48-6) (TBDMS-Chloride) Assay : Min. 97% $\text{C}_6\text{H}_{15}\text{ClSi}$ M.W.150.72	00575 00025	PB	25 gm	29319090	18
	00575 00100	PB	100 gm	29319090	18
	00575 00500	PB	500 gm	29319090	18
1,4-Butylene Glycol See 1,4-Butanediol Page No. 30					
Butyl Glycol See Ethylene Glycol Monobutyl Ether Page No. 67					
tert-Butylhydroperoxide 70% in Water (Cas No. 75-91-2) $\text{C}_4\text{H}_{10}\text{O}_2$ M.W. 90.12 Liquid, d. 0.93	00576 00100	GB	100 ml	29072990	18
	00576 00500	GB	500 ml	29072990	18
tert-Butyl Hydroquinone (Cas No. 1948-33-0) (TBHQ) Assay : Min. 98% $\text{C}_{10}\text{H}_{14}\text{O}_2$ M.W. 166.22	00577 00250	PB	250 gm	29147990	18
	00577 00500	PB	500 gm	29147990	18
	00577 02500	PB	2.5 kg	29147990	18
Butyl-4-Hydroxybenzoate (Cas No. 94-26-8) (Butyl Paraben) (N-Butyl-4-Hydroxybenzoate) Assay : Min. 99% $\text{C}_{11}\text{H}_{14}\text{O}_3$ M.W. 194.23	00578 00500	PB	500 gm	29183090	18
n-Butyl Methacrylate stabilized (For Synthesis) (Cas No. 97-88-1) Assay : Min. 99% $\text{C}_8\text{H}_{14}\text{O}_2$ M.W. 142.20 Liquid, d. 0.895	00579 00500	GB	500 ml	29161290	18
	00579 02500	GB	2.5 lt	29161290	18
tert-Butyl Methyl Ether (For Synthesis) (Cas No. 1634-04-4) (Methyl tert-butyl ether) Assay : Min. 99% $\text{C}_5\text{H}_{12}\text{O}$ M.W. 88.15 Liquid, d. 0.742	00580 00500	GB	500 ml	29093090	18
	00580 02500	GB	2.5 lt	29093090	18
tert-Butyl Methyl Ether AR (Cas No. 1634-04-4) (Methyl Tert-Butyl Ether) Assay : Min. 99.5% $\text{C}_5\text{H}_{12}\text{O}$ M.W. 88.1 Liquid, d. 0.742	00581 00500	GB	500 ml	29093090	18
	00581 02500	GB	2.5 lt	29093090	18
iso-Butyl Methyl Ketone (Cas No. 108-10-1) (4-methyl Pentan-2-One) Assay : Min. 99% $\text{C}_6\text{H}_{12}\text{O}$ M.W. 100.16 Liquid, d. 0.802	00582 00500	GB	500 ml	29141300	18
	00582 02500	GB	2.5 lt	29141300	18
iso-Butyl Methyl Ketone AR (Cas No. 108-10-1) (4-methyl Pentan-2-One) Assay : Min. 99% $\text{C}_6\text{H}_{12}\text{O}$ M.W. 100.16 Liquid, d. 0.802	00583 00500	GB	500 ml	29141300	18
	00583 02500	GB	2.5 lt	29141300	18
Butyl Paraben See Butyl-4-Hydroxybenzoate Page No. 31					
4-tert-Butylphenol (For Synthesis) (Cas No. 98-54-4) Assay : Min. 98% $\text{C}_{10}\text{H}_{14}\text{O}$ M.W. 150.22	00584 00500	PB	500 gm	29071990	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
n-Butyl Phosphate See Tri-N-Butyl Phosphate Page No. 160					
n-Butyl Stearate (Cas No. 123-95-5) Assay : Min. 50% C ₂₂ H ₄₄ O ₂ M.W. 340.58 Liquid, d. 0.861 (Store at -20°C)	00585 00500	GB	500 ml	29157090	18
n-Butyraldehyde (For Synthesis) (Cas No. 123-72-8) Assay : Min. 99% C ₄ H ₈ O M.W. 72.11, Liquid, d. 0.80 (Store at 2-8°C)	00586 00500	GB	500 ml	29121990	18
iso-Butyric Acid (Cas No. 79-31-2) Assay : Min. 99% C ₄ H ₈ O ₂ M.W. 88.11 Liquid, d. 0.95	00587 00500	GB	500 ml	29157090	18
n-Butyric Acid (For Synthesis) (Cas No. 107-92-6) Assay : Min. 99% C ₄ H ₈ O ₂ M.W. 88.11 Liquid, d. 0.95	00588 00500	GB	500 ml	29152990	18
	00588 02500	GB	2.5 lit	29152990	18
n-Butyric Acid AR (Cas No. 107-92-6) Assay : Min. 99.5% C ₄ H ₈ O ₂ M.W. 88.11 Liquid, d. 0.96	00589 00500	GB	500 ml	29152990	18
iso-Butyryl Chloride (For Synthesis) (Cas No. 79-30-1) (2-Methyl Propionyl Chloride) Assay : Min. 98% C ₄ H ₇ ClO M.W. 106.55 Liquid, d. 1.017	00590 00250	GB	250 ml	29159090	18
	00590 02500	GB	2.5 lt	29159090	18
γ-Butyrolactone (For Synthesis) (Cas No. 96-48-0) Assay : Min. 99% C ₄ H ₆ O ₂ M.W. 86.09 Liquid, d. 1.12 (Store at 2-8°C)	00591 00500	GB	500 ml	29329900	18
	00591 02500	GB	2.5 lt	29329900	18

C

Cacotheline AR (redox indicator) (Cas No. 561-20-6) Assay : Min. 95% C ₂₁ H ₂₁ N ₃ O ₇ M.W. 427.417	00592 00005	GB	5 mg	29310090	18
	00592 00025	GB	25 mg	29310090	18
Cade Oil Extra Pure (Cas No. 8013-10-3) Liquid, d. 0.991	00593 00500	GB	500 ml	33019090	18
Cadion AR (Cas No. 5392-67-6) [1-(4-nitrophenyl)-3-(Phenylazophenyl)-Triazine] Assay : Min 98% C ₁₈ H ₁₄ N ₆ O ₂ M.W. 427.417	00594 00001	GB	1 gm	32049000	18
	00594 00005	GB	5 gm	32049000	18
Cadmium AAS Standard Solution 1000 mg/L in Nitric Acid Liquid, d.1.013	00595 00125	GB	125 ml	38220090	12
	00595 00500	GB	500 ml	38220090	12
Cadmium ICP Standard Solution 1000mg/L in Nitric Acid Liquid, d. 1.013 (HSN Code 3822 0090)	00595A 00125	GB	125 ml	38220090	12
Cadmium (metal) Granulated AR (Cas No. 7440-43-9) Assay : Min. 99% Cd M.W. 112.41	00596 00100	PB	100 gm	81079010	18
	00596 00500	PB	500 gm	81079010	18
Cadmium (metal) Powder AR (Cas No. 7440-43-9) Assay : min 99.5% Cd M.W. 112.41	00597 00100	PB	100 gm	81079010	18
	00597 00500	PB	500 gm	81079010	18
Cadmium Acetate (dihydrate) (Cas No. 5743-04-4) Assay : Min. 98% (CH ₃ COO) ₂ Cd.2H ₂ O M.W.266.52	00598 00100	PB	100 gm	29152990	18
	00598 00250	PB	250 gm	29152990	18
	00598 00500	PB	500 gm	29152990	18
Cadmium Acetate AR (dihydrate) (Cas No. 5743-04-4) Assay : Min. 62-66% CdCO ₃ M.W.266.52	00599 00100	PB	100 gm	29152990	18
	00599 00250	PB	250 gm	29152990	18
	00599 00500	PB	500 gm	29152990	18
Cadmium Carbonate (Cas No. 513-78-0) (Extra Pure) Assay : Min 62-68% CdCO ₃ M.W. 172.41	00600 00100	PB	100 gm	28369990	18
	00600 00500	PB	500 gm	28369990	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Cadmium Carbonate AR (Cas No. 513-78-0) Assay : Min 62-68% CdCO_3 M.W. 172.41	00601 00100	PB	100 gm	28369990	18
	00601 00500	PB	500 gm	28369990	18
Cadmium Chloride Extra pure (monohydrate) (Cas No 35658-65-2) Assay : Min 98% $\text{CdCl}_2 \cdot \text{H}_2\text{O}$ M.W. 201.33	00602 00100	PB	100 gm	28273990	18
	00602 00500	PB	500 gm	28273990	18
Cadmium Chloride AR (monohydrate) (Cas No. 35658-65-2) Assay : Min 99% $\text{CdCl}_2 \cdot \text{H}_2\text{O}$ M.W. 201.33	00603 00100	PB	100 gm	28273990	18
	00603 00500	PB	500 gm	28273990	18
Cadmium Iodide (Cas No. 7790-80-9) Assay : Min 99% CdI_2 M.W. 366.22	00604 00100	PB	100 gm	28276090	18
	00604 00500	PB	500 gm	28276090	18
Cadmium Iodide AR (Cas No. 7790-80-9) Assay : Min 99% CdI_2 M.W. 366.22	00605 00100	PB	100 gm	28276090	18
Cadmium Nitrate (4-Hydrate) (Cas No. 10022-68-1) Assay : Min 98% $\text{Cd}(\text{NO}_3)_2 \cdot 4\text{H}_2\text{O}$ M.W. 308.48	00606 00100	PB	100 gm	28342990	18
	00606 00250	PB	250 gm	28342990	18
	00606 00500	PB	500 gm	28342990	18
Cadmium Nitrate AR (4-Hydrate) (Cas No. 10022-68-1) Assay : Min 99% $\text{Cd}(\text{NO}_3)_2 \cdot 4\text{H}_2\text{O}$ M.W. 308.48	00607 00100	PB	100 gm	28342990	18
	00607 00500	PB	500 gm	28342990	18
Cadmium Oxide (Cas No. 1306-19-0) Assay : Min 99.5% CdO M.W. 128.41	00608 00100	PB	100 gm	28259020	18
	00608 00500	PB	500 gm	28259020	18
Cadmium Oxide AR (Cas No. 1306-19-0) Assay : Min. 99.7% CdO M.W. 128.41	00609 00100	PB	100 gm	28259020	18
	00609 00250	PB	250 gm	28259020	18
Cadmium Sulphate Octahydrate (Cas No. 7790-84-3) Assay : Min. 98% $3\text{CdSO}_4 \cdot 8\text{H}_2\text{O}$ M.W. 769.52	00610 00100	PB	100 gm	28332990	18
	00610 00500	PB	500 gm	28332990	18
Cadmium Sulphate Octahydrate AR (Cas No. 7790-84-3) Assay : Min. 98% $3\text{CdSO}_4 \cdot 8\text{H}_2\text{O}$ M.W. 769.52	00611 00100	PB	100 gm	28332990	18
	00611 00500	PB	500 gm	28332990	18
Cadmium Sulphide (Orange) (Cas No. 1306-23-6) Assay : Min. 99% CdS M.W. 144.48	00612 00100	PB	100 gm	28309010	18
	00612 00500	PB	500 gm	28309010	18
Caffeine (Anhydrous) (Cas No. 58-08-2) (1,3,7-Trimethyl Xanthine) Assay : Min. 98% $\text{C}_8\text{H}_{10}\text{N}_4\text{O}_2$ M.W. 194.19	00613 00100	PB	100 gm	29393000	18
	00613 00250	PB	250 gm	29393000	18
	00613 00500	PB	500 gm	29393000	18
Caffeine AR (Anhydrous) (Cas No. 58-08-2) (1,3,7-Trimethyl Xanthine) Assay : Min. 99% $\text{C}_8\text{H}_{10}\text{N}_4\text{O}_2$ M.W. 194.19	00614 00100	PB	100 gm	29393000	18
	00614 00250	PB	250 gm	29393000	18
Calamine Extra Pure (Cas No. 8011-96-9) Assay : Min. 98%	00615 00500	PB	500 gm	30039090	12
Calceine Indicator AR (Cas No. 1461-15-0) (Fluorescein Complexone) $\text{C}_{30}\text{H}_{26}\text{N}_2\text{O}_{13}$ M.W. 622.55	00616 00001	GB	1 gm	32049000	18
	00616 00005	GB	5 gm	32049000	18
	00616 00025	GB	25 gm	32049000	18
Calcium AAS Standard Solution 1000 mg/L in Nitric Acid Liquid, d.1.014	00617 00125	GB	125 ml	38220090	12
	00617 00500	GB	500 ml	38220090	12
Calcium ICP Standard Solution 1000mg/L in Nitric Acid Liquid, d. 1.014	00617A 00125	GB	125 ml	38220090	12
Calcium ICP Standard Solution 10000mg/L in Nitric Acid Liquid, d. 1.014	00617B 00125	GB	125 ml	38220090	12

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Calcium Acetate (Hydrate) (Dried for soil test) (Cas No. 114460-21-8) Assay : Min. 98% $(CH_3.COO)_2Ca$ M.W. 158.17 (Anhydrous basis)	00620 00500	PB	500 gm	29152910	18
Calcium Acetate AR (Hydrate) (Cas No. 114460-21-8) Assay : Min. 99% $(CH_3.COO)_2Ca$ M.W. 158.17 (Anhydrous basis)	00621 00500	PB	500 gm	29152910	18
Calcium Bromide (Hydrate) (Cas No. 71626-99-8) Assay : Min. 84.7% $Br_2Ca.xH_2O$ M.W. 199.89 (On anhydrous Basis)	00622 00500	PB	500 gm	28275990	18
Calcium Carbide (Cas No. 75-20-7) Assay : Min. 75% CaC_2 M.W. 64.10	00623 00500	PB	500 gm	28491000	18
Calcium Carbonate (Cas No. 471-34-1) (Calcite Powder) (precipitate Fine Powder) Assay : Min. 98% $CaCO_3$ M.W. 100.09	00634 00500 00634 05000	PB PB	500 gm 5 kg	28365000 28365000	18 18
Calcium Carbonate AR (Cas No. 471-34-1) (Calcite Powder) Assay : Min. 99% $CaCO_3$ M.W. 100.09	00635 00500	PB	500 gm	28365000	18
Calcium Chloride (Dihydrate) (Cas No. 10035-04-8) Assay : Min. 98% $CaCl_2.2H_2O$ M.W. 147.01	00636 00500 00636 05000	PB PC	500 gm 5 kg	28272000 28272000	18 18
Calcium Chloride AR (Dihydrate) (Cas No. 10035-04-8) Assay : Min. 99% $CaCl_2.2H_2O$ M.W. 147.01	00637 00500	PB	500 gm	28272000	18
Calcium Chloride (Dihydrate) (For Molecular Biology) (Cas No. 10035-04-8) (HSN Code. 2827 2000) Assay : Min. 99% $CaCl_2.2H_2O$ M.W. 147.01	00638 00100 00638 00500	PB PB	100 gm 500 gm	28272000 28272000	18 18
Calcium Chloride (Fused) (Anhydrous) (Cas No. 10043-52-4) (HSN Code. 2827 2000) Assay : Min. 95% $CaCl_2$ M.W. 110.98	00639 00500 00639 02500	PB PB	500 gm 2.5 kg	28272000 28272000	18 18
Calcium Chloride 0.005M (0.01N) Standardized Solution	00640 00500	PB	500 gm	38220090	12
Calcium Chloride 0.01M (0.02N) Standardized Solution	00641 00500	PB	500 gm	38220090	12
Calcium Chloride 0.02M (0.04N) Standardized Solution	00642 00500	PB	500 gm	38220090	12
Calcium Chloride 0.05M (1N) Standardized Solution	00643 00500	PB	500 gm	38220090	12
Calcium Citrate (tetrahydrate) (Cas No. 5785-44-4) Assay : Min. 98% $C_{12}H_{10}Ca_3O_{14}.4H_2O$ M.W. 570.49	00644 00500	PB	500 gm	29181590	18
Calcium Fluoride (Purified) Extra Pure (Cas No. 7789-75-5) Assay : Min. 97% CaF_2 M.W. 78.07	00645 00500 00645 02500	PB PB	500 gm 2.5 kg	28261990 28261990	18 18
Calcium Formate (Cas No. 544-17-2) Assay : Min. 99% $(HCOO)_2Ca$ M.W. 130.11	00646 00500	PB	500 gm	29151290	18
Calcium Gluconate (Monohydrate) (Cas No. 66905-23-5) Assay : Min. 98.5-102% $C_{12}H_{22}CaO_{14}.H_2O$ M.W. 448.40	00647 00500	PB	500 gm	29181190	18
Calcium Hydrogen Orthophosphate (Cas No. 7757-93-9) (Anhydrous, dibasic) Assay : Min. 98-100.5% $CaHPO_4$ M.W. 136.06	00648 00500	PB	500 gm	28352500	18
Calcium Hydrogen Orthophosphate (Cas No. 7789-77-7) (Dihydrate, Dibasic) Assay : Min. 98-102.5% $CaHPO_4.2H_2O$ M.W. 172.10	00650 00500	PB	500 gm	28352500	18
Calcium Hydroxide (Powder) Extra Pure (Cas No. 1305-62-0) Assay : Min. 95% $Ca(OH)_2$ M.W. 74.09	00651 00500	PB	500 gm	28259040	18
Calcium Hydroxide AR (Cas No. 1305-62-0) Assay : Min. 96% $Ca(OH)_2$ M.W. 74.09	00652 00500	PB	500 gm	28259040	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Calcium Hypochlorite See Bleaching Powder Page No. 25					
Calcium Lactate Pentahydrate (For Soil Test) (Cas No. 5743-47-5)	00653 00250	PB	250 gm	29181120	18
Assay : Min. 98% $C_6H_{10}CaO_6 \cdot 5H_2O$ M.W. 308.29	00653 00500	PB	500 gm	29181120	18
Calcium Nitrate (Tetrahydrate) (Cas No. 13477-34-4)	00654 00500	PB	500 gm	28342990	18
Assay : Min. 98% $Ca(NO_3)_2 \cdot 4H_2O$ M.W. 236.15					
Calcium Nitrate (Tetrahydrate) AR (Cas No. 13477-34-4)	00655 00500	PB	500 gm	28342990	18
Assay : Min. 99% $Ca(NO_3)_2 \cdot 4H_2O$ M.W. 236.15					
Calcium Oxide (Lumps) (Cas No. 1305-78-8)	00656 00500	PB	500 gm	28259090	18
Assay : Min. 90% CaO M.W. 56.08					
Calcium Oxide (Lumps) AR (Cas No. 1305-78-8)	00657 00500	PB	500 gm	28259090	18
Assay : Min. 95% CaO M.W. 56.08					
Calcium Oxide (Powder) Purified (Cas No. 1305-78-8)	00658 00500	PB	500 gm	28259090	18
Assay : Min. 90% CaO M.W. 56.08					
Calcium-D-Pantothenate (For Biochemistry)	00659 00025	PB	25 gm	29362400	18
(Cas No. 137-08-6) [D(+)] Pantothenic Acid Calcium Salt	00659 00100	PB	100 gm	29362400	18
Assay : Min. 98% $C_9H_{16}NO_5 \cdot 1/2Ca$ M.W. 238.27 (Store at 2-8°C)	00659 00500	PB	500 gm	29362400	18
Calcium Phosphate Dibasic See Calcium Hydrogen Orthophosphate Page No. 35					
Calcium Phosphate monobasic (Monohydrate)	00660 00500	PB	500 gm	28352500	18
(Cas No. 10031-30-8) (Calcium Dihydrogen Phosphate)					
Assay : Min. 88% $Ca(H_2PO_4)_2 \cdot H_2O$ M.W. 252.08					
Calcium Phosphate Tribasic	00661 00500	PB	500 gm	28352610	18
(Cas No. 7758 -87-4) (Tri-Calcium Phosphate)	00661 05000	PB	5 kg	28352610	18
Assay : Min. 90% $Ca_3O_8P_2$ M.W. 310.18					
Calcium Propionate (Cas No. 4075-81-4)	00662 00500	PB	500 gm	29159090	18
Assay : Min. 97% $C_6H_{10}CaO$ M.W. 186.22	00662 01000	PB	1 kg	29159090	18
Calcium Stearate (Cas No. 1592-23-0)	00663 00500	PB	500 gm	29157090	18
Assay : 6.6-7.4% $C_{36}H_{70}CaO_4$ M.W. 607.02	00663 05000	PB	5 kg	29157090	18
Calcium Sulphate Purified (Cas No. 7778-18-9)	02914 00500	PB	500 gm	28332990	18
(Anhydrous Fine Powder)					
Assay : Min. 96% $CaSO_4$ M.W. 136.14					
Calcium Sulphate Dihydrate (Precipitated Powder)	00664 00500	PB	500 gm	28332990	18
(Cas No. 10101-41-4) A					
Assay : 98% $CaSO_4 \cdot 2H_2O$ M.W. 172.17					
Calcium Sulphate Dihydrate AR	00665 00500	PB	500 gm	28332990	18
(Precipitated Powder) (Cas No. 10101-41-4)					
Assay : 99% $CaSO_4 \cdot 2H_2O$ M.W. 172.17					
Calcon (C.I. No. 15705) (Cas No. 2538-85-4)	00666 00025	PB	25 gm	29270090	18
(Solochrome Dark Blue)	00666 00100	PB	100 gm	29270090	18
$C_{20}H_{13}N_2NaO_5S$ M.W. 416.38					
Calcon Carboxylic Acid AR See Patton & Reeder's Reagent Page No. 114					
Calmagite AR (Cas No. 3147-14-6)	00667 00001	GB	1 gm	29270090	18
$C_{17}H_{14}N_2O_5S$ M.W. 358.37	00667 00005	GB	5 gm	29270090	18
Calomel See Mercurous Chloride Page No. 98					
Camphor Oil Extra Pure (Cas No. 8008-51-3),	00668 00500	GB	500 ml	3341	18
Liquid, d. 0.873 -0.900					

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Camphor Powder (Purified) (Cas No. 464-49-3) Assay : Min. 99% $C_{10}H_{16}O$ M.W. 152.24	00669 00500	PB	500 gm	29142921	18
D-Camphor-10-Sulphonic Acid (For Synthesis) (Cas No. 3144-16-) Resolution of Racemates Assay : Min. 99% $C_{10}H_{16}O_4S$ M.W. 232.50	00670 00100 00670 00500	PB PB	100 gm 500 gm	29147090 29147090	18 18
L-(-) Camphor Sulphonic Acid Extra Pure (Cas No. 35963-20-3) Assay : Min. 99% $C_{10}H_{16}O_4S$ M.W. 232.50	00671 00025 00671 00100	PB PB	25 gm 100 gm	29147990 29147990	18 18
Canada Balsam See Balsam Canada Page No. 19					
Candelila Wax (Cas No. 8006-44-8)	00671A 00100 00671A 00500	PB PB	100 gm 500 gm	15211090 15211090	18 18
N-Capric Acid (Cas No. 334-48-5) (N-Decanoic Acid) Assay : Min. 98% $C_{10}H_{20}O_2$ M.W. 172.26	00672 00500	PB	500 gm	29159090	18
N-Caproic Acid (Cas No. 142-62-1) (N-Hexanoic Acid) Assay : Min. 98% $C_6H_{12}O_2$ M.W. 116.6, Liquid, d. 0.927	00673 00500	GB	500 ml	29159030	18
N-Caprylic Acid (Cas No. 124-07-2) (N-Octanoic Acid) Assay : Min. 99% $C_8H_{16}O_2$ M.W. 144.21, Liquid, d. 0.91	00674 00500 00674 02500	GB GB	500 ml 2.5 Lt	29159020 29159020	18 18
Caprylic Acid Sodium Salt (Cas No. 1984-06-1) (Sodium Caprylate) Assay : Min. 99% $C_8H_{15}NaO_2$ M.W. 166.20	00675 00250 00675 00500	PB PB	250 gm 500 gm	29159090 29159090	18 18
Capryl Alcohol See n-Octyl Alcohol Page No. 111					
Capsicum Oil Extra Pure (Cas No. 8023-77-6)	00675A 00100	GB	100 gm	33019022	18
CAPS (For Molecular Biology) (Cas No. 1135-40-6) [3-(Cyclohexylamino)-1-Propane Sulphonic Acid] Assay : Min. 99% $C_9H_{19}NO_3S$ M.W. 221.32	00676 00025 00676 00100 00676 00500	PB PB PB	25 gm 100 gm 500 gm	29222990 29222990 29222990	18 18 18
CAPSO Buffer (for Biochemistry) (Cas No. 73463-39-5) [3-(Cyclohexylamino)-2-Hydroxy-1-Propane Sulphonic Acid] Assay : Min. 99% $C_9H_{19}NO_4S$ M.W. 237.32	00677 00025 00677 00100	PB PB	25 gm 100 gm	29221990 29221990	18 18
Caraway Oil Extra pure (Cas No. 8000-42-8) Liquid, d. 0.91	00677A 00100 00677A 00500	GB GB	100 ml 500 ml	3314 3314	18 18
Carbazole (For Synthesis) (For Lab Use) (Cas No. 86-74-8) Assay : Min. 95% $C_{12}H_9N$ M.W. 167.21	00678 00100 00678 00500	PB PB	100 gm 500 gm	29339900 29339900	18 18
Carbitol See Diethylene Glycol Monoethyl Ether Page No. 56					
Carbol Fuchsin (M.S.) (Powder) (Cas No. 4197-24-4)	00679 00025 00679 00100 00679 00500	PB PB PB	25 gm 100 gm 500 gm	32041990 32041990 32041990	18 18 18
Carbol Fuchsin (Dilute) Staining Solution (Ziehl Neelsen), Liquid, d. 0.99	00680 00125 00680 00500	PB PB	125 ml 500 ml	38220090 38220090	12 12
Carbol Fuchsin (Strong) Staining Solution (Ziehl Neelsen) Liquid, d. 0.99	00681 00125 00681 00500	PB PB	125 ml 500 ml	38220090 38220090	12 12
Carbolic Acid See Phenol Crystals/Liquid Page No. 115					
Carbol Xylene (For Microscopy)	00682 00500	GB	500 ml	38220090	12
Carbon Di Sulphide (For Synthesis) (Cas No. 75-15-0) (d. 1.26) Assay : Min. 99% CS_2 M.W. 76.14 Liquid, d. 1.266	00683 00500	GB	500 ml	28131000	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Carbon Di Sulphide AR (Cas No. 75-15-0) Assay : Min. 99.9% CS_2 M.W. 76.14, Liquid, d. 1.266	00684 00500	GB	500 ml	28131000	18
Carbon Tetra Chloride (For Synthesis) (Cas No. 56-23-5) Assay : Min. 99% CCl_4 M.W. 153.82, Liquid, d. 1.594	00685 00250	GB	250 ml	29031400	18
	00685 00500	GB	500 ml	29031400	18
	00685 02500	GB	2.5 Lt	29031400	18
Carbon Tetra Chloride AR (Cas No. 56-23-5) Assay : Min. 99.5% CCl_4 M.W. 153.82, Liquid, d. 1.594	00686 00500	GB	500 ml	29031400	18
	00686 02500	GB	2.5 Lt	29031400	18
1,1'-Carbonyldiimidazole (CDI) (For Synthesis) (N,N- Carbon-ylidimidazole) (An Excellent Reagent for thesis) (Cas No. 530-62-1) Assay : Min. 98% $\text{C}_7\text{H}_6\text{N}_4\text{O}$ M.W. 162.15	00687 00100	PB	100 gm	29332990	18
	00687 00500	PB	500 gm	29332990	18
Carbopol 934 (Cas No. 9003-01-4) (Carboxy Vinyl Polymer 934) (Carbonmes 934) Assay : Min. 56-58%	00688 00100	PB	100 gm	39069090	18
	00688 00500	PB	500 gm	39069090	18
	00688 01000	PB	1 kg	39069090	18
Carbopol 940 (Cas No. 9003-01-4) (Carboxy Vinyl Polymer 940) (Carbomes 940) Assay : Min. 56-58%	00689 00100	PB	100 gm	39069090	18
	00689 00500	PB	500 gm	39069090	18
Carbowax See Polyethylene Glycol					
Carboxy Methyl Cellulose Sodium Salt (Cas No. 9004-32-4) (High Viscosity)	00690 00500	PB	500 gm	39123100	18
Carboxy Methyl Cellulose Sodium Salt (For Molecular Biology) Medium Viscosity (CMC) (Cas No. 9004-32-4)	00691 00100	PB	100 gm	39123100	18
Carboxy Methyl Cellulose Sodium Salt (Medium Viscosity) (250-350 Cps) (Cas No. 9004-32-4)	00692 00500	PB	500 gm	39123100	18
Cardamon Oil Extra pure (bitter) (Cas No. 8000-66-6) Liquid, d. 0.924	00692A 00100	GB	100 ml	3390	18
	00692A 00500	GB	500 ml	3390	18
Cardamon Oil Extra pure (sweet) (Cas No. 8000-66-6) Liquid, d. 0.924	00692B 00100	GB	100 ml	3390	18
	00692B 00500	GB	500 ml	3390	18
Carmine (M.S.) (Cas No. 1390-65-4) (C.I. No. 75470)	00693 00005	GB	5 gm	32030090	18
	00693 00025	GB	25 gm	32030090	18
Carmine Aceto Solution See Aceto Carmine Solution See Page No. 2					
Carminic Acid AR (C.I. No. 75470) (Cas No. 1260-17-9) Assay : Min. 98% $\text{C}_{22}\text{H}_{20}\text{O}_{13}$ M.W. 492.40	00694 00001	GB	1 gm	32030090	18
	00694 00005	GB	5 gm	32030090	18
Carmoisine A (Cas No. 3567-69-9) (Azorubin C) Dye Content : Min. 80% $\text{C}_{20}\text{H}_{12}\text{N}_2\text{Na}_2\text{O}_7\text{S}_2$ M.W. 502.43	00695 00025	GB	25 gm	32041219	18
	00695 00100	GB	100 gm	32041219	18
Carnauba Wax (Cas No. 8015-86-9)	00695A 00100	PB	100 gm	15211090	18
	00695A 00500	PB	500 gm	15211090	18
Casein Hydrolysate (Purified) (Cas No. 65072-00-6) (Casamino Acid) (Casein Acid Hydrolysate)	00696 00100	PB	100 gm	35011000	18
	00696 00500	PB	500 gm	35011000	18
Casein (Soluble) (Light White Powder) (Cas No. 9000-71-9)	00698 00500	PB	500 gm	35011000	18
Casein (Fat Free & Low in Vitamins) (Cas No. 9000-71-9)	00699 00500	PB	500 gm	35011000	18
Casein (Soluble in Alkali) (Cas No. 9000-71-9)	00700 00500	PB	500 gm	35011000	18
Cassion Oil Extra pure (Cas No. 8007-80-5), Liquid, d. 1.058	00700A 00500	GB	500 ml	35011000	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Castor Oil Extra Pure	00701 00500	GB	500 ml	15153090	5
(Cas No. 8001-79-4) Liquid, d. 0.961	00701 02500	GB	2.5 Lt	15153090	5
Catechol See Pyrocatechol Page No. 130					
Catechol Violet AR (Cas No. 115-41-3)	00702 00001	GB	1 gm	32049000	18
(Pyrocatechol Violet) C ₁₉ H ₁₄ O ₇ S M.W. 386.38	00702 00005	GB	5 gm	32049000	18
CDTA (Monohydrate) (Cas No. 125572-95-4)	00703 00025	PB	25 gm	29224990	18
(Trans-1, 2-Diaminocyclohexane N,N,N,N-Tetra Acetic Acid)	00703 00100	PB	100 gm	29224990	18
Assay : Min. 98% C ₁₄ H ₂₂ N ₂ O ₈ .H ₂ O M.W. 364.35					
CDTA AR (Monohydrate) (Cas No. 125572-95-4)	00704 00025	PB	25 gm	29224990	18
(Trans-1, 2-Diaminocyclohexane N,N,N,N-Tetra Acetic Acid)	00704 00100	PB	100 gm	29224990	18
Assay : Min. 98% C ₁₄ H ₂₂ N ₂ O ₈ .H ₂ O M.W. 364.35					
Cedarwood Oil Extra Pure	00705 00030	AB	30 ml	3316	18
(For Microbiology)	00705 00050	AB	50 ml	3316	18
(Cas No. 8000-27-9)	00705 00100	AB	100 ml	3316	18
(Immersion Oi) Liquid, d. 0.952	00705 00500	AB	500 ml	3316	18
Celery Seed Oil Extra pure (Cas No. 8015-90-5) Liquid, d. 0.88					
Celestin Blue (M.S.) (C.I. No. 51050) (Cas No. 1562-90-9)	00706 00005	GB	5 gm	32049000	18
C ₁₇ H ₁₈ ClN ₃ O ₄ M.W. 363.80	00706 00025	GB	25 gm	32049000	18
Celestin Blue Stain Solution	02902 00100	PB	100 ml	38220090	12
Celite (545 Filter Aid)	00707 00500	PB	500 gm	25120090	5
(20-45 Microns)	00707 01000	PB	1 kg	25120090	5
(Cas No. 61790-53-2)	00707 05000	PB	5 kg	25120090	5
Cellobiose (For Biochemistry) (Cas No. 528-50-7)	00708 00005	GB	5 gm	29400000	18
Assay : Min. 99% C ₁₂ H ₂₂ O ₁₁ M.W. 342.30	00708 00025	GB	25 gm	29400000	18
Cellosolve (For Synthesis) (Cas No. 110-80-5) (Ethylene Glycol Mono Ethyl Ether) (2-Ethoxy Ethanol) (Ethyl Cellosolve)	00709 00500	GB	500 ml	29094400	18
Assay : Min. 99% C ₄ H ₁₀ O ₂ M.W. 90.12, Liquid, 0.93	00709 02500	GB	2.5 Lt	29094400	18
Cellosolve AR (Cas No. 110-80-5) (Ethylene Glycol Mono Ethyl Ether) (2-Ethoxy Ethanol) (Ethyl Cellosolve)	00710 00500	GB	500 ml	29094400	18
Assay : Min. 99.5% C ₄ H ₁₀ O ₂ M.W. 90.12, Liquid, 0.93	00710 02500	GB	2.5 Lt	29094400	18
Cellosolve Acetate (Cas No. 111-15-9) (2-Ethoxyethyl Acetate)	00711 00500	GB	500 ml	29153990	18
Assay : Min. 98% C ₆ H ₁₂ O ₃ M.W. 132.16, Liquid, d. 0.975	00711 02500	GB	2.5 Lt	29153990	18
Cellulose Acetate (Powder) (Cas No. 9004-35-7)	00712 00500	PB	500 gm	39121110	18
Cellulose Microcrystalline (For TLC)	00713 00500	PB	500 gm	39129090	18
(Cas No. 9004-34-6) (Cellulose Powder) (C ₆ H ₁₀ O ₅) _n					
Cellulose Powder (For Column Chromatography)	00714 00500	PB	500 gm	39129090	18
(Cas No. 9004-34-6)					
Ceresin Wax (White) (Cas No. 8001-75-0)	00715 00500	PB	500 gm	27122090	18
Ceric Ammonium Nitrate See Ammonium Ceric Nitrate Page No. 11					
Ceric Ammonium Sulphate See Ammonium Ceric Sulphate Page No. 11					
Ceric Nitrate (Anhydrous) (Cas No. 13093-17-9)	00716 00100	PB	100 gm	-	-
(Cerium (IV) Nitrate)					

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Ceric Nitrate AR (Anhydrous) (Cas No. 13093-17-9) (Cerium (IV) Nitrate)	00717 00100	PB	100 gm	-	-
Ceric Oxide AR (Cas No. 1306-38-3) (Cerium (IV) Oxide) Assay : Min. 99.95% CeO ₂ M.W. 172.11	00718 00100 00718 00500	PB PB	100 gm 500 gm	28461090	18 18
Ceric Sulphate (tetrahydrate) (Cas No. 10294-42-5) (Cerium (IV) Sulphate) Assay : Min. 99% Ce(SO ₄) ₂ .4H ₂ O M.W. 404.30	00719 00100 00719 00500	PB PB	100 gm 500 gm	28461000	18 18
Ceric Sulphate AR (tetrahydrate) (Cas No. 10294-42-5) (Cerium (IV) Sulphate) Assay : Min. 99% Ce(SO ₄) ₂ .4H ₂ O M.W. 404.30	00719A 00100 00719A 00500	PB PB	100 gm 500 gm	28461000	18 18
Ceric Sulphate N/10 Solution 0.1 N Volumetric Solution	00720 00500	PB	500 ml	38220090	12
Cerous Chloride AR (Heptahydrate) (Cas No. 18618-55-8) (Cerium (III) Chloride) Assay : Min. 99.9% CeCl ₃ .7H ₂ O M.W. 372.58	00721 00100 00721 00500	GB GB	100 gm 500 gm	28469030	18 18
Cerous Nitrate AR (Hexahydrate) (Cas No. 10294-41-4) (Cerium (III) Nitrate) Assay : Min. 99% Ce(NO ₃) ₃ .6H ₂ O M.W. 434.23	00722 00100 00722 00500	GB GB	100 gm 500 gm	28461010	18 18
Cesium AAS Standard Solution 1000 mg/L in Nitric Acid	00723 00125 00723 00500	GB GB	125 ml 500 ml	38220090	12 12
Cesium ICP Standard Solution 1000 mg/L in Nitric Acid Liquid, d. 1.013	00723A 00125	GB	125 ml	38220090	12
Cesium Carbonate (Cas No. 534-17-8) (Caesium Carbonate) Assay : Min. 99% CS ₂ CO ₃ M.W. 325.82	00724 00025 00724 00100	GB GB	25 gm 100 gm	28369910	18 18
Cesium Chloride (For Molecular Biology) (Cas No. 7647-17-8) (Caesium Chloride) Assay : Min. 99.9% CsCl M.W. 168.36	00725 00025	GB	25 gm	28273990	18
Cesium Iodide AR (Cas No. 7789-17-5) (Caesium Iodide) Assay : Min. 99.5% CsI M.W. 259.81	00726 00010 00726 00050	GB GB	10 gm 50 gm	28276090	18 18
Cesium Nitrate AR (Cas No. 7789-18-6) (Caesium Nitrate) Assay : Min. 99% CsNO ₃ M.W. 194.91	00727 00010 00727 00050	GB GB	10 gm 50 gm	28342990	18 18
Cesium Sulphate AR (Cas No. 10294-54-9) (Caesium Sulphate) Assay : Min. 99.9% Cs ₂ SO ₄ M.W. 361.87	00728 00010 00728 00050	GB GB	10 gm 50 gm	28332990	18 18
Ceto Stearyl Alcohol (Cas No. 67762-27-0) Assay : Min. 90%	00729 00500	PB	500 gm	29181190	18
Cetrimide (Cas No. 57-09-0) (N-Cetyl-N, N-N-Trimethyl Ammonium Bromide) (CTAB) Assay : Min. 98% C ₁₉ H ₄₂ BrN M.W. 364.45	00730 00100 00730 00500	PB PB	100 gm 500 gm	29239000	18 18
Cetyl Alcohol (Cas No. 36653-82-4) (1-Hexadecanol) Assay : Min. 95% C ₁₆ H ₃₄ O M.W. 242.44	00731 00500	PB	500 gm	29051700	18
Cetyl Pyridinium Bromide (Cas No. 140-72-7) Assay : Min. 95% C ₂₁ H ₃₈ BrN M.W. 384.44	00732 00250 00732 00100	PB PB	250 gm 100 gm	29333990	18 18
Cetyl Pyridinium Chloride (monohydrate) (Cas No. 6004-24-6) Assay : Min 98% C ₂₁ H ₃₈ Cin.H ₂ O M.W. 358.01	00733 00100	PB	100 gm	29333990	18
N-Cetyl-N,N,N-Trimethyl Ammonium Bromide See Cetrimide Page No. 40					

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Chaps (For Molecular Biology) (Cas No. 75621-03-3) [3-(3-Cholamidopropyl)-dimethylammonio] 1-Propane-Sulphonate]	00734 00001	GB	1 gm	29239000	18
Assay : Min. 99% $C_{32}H_{58}N_2O_7S$ M.W. 614.88	00734 00003	GB	5 gm	29239000	18
Chapso (For Biochemistry) (Cas No. 82473-24-3) [3-(3-Cholamidopropyl)-Dimethylammonio] -2-Hydroxy-1-Propane Sulphonate]	00735 00001	GB	1 gm	29242990	18
Assay : Min. 96% $C_{32}H_{58}N_2O_8S$ M.W. 630.88	00735 00003	GB	5 gm	29242990	18
Charcoal Activated See Activated Charcoal Page No. 3					
Chaulmogra Oil Extra Pure Liquid, d. 0.950-0.60	00735A 00500	GB	500 ml	33013099	18
Chenopodium Oil Extra Pure (Cas No. 8006-99-3)	00735B 00500	GB	500 ml	10085000	5
Ches Buffer (Cas No.103-47-9) [2-(Cyclohexylamino) Ethanesulphonic Acid]	00736 00025	GB	25 gm	29213090	18
Assay : Min. 99% $C_8H_{17}NO_3S$ M.W. 207.29	00736 00100	GB	100 gm	29213090	18
Ches Sodium Buffer (Cas No. 3076-05-9) [2-(Cyclohexylamino) Ethanesulphonic Acid Sodium Salt]	00737 00025	GB	25 gm	29213090	18
Assay : Min. 99% $C_8H_{16}NNaO_3S$ M.W. 229.27	00737 00100	GB	100 gm	29213090	18
China Blue See Aniline Blue Page No. 16					
Chitin Extra Pure (Flakes) (Cas No. 1398-61-4) ($C_8H_{13}NO_5$) _n	00738 00100	PB	100 gm	39139090	18
	00738 00500	PB	500 gm	39139090	18
Chloramine T (For Synthesis) Trihydrate (Cas No. 7080-50-4) (N-Chloro-P-Toluene Sulphonamide Sodium Salt)	00739 00250	PB	250 gm	29359090	18
Assay : Min. 98% $C_7H_7ClNNaO_2S.3H_2O$ M.W. 281.69	00739 00500	PB	500 gm	29359090	18
	00739 01000	PB	1 kg	29359090	18
Chloramine T AR Trihydrate (Cas No. 7080-50-4) (N-Chloro-P-Toluene Sulphonamide Sodium Salt)	00740 00250	PB	250 gm	29359090	18
Assay : Min. 99% $C_7H_7ClNNaO_2S.3H_2O$ M.W. 281.69	00740 00500	PB	500 gm	29359090	18
	00740 01000	PB	1 kg	29359090	18
Chloranil (For Synthesis) (Cas No. 118-75-2) (Tetrachloro-P-Benzoquinone)	00741 00250	GB	250 gm	29147990	18
Assay : Min. 97% $C_6Cl_4O_2$ M.W. 245.88	00741 00500	GB	500 gm	29147990	18
Chloranilic Acid AR (Cas No. 87-88-7) (2,5-Dichloro-3,6-dihydroxy-p-benzoquinone)	00742 00025	GB	25 gm	29147990	18
Assay : Min. 98% $C_6H_2Cl_2O_4$ M.W. 208.98	00742 00100	GB	100 gm	29147990	18
Chloranilic Acid Barium Salt AR See Barium Chloranilate Page No. 20					
Chlorinataed Lime See Bleaching Powder Page No. 25					
Chlorine Water (Concentrated Solution)	00743 00500	PB	500 ml	38220090	12
	00743 05000	PC	5 Lt	38220090	12
Chloro Acetic Acid (Mono) (Cas No. 79-11-8) (Monochloroacetic Acid)	00744 00500	PB	500 gm	29154010	18
Assay : Min. 99% $ClCH_2.COOH$ M.W. 94.50					
Chloro Acetic Acid (Mono) AR (Cas No. 79-11-8) (Monochloroacetic Acid)	00745 00500	GB	500 gm	29154010	18
Assay : Min. 99.5% $ClCH_2.COOH$ M.W. 94.50					
Chloro Acetic Acid (Tri) (Cas No. 76-03-9) (Trichloro Acetic Acid)	00746 00100	GB	100 gm	29154030	18
Assay : Min. 98% $Cl_3C.CooH$ M.W. 163.39	00746 00500	GB	500 gm	29154030	18
Chloro Acetic Acid (Tri) AR (Cas No.76-03-9) (Trichloro Acetic Acid)	00747 00100	GB	100 gm	29154030	18
Assay : Min. 99% $Cl_3C.CooH$ M.W. 163.39	00747 00500	GB	500 gm	29154030	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Chloro Acetic Acid (Tri) 20% W/V Solution	00748 00125	GB	125 ml	29154030	18
	00748 00500	GB	500 ml	29154030	18
p-Chloro Acetophenone (for Synthesis) (4-Chloro Acetophenone) (Cas No. 99-91-2)	00749 00100	GB	100 ml	29147020	18
Assay : Min. 98% C ₈ H ₇ ClO M.W. 154.59, Liquid, D 1.193	00749 00500	GB	500 ml	29147020	18
Chloro Acetyl Chloride (Cas No. 79-04-9)	00750 00500	GB	500 ml	29159090	18
Assay : Min. 98% C ₂ H ₂ Cl ₂ O M.W. 112.94, Liquid, d. 1.418	00750 02500	GB	2.5 Lt	29159090	18
m-Chloro Aniline (For Synthesis) (Cas No. 108-42-9) (3-Chloro Aniline)	00751 00500	GB	500 ml	29214211	18
Assay : Min. 98% C ₆ H ₆ ClN M.W. 127.57, Liquid, d. 1.206					
O-Chloro Aniline (For Synthesis) (4-Chloro Aniline) (Cas No. 95-51-2)	00752 00500	GB	500 ml	29214211	18
Assay : Min. 98% C ₆ H ₆ ClN M.W. 127.57, Liquid, d. 1.213					
P-Chloro Aniline (For Synthesis) (4-Chloro Aniline) (Cas No. 106-47-8)	00753 00500	GB	500 gm	29214211	18
Assay : Min. 98% C ₆ H ₆ ClN M.W. 127.57					
Chloroauric Acid See Auric Chloride Page No. 18					
m-Chlorobenzaldehyde (For Synthesis) (3-Chlorobenzaldehyde) (Cas No. 587-04-2)	00754 00100	GB	100 ml	29130090	18
Assay : Min. 96% C ₇ H ₅ ClO M.W. 140.57, Liquid, d. 1.24	00754 00500	GB	500 ml	29130090	18
O-Chlorobenzaldehyde (For Synthesis) (2-Chlorobenzaldehyde) (Cas No. 89-98-5)	00755 00100	GB	100 ml	29130010	18
Assay : Min. 98% C ₇ H ₅ ClO M.W. 140.57, Liquid, d. 1.25	00755 00500	GB	500 ml	29130010	18
P-Chlorobenzaldehyde (For Synthesis) (4-Chlorobenzaldehyde) (Cas No. 104-88-1)	00756 00100	GB	100 gm	29130010	18
Assay : Min. 98% C ₇ H ₅ ClO M.W. 140.57	00756 00500	GB	500 gm	29130010	18
Chlorobenzene (Mono) (Cas No. 108-90-7) (Monochlorobenzene)	00757 05000	GB	500 ml	29039110	18
Assay : Min. 99% C ₆ H ₅ Cl M.W. 112.56, Liquid d. 1.106	00757 02500	GB	2.5 Lt	29039110	18
Chlorobenzene (Mono) AR (Cas No. 108-90-7) (Monochlorobenzene)	00758 05000	GB	500 ml	29039110	18
Assay : Min. 99.5% C ₆ H ₅ Cl M.W. 112.56, Liquid d. 1.106	00758 02500	GB	2.5 Lt	29039110	18
m-Chlorobenzoic Acid (For Synthesis) (Cas No. 535-80-8) (3-Chlorobenzoic Acid)	00759 00025	GB	25 gm	29163160	18
Assay : Min. 98% C ₇ H ₅ ClO ₂ M.W. 156.57	00759 00100	GB	100 gm	29163160	18
O-Chlorobenzoic Acid (For Synthesis) (Cas No. 118-91-2) (2-Chlorobenzoic Acid)	00760 00100	PB	100 gm	29163160	18
Assay : Min. 98% C ₇ H ₅ ClO ₂ M.W. 156.57	00760 00500	PB	500 gm	29163160	18
P-Chlorobenzoic Acid (For Synthesis) (Cas No. 74-11-3) (4-Chlorobenzoic Acid)	00761 00100	PB	100 gm	29163160	18
Assay : Min. 99% C ₇ H ₅ ClO ₂ M.W. 156.57	00761 00500	PB	500 gm	29163160	18
P-Chlorobenzophenone (For Synthesis) (Cas No. 134-85-0) (4-Chlorobenzophenone)	00762 00100	PB	100 gm	29147990	18
Assay : Min. 98% C ₁₃ H ₉ ClO M.W. 216.66	00762 00500	PB	500 gm	29147990	18
1-Chlorobutane See N-Butyl Chloride Page No. 32					
Chloro Choline Chloride (Cas No. 999-81-5)	00762A 00025	GB	25 gm	29239000	18
Assay : Min. 97% C ₅ H ₁₃ Cl ₂ N M.W. 158.07 (2-Chloroethy trimethy ammonium Choride)	00762A 00100	GB	100 gm	29239000	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Chloro Choline Chloride 50% Aqueous Solution	00763 00100	PB	100 gm	29239000	18
Assay : 49-51%	00763 00500	PB	500 gm	29239000	18
(2-Chloroethyl Trimethyl Ammonium Chloride 50%)					
P-Chloro-m-Cresol (Cas No. 59-50-7)	00764 00250	PB	250 gm	29081900	18
(4-Chloro-3-Methyl Phenol)	00764 00500	PB	500 gm	29081900	18
Assay : Min. 98% C ₇ H ₇ ClO M.W. 142.59	00764 05000	PB	5 kg	29081900	18
1-Chloro-2, 4-Dinitrobenzene (For Synthesis)	00765 00500	PB	500 gm	29042090	18
(CasNo. 97-00-7) (2, 4-Dinitrochlorobenzene)					
Assay : Min. 98.5% C ₆ H ₃ ClN ₂ O ₄ M.W. 202.55					
1-Chloro-2, 4-Dinitrobenzene AR (Cas No. 97-00-7)	00766 00025	GB	25 gm	29042090	18
(2, 4-Dinitrochlorobenzene)	00766 00100	GB	100 gm	29042090	18
Assay : Min. 99% C ₆ H ₃ ClN ₂ O ₄ M.W. 202.55					
2-Chloro-3, 5-Dinitropyridine AR (Cas No. 2578-45-2)	00767 00001	GB	1 gm	29333990	18
(Terminal N-Blocking Reagent for Proteins)					
Assay : Min. 99% C ₅ H ₂ ClN ₃ O ₄ M.W. 203.54 (store at 2-8°C)					
2-Chloroethanol See Ethylene Chlorohydrine Page No. 66					
2-Chloroethyl Phosphonic Acid (Cas No. 16672-87-0) (Ethrel)	00768 00100	GB	100 ml	29319090	18
Assay : Min. 96% C ₂ H ₅ ClO ₃ P M.W. 144.49 (store at 2-8°C)	00768 00250	GB	250 ml	29319090	18
2-Chloroethyl Trimethyl Ammonium Chloride					
See Chloro Choline Chloride Page No. 43					
Chloroform (For Synthesis) (Cas No. 67-66-3)	00769 00500	GB	500 ml	29031300	18
(Trichloromethane)	00769 02500	GB	2.5 Lt	29031300	18
Assay : Min. 99% CHCl ₃ M.W. 119.38, Liquid, d. 1.492					
Chloroform AR (Cas No. 67-66-3) (Trichloromethane)	00770 00500	GB	500 ml	29031300	18
Assay : Min. 99.8% CHCl ₃ M.W. 119.38, Liquid, d. 1.480-1.492	00770 02500	GB	2.5 Lt	29031300	18
Chloromethyl Methyl Ether (For Synthesis) (Cas No. 107-30-2)	00772 00025	GB	25 gm	29093090	18
Assay : Min. 92.5% C ₂ H ₅ ClO M.W. 80.51, Liquid, d. 1.06	00772 00100	GB	100 gm	29093090	18
(store at 2-8°C)					
2-Chloro-2-Methylpropane See Tert-Butyl Chloride Page No. 32					
p-Chloro-o-Nitroaniline (For Synthesis)	00773 00250	PB	250 gm	29214290	18
(Cas No. 89-63-4) (4-Chloro-2-Nitroaniline)					
Assay : Min. 98% C ₆ H ₅ ClN ₂ O ₂ M.W. 172.57					
o-Chloro-p-Nitroaniline (For Synthesis)	00774 00250	PB	250 gm	29214212	18
(Cas No. 121-87-9) (2-Chloro-4-Nitroaniline)					
Assay : Min. 98% C ₆ H ₅ ClN ₂ O ₂ M.W. 172.57					
1-Chloro-2-Nitrobenzene (Cas No. 88-73-3) (ONCB)	00775 00500	PB	500 gm	29049095	18
(O-Chloronitrobenzene) (O-Nitro Chlorobenzene)					
Assay : Min. 99% C ₆ H ₄ ClNO ₂ M.W. 157.55					
1-Chloro-3-Nitrobenzene (MNCB)	00776 00500	PB	500 gm	29049090	18
(Cas No.121-73-3) (M-Chloronitrobenzene)					
Assay : Min. 99% C ₆ H ₄ ClNO ₂ M.W. 157.55					
1-Chloro-4-Nitrobenzene (PNCB) (Cas No. 100-00-5)	00777 00500	PB	500 gm	29049095	18
(P-Chloronitrobenzene) (P-Nitro Chlorobenzene)					
Assay : Min. 99% C ₆ H ₄ ClNO ₂ M.W. 157.55					

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
m-Chloroperbenzoic Acid (Cas No. 937-14-4)	00778 00025	GB	25 gm	29163160	18
(3-Chloroperbenzoic Acid)	00778 00100	GB	100 gm	29163160	18
Assay : Min. 77% $C_7H_5ClO_3$ M.W. 172.57 (store at 2-8°C)					
m-Chloro Phenol (For Synthesis)	00779 00025	GB	25 gm	29081900	18
(Cas No. 108-43-0) (3-Chloro Phenol)	00779 00100	GB	100 gm	29081900	18
Assay : Min. 99% C_6H_5ClO M.W. 128.56					
o-Chloro Phenol (For Synthesis)	00780 00500	GB	500 ml	29089990	18
(Cas No. 95-57-8) (2-Chloro Phenol)					
Assay : Min. 98% C_6H_5ClO M.W.128.56 Liquid,d.1.24					
p-Chloro Phenol (for synthesis)	00781 00500	GB	500 gm	29089990	18
(Cas No. 106-48-9) (4-chloro phenol)					
Assay : Min. 98% C_6H_5ClO M.W. 128.56					
Chloro Phenol Red Indicator AR	00782 00005	GB	5 gm	29349900	18
(Cas No. 4430-20-0)	00782 00025	PB	25 gm	29349900	18
pH 4.8 - 6.4 Yellow to Purple $C_{19}H_{12}Cl_2O_5S$ M.W. 423.27	00782 00100	PB	100 gm	29349900	18
2-Chlorophenylacetic Acid (For Synthesis) (Cas No. 2444-36-2)	00783 00025	GB	25 gm	29163160	18
Assay : Min. 99% $C_8H_7ClO_2$ M.W. 170.59	00783 00100	GB	100 gm	29163160	18
4-Chlorophenylacetic Acid (For Synthesis) (Cas No. 1878-66-6)	00784 00025	PB	100 gm	29163160	18
Assay : Min. 97% C_8H_7ClO M.W. 170.59	00784 00100	PB	500 gm	29163160	18
Chloroplatinic Acid See Platinum Chloride Page No. 120					
3 Chloro-1-Propene See Allyl Chloride Page No. 6					
N-Chlorosuccinimide (For Synthesis)	00785 00100	PB	100 gm	29251900	18
(Cas No. 128-09-6)	00785 00250	PB	250 gm	29251900	18
Assay : Min. 98% $C_4H_4ClNO_2$ M.W. 133.53	00785 00500	PB	500 gm	29251900	18
Chlorosulphonic Acid (For Synthesis) (Cas No. 7790-94-5)	00786 00500	GB	500ml	28062000	18
Assay : Min. 97% $HClO_3S$ M.W. 116.52, Liquid d. 1.753					
o-Chlorotoluene (For Synthesis)	00787 00500	GB	500ml	29039990	18
(Cas No. 95-49-8) (2-Chlorotoluene)					
Assay : Min. 98% C_7H_7Cl M.W. 126.59, Liquid, d. 1.083					
m-Chlorotoluene (For Synthesis)	00788 00250	GB	250ml	29039990	18
(Cas No.108-41-8) (3-Chlorotoluene)	00788 01000	GB	1lt	29039990	18
Assay : Min. 95% C_7H_7Cl M.W. 126.59, Liquid, d. 1.072					
p-Chlorotoluene (For Synthesis)	00789 00500	GB	500ml	29039990	18
(Cas No.106-43-4) (4-Chlorotoluene)					
Assay : Min. 99% C_7H_7Cl M.W. 126.59, Liquid, d. 1.07					
Chlorotriphenylmethane (For Synthesis)	00790 00100	PB	100gm	29039990	18
(Cas No. 76-83-5) (Trityl Chloride, Triphenylmethyl Chloride)	00790 00500	PB	500gm	29039990	18
Assay : Min. 98% $C_{19}H_{15}Cl$ M.W. 278.78					
4-Chloro-m-Xylenol (PCMX) Pure (Cas No. 88-04-0)	00791 00100	PB	100gm	29089990	18
(4-Chloro-3, 5-dimethylphenol)	00791 00500	PB	500gm	29089990	18
Assay : Min. 98% C_8H_8ClO M.W. 156.61					
Cholesterol Extra Pure (Cas No. 57-88-5)	00792 00025	PB	25 gm	29061310	18
Assay : Min. 97% $C_{27}H_{46}O$ M.W. 386.65	00792 00100	PB	100 gm	29061310	18
Cholesterol AR (Cas No. 57-88-5)	00793 00025	PB	25 gm	29061310	18
Assay : Min. 99% $C_{27}H_{46}O$ M.W. 386.65	00793 00100	PB	100 gm	29061310	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Cholesterol Standard Solution	00793A 00100	PB	100 ml	38220019	12
	00793A 00500	PB	500 ml	38220019	12
Cholic Acid (For Biochemistry) (Cas No. 81-25-4)	00794 00025	PB	25 gm	29181990	18
Assay : Min. 98% $C_{24}H_{40}O_5$ M.W. 408.57	00794 00100	PB	100 gm	29181990	18
Choline Chloride Extra Pure (Cas No. 67-48-1)	00795 00100	PB	100 gm	29231000	18
Assay : Min. 98-100.5% $C_5H_{14}ClNO$ M.W. 139.62	00795 00500	PB	500 gm	29231000	18
Chromazurol S (C.I. No. 43825) (Cas No. 1667-99-8)	00796 00010	GB	10 gm	32049000	18
(Eriochrome Azurol S) (Chrome Azurol S)	00796 00025	GB	25 gm	32049000	18
Dye Content : Min. 50% $C_{23}H_{13}Cl_2Na_3O_9S$ M.W. 605.29					
Chrome Alum See Chromium (III) Potassium Sulphate Page No. 45					
Chromic Acid See Chromium Trioxide Page 45					
Chromium AAS Standard Solution	00797 00125	GB	125 ml	38220090	12
1000 mg/L in Nitri Acid	00797 00500	GB	500 ml	38220090	12
Chromium ICP Standard Solution 1000mg/L in Nitric Acid	00797A 00125	GB	125 ml	38220090	12
Liquid, d. 1.015					
Chromium (Metal) LUMPS (Cas No. 7440-47-3)	00798 00100	PB	100 gm	81122900	18
Assay : Min. 99.9% Cr M.W. 52.00	00798 00500	PB	500 gm	81122900	18
Chromium (Metal) Powder (Cas No. 7440-47-3)	02915 00100	PB	100 gm	81122900	18
Assay : Min. 99% Cr M.W. 52.00	02915 00500	PB	500 gm	81122900	18
Chromium Chloride (Hexahydrate) (Cas No. 10060-12-5)	00799 00500	GB	500 gm	28273990	18
(Chromium (III) Chloride)					
Assay : Min. 93% $Cl_3Cr.6H_2O$ M.W. 266.45					
Chromium Chloride AR (Hexahydrate) (Cas No. 10060-12-5)	00800 00500	GB	500 gm	28273990	18
(Chromium (III) Chloride)					
Assay : Min. 97% $Cl_3Cr.6H_2O$ M.W. 266.45					
Chromium Oxalate (Chromium (III) Oxalate) (Cas No. 814-90-4)	00801 00500	PB	500gm	29171190	18
Assay : Min. 96% $Cr(C_2O_4)$ M.W. 140.02					
Chromium Oxide Green Powder (Cas No. 1308-38-9)	00802 00500	PB	500gm	28199000	18
(Chromium (III) Oxide Green)					
Assay : 98% Cr_2O_3 M.W. 151.99					
Chromium Oxide Green Powder AR (Cas No. 1308-38-9)	00803 00500	PB	500 gm	28199000	18
(Chromium (III) Oxide Green)					
Assay : 98% Cr_2O_3 M.W. 151.99					
Chromium Potassium Sulphate (Dodecahydrate) (Cas No. 7788-99-0) (Chrome Alum) (Chromium (III) Potassium Sulphate)	00804 00500	PB	500 gm	28332990	18
Assay : Min. 98.5% $CrKO_3S_2.12H_2O$ M.W. 499.40					
Chromium Potassium Sulphate AR (Dodecahydrate) (Cas No. 7788-99-0) (Chrome Alum) (Chromium (III) Potassium Sulphate)	00805 00500	PB	500 gm	28332990	18
Assay : Min. 99% $CrKO_3S_2.12H_2O$ M.W. 499.40					
Chromium Sulphate (Basic)	00806 00500	PB	500 gm	28332990	18
(Cas No. 39380-78-4) (Chromium (III) Sulphate)	00806 05000	PC	5 kg	28332990	18
Assay : Min. 26% $Cr_4(SO_4)_5(OH)_2$ M.W. 722.31					
Chromium Trioxide (Flakes) (Cas No. 1333-82-0)	00807 00500	GB	500 gm	28191000	18
(Chromic Acid) (Chromium (VI) Oxide)					
Assay : Min. 98% CrO_3 M.W. 99.99					

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Chromium Trioxide (Flakes) AR (Cas No. 1333-82-0) (Chromic Acid) (Chromium (VI) Oxide) Assay : Min. 98% CrO_3 M.W. 99.99	00808 00500	GB	500 gm	28191000	18
Chromotrope 2B (Acid re 176) (C.I. No. 16575) (Cas No. 548-80-1) $\text{C}_{16}\text{H}_9\text{N}_3\text{Na}_2\text{O}_{10}\text{S}_2$ M.W. 513.37	00809 00005	GB	5 gm	29270090	18
Chromotrope 2R (M.S.) (C.I. No. 16570) (Cas No. 4197-07-3) Dye Content : Min. 85% $\text{C}_{16}\text{H}_{10}\text{N}_2\text{Na}_2\text{O}_8\text{S}_2$ M.W. 468.37	00810 00025	GB	25 gm	32129090	18
Chromotropic Acid Disodium Salt (Cas No. 5808-22-0) Assay : Min. 98% $\text{C}_{10}\text{H}_6\text{Na}_2\text{O}_8\text{S}_2 \cdot 2\text{H}_2\text{O}$ M.W. 400.29	00811 00025	PB	25 gm	29089990	18
	00811 00100	PB	100 gm	29089990	18
Chromotropic Acid Disodium Salt AR (Cas No. 5808-22-0) Assay : Min. 98.5% $\text{C}_{10}\text{H}_6\text{Na}_2\text{O}_8\text{S}_2 \cdot 2\text{H}_2\text{O}$ M.W. 400.29	00812 00010	PB	10 gm	29089990	18
	00812 00025	PB	25 gm	29089990	18
	00812 00100	PB	100 gm	29089990	18
Chrysoidine R (M.S.) (C.I. No. 11320) (Cas No. 4438-16-8) $\text{C}_{13}\text{H}_{15}\text{N}_4\text{Cl}$ M.W. 262.74	00813 00025	PB	25 gm	32049000	18
	00813 00100	PB	100 gm	32049000	18
Chrysoidiner Y (M.S.) (C.I. No. 11270) (Cas No. 532-82-1) $\text{C}_{12}\text{H}_{12}\text{N}_4 \cdot \text{HCl}$ M.W. 248.71	00814 00025	PB	25 gm	32129090	18
	00814 00100	PB	100 gm	32129090	18
Cinchonine (For Synthesis) (Cas No. 118-10-5) Assay : Min. 85% $\text{C}_{19}\text{H}_{22}\text{N}_2\text{O}$ M.W. 294.39	00815 00025	PB	25 gm	29392010	18
	00815 00100	PB	100 gm	29392010	18
Cinnamaldehyde See Cinnamic Aldehyde Page No. 46					
Cinnamic Acid (Cas No. 140-10-3) (For Synthesis) Assay : Min. 99% $\text{C}_9\text{H}_8\text{O}_2$ M.W. 148.16	00816 00100	PB	100 gm	29163910	18
	00816 00250	PB	250 gm	29163910	18
	00816 00500	PB	500 gm	29163910	18
Cinnamic Acid AR (Cas No. 140-10-3) Assay : Min. 99% $\text{C}_9\text{H}_8\text{O}_2$ M.W. 148.16	00817 00250	PB	250 gm	29163910	18
Cinnamic Aldehyde (Cas No. 104-55-2) (Cinnamaldehyde) Assay : Min. 98% $\text{C}_9\text{H}_8\text{O}$ M.W. 132.16, Liquid, d. 1.05	00818 00500	GB	500 ml	29122910	18
	00818 02500	GB	2.5 Lt	29122910	18
Cinnamon Oil Extra Pure (Cas no. 8015-91-6) Liquid, d. 0.915	00818A 00500	GB	500 ml	3390	18
Citrazinic Acid (Cas No. 99-11-6) Assay : Min. 96% $\text{C}_6\text{H}_5\text{NO}_4$ M.W. 155.11	00819 00500	GB	50 gm	29333990	18
Citric Acid (Anhydrous) Extra Pure (Cas No. 77-92-9) Assay : Min. 99.5% $\text{C}_6\text{H}_8\text{O}_7$ M.W. 192.12	00820 00500	PB	500 gm	29181400	18
	00820 05000	PC	5 kg	29181400	18
Citric Acid (Anhydrous) AR (Cas No. 77-92-9) Assay : Min. 99.5% $\text{C}_6\text{H}_8\text{O}_7$ M.W. 192.12	00821 00500	PB	500 gm	29181400	18
	00821 05000	PC	5 kg	29181400	18
Citric Acid (Anhydrous) (For Molecular Biology) (Cas No. 77-92-9) Assay : Min. 99.5% $\text{C}_6\text{H}_8\text{O}_7$ M.W. 192.12	00822 00500	PB	500 gm	29181400	18
Citric Acid (Monohydrate) Extra Pure (Cas No. 5949-29-1) Assay : Min. 99% $\text{C}_6\text{H}_8\text{O}_7 \cdot \text{H}_2\text{O}$ M.W. 210.14	00823 00500	PB	500 gm	29181400	18
	00823 05000	PC	5 kg	29181400	18
Citric Acid (Monohydrate) AR (Cas No. 5949-29-1) Assay : Min. 99.5% $\text{C}_6\text{H}_8\text{O}_7 \cdot \text{H}_2\text{O}$ M.W. 210.14	00824 00500	PB	500 gm	29181400	18
	00824 05000	PC	5 kg	29181400	18
Citronella Oil Extra Pure (Cas No. 8000-29-1) Liquid, d. 0.897	00824A 00500	GB	500 ml	33011910	18
L-Citrulline (For Biochemistry) (Cas No. 372-75-8) [L-(+)-2-amino-5-ureidovaleric Acid] Assay : Min. 99% $\text{C}_6\text{H}_{13}\text{N}_3\text{O}_3$ M.W. 175.19	00826 00010	GB	10 gm	29241900	18
	00826 00025	GB	25 gm	29241900	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Clayton Yellow See Titan Yellow Page No. 159					
Clove Oil (For Microscopy) (Cas No. 8000-34-8) Liquid, d. 1.04	00827 00100	GB	100 ml	3321	18
	00827 00500	GB	500 ml	3321	18
Cobalt AAS Standard Solution 1000 mg/L in Nitric Acid	00828 00125	GB	125 ml	38220090	12
	00828 00500	GB	500 ml	38220090	12
Cobalt ICP Standard Solution 1000mg/L in Nitric Acid Liquid, d. 1.014	00828A 00125	GB	125 ml	38220090	12
Cobalt (Metal) Powder (Cas No. 7440-48-4) Assay : Min. 99% Co M.W. 58.93	00829 00100	PB	100 gm	81052010	18
	00829 00500	PB	500 gm	81052010	18
Cobalt (II) Acetate (tetrahydrate) (Cas No. 6147-53-1) (Cobaltous Acetate) Assay : Min. 98.5% (CH ₃ COO) ₂ Co.4H ₂ O M.W. 249.08	00830 00100	PB	100 gm	29152990	18
	00830 00250	PB	250 gm	29152990	18
	00830 00500	PB	500 gm	29152990	18
Cobalt (II) Acetate (tetrahydrate) AR (Cas No. 6147-53-1) (Cobaltous Acetate) Assay : Min. 99% (CH ₃ COO) ₂ Co.4H ₂ O M.W. 249.08	00831 00100	PB	100 gm	29152990	18
	00831 00250	PB	250 gm	29152990	18
	00831 00500	PB	500 gm	29152990	18
Cobalt (II) Chloride (Hexahydrate) (Cas No. 7791-13-1) (Cobaltous Chloride) Assay : Min. 97 CoCl ₂ .6H ₂ O M.W. 237.93	00832 00100	PB	100 gm	28274190	18
	00832 00500	PB	500 gm	28274190	18
Cobalt (II) Chloride AR (Hexahydrate) (Cas No. 7791-13-1) (Cobaltous Chloride) Assay : Min. 98% CoCl ₂ .6H ₂ O M.W. 237.93	00833 00100	PB	100 gm	28274190	18
	00833 00500	PB	500 gm	28274190	18
Cobalt (II) Nitrate (Hexahydrate) (Cas No. 10026-22-9) (Cobaltous Nitrate) Assay : Min. 97% Co(NO ₃) ₂ .6H ₂ O M.W. 291.03	00834 00100	PB	100gm	28342990	18
	00834 00500	PB	500gm	28342990	18
Cobalt (II) Nitrate AR (Hexahydrate) (Cas No. 10026-22-9) (Cobaltous Nitrate) Assay : Min. 98% Co(NO ₃) ₂ .6H ₂ O M.W. 291.03	00835 00100	PB	100gm	28342990	18
	00835 00250	PB	250 gm	28342990	18
	00835 00500	PB	500gm	28342990	18
Cobalt (II) Oxide (Black) Powder (Cas No. 1308-06-1) (Cobaltous Oxide) Assay : Min. 70% Co ₃ O ₄ M.W. 240.80	00836 00100	PB	100gm	28220010	18
	00836 00500	PB	500gm	28220010	18
Cobalt (II) Oxide (Black) Powder AR (Cas No. 1308-06-1) (Cobaltous Oxide) Assay : Min. 71% Co ₃ O ₄ M.W. 240.80	00837 00100	PB	100gm	28220010	18
	00837 00500	PB	500gm	28220010	18
Cobalt (II) Sulphate (Heptahydrate) (Cas No. 10026-24-1) (Cobaltous Sulphate) Assay : Min. 97% CoSO ₄ .7H ₂ O M.W. 281.10	00838 00100	PB	100gm	28332990	18
	00838 00500	PB	500gm	28332990	18
Cobalt (II) Sulphate AR (Heptahydrate) (Cas No. 10026-24-1) (Cobaltous Sulphate) Assay : Min. 99% CoSO ₄ .7H ₂ O M.W. 281.10	00839 00100	PB	100gm	28332990	18
	00839 00250	PB	250 gm	28332990	18
	00839 00500	PB	500gm	28332990	18
Coconut Oil (Fatty acid) (Cas No. 8001-31-8) Liquid, d. 0.903	00839A 00500	PB	500 ml	15131900	5
Codliver Oil Liquid, d. 0.916-0.928	00839B 00250	GB	250 ml	15041010	12
	00839B 00500	GB	500 ml	15041010	12
Colchicine (Cas No. 64-86-8) (HSN Code. 2939 8000) Assay : Min. 98.5% C ₂₂ H ₂₅ NO ₆ M.W. 399.44	00840 00001	GB	1gm	29398000	18
	00840 00005	GB	5 gm	29398000	18
Collodion 4% (Cas No.9004-70-0) (Nitro Cellouse) Liquid, d. 0.775	00841 00500	GB	500ml	39129090	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Collodion Flexible	00842 00500	GB	500ml	39129090	18
Colophony (Resin) (Cas No. 8050-09-7) (Gum Rosin)	00843 00500	GB	500gm	38061090	18
Congo Red Indicator (C.I. No. 22120) (Cas No. 573-58-0) (For Microscopy)	00844 00025	GB	25 gm	32041421	18
Dye Content : Min. 35% $C_{32}H_{22}N_6Na_2O_6S_2$ M.W. 696.66	00844 00100	PB	100 gm	32041421	18
	00844 00500	PB	500 gm	32041421	18
Congo Red Indicator Solution Liquid, d.0.995	00845 00125	PB	125 ml	38220090	12
	00845 00500	PB	500 ml	38220090	12
Congo Red indicator Papers	00846 100lvs	PB	100 lvs	38220090	12
Coomasie Brilliant Blue G 250 See Brilliant Blue G 250 Page No. 27					
Coomasie Brilliant Blue R 250 See Brilliant Blue R Page No. 27					
Copper AAS Standard Solution 1000 mg/L in Nitric Acid, Liquid, d.1.014	00847 00100	GB	100 ml	38220090	12
	00847 00500	GB	500 ml	38220090	12
Copper ICP Standard Solution 1000mg/ L In Nitric Acid, Liquid, d. 1.014	00847A 00125	GB	125 ml	38220090	12
Copper ICP Standard Solution 10000mg/ L In Nitric Acid, Liquid, d. 1.014	00847B 00125	GB	125 ml	38220090	12
Copper (Metal) Turning / Filling (Small Pieces) (Cas No. 7440-50-8)	00848 00100	PB	100 gm	74061000	18
Assay : Min. 99.5% Cu A.W. 63.55	00848 00250	PB	250 gm	74061000	18
	00848 00500	PC	500 gm	74061000	18
Copper (Metal) Foil (Approx. 0.1 mm) (Cas No. 7440-50-8) Assay : Min.99% Cu A.W. 63.55	00849 00100	PB	100 gm	74101100	18
	00849 00500	PB	500 gm	74101100	18
Copper (Metal) Foil AR (Approx. 0.1 mm) (Cas No. 7440-50-8) Assay : Min.99.7% Cu A.W. 63.55	00850 00100	PB	100 gm	74101100	18
	00850 00500	PB	500 gm	74101100	18
Copper (Metal) Powder (325 Mesh) EL Grade (Cas No.7440-50-8) Assay : Min. 99.5% Cu A.W. 63.55	00851 00100	PB	100 gm	74061000	18
	00851 00500	PC	500 gm	74061000	18
Copper (Metal) Powder AR (Cas No. 7440-50-8) Assay : Min. 99.7% Cu A.W. 63.55	00852 00100	PB	100 gm	74061000	18
	00852 00500	PB	500 gm	74061000	18
Copper (II) Acetate (Monohydrate) (Cas No. 6046-93-1) (Cupric Acetate) Assay : Min. 98% $(CH_3.COO)_2Cu.H_2O$ M.W. 199.65	00853 00500	PC	250 gm	29152990	18
	00853 00250	PC	500 gm	29152990	18
Copper (II) Acetate AR (Monohydrate) (Cas No. 6046-93-1) (Cupric Acetate) Assay : Min. 99% $(CH_3.COO)_2Cu.H_2O$ M.W. 199.65	00854 00250	PB	250 gm	29152990	18
Copper (I) Bromide (Cuprous Bromide) (Cas No. 7787-70-4) Assay : Min. 97% CuBr M.W. 143.45	00855 00500	PB	500 gm	28273990	18
Copper (II) Bromide (Cupric Bromide) (Cas No. 7789-45-9) Assay : Min. 98% CuBr ₂ M.W. 223.35	00856 00500	PB	500 gm	28275990	18
Copper (II) Carbonate (basic) (Cas No. 12069-69-1) (Copper (II) Hydroxide Carbonate) (Cupric Carbonate) Assay : Min. 95% $CuCO_3.Cu(OH)_2$ M.W. 221.12	00857 00500	PB	500 gm	28369990	18
Copper (II) Chloride (Dihydrate) (Cas No. 10125-13-0) (Cuprice Chloride) Assay : Min. 98% $CuCl_2.2H_2O$ M.W. 170.48	00858 00500	PC	500 gm	28273990	18
Copper (II) Chloride (Dihydrate) AR (Cas No. 10125-13-0) Assay : Min. 99% $CuCl_2.2H_2O$ M.W. 170.48 (Cuprice Chloride)	00859 00500	PB	500 gm	28273990	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Copper (II) Chloride Solution	00860 00500	PB	500 gm	38220090	12
Copper (I) Chloride (Anhydrous) (Cas No. 7758-89-6) (Cuprous Chloride)	00861 00500	PB	500 gm	28273940	18
Assay : Min. 97% CuCl M.W. 99.00	00861 01000	PB	1 kg	28273940	18
Copper (I) Chloride (Anhydrous) AR (Cas No. 7758-89-6) (Cuprous Chloride)	00862 00500	GB	250 gm	28273940	18
Assay : Min. 98% CuCl M.W. 99.00					
Copper (I) Cyanide (Cas No. 544-92-3) (Cuprous Cyanide)	00863 00500	PB	500 gm	28371990	18
Assay : Min. 69-72% CuCN M.W. 89.56					
Copper (I) Iodide AR (Cas No. 7681-65-4) (Cuprous Iodide)	00864 00100	PB	100 gm	28276090	18
Assay : Min. 99% CuI M.W. 190.95	00864 00500	PB	500 gm	28276090	18
Copper (II) Nitrate (trihydrate) (Cas No. 10031-43-3) (Cupric Nitrate)	00865 00250	PB	250 gm	28276090	18
Assay : Min. 95% Cu(NO ₃) ₂ .3H ₂ O M.W.241.60	00865 00500	PB	500 gm	28342990	18
Copper (II) Nitrate AR (trihydrate) (Cas No. 10031-43-3) (Cupric Nitrate)	00866 00500	PB	500 gm	28342990	18
Assay : Min. 99.5% Cu(NO ₃) ₂ .3H ₂ O M.W.241.60					
Copper (II) Oxide Black Extra Pure (Powder) (Cas No. 1317-38-0) (Cupric Oxide Black)	00867 00500	PB	500 gm	28255000	18
Assay : Min. 97% CuO M.W. 79.55					
Copper (II) Oxide Black AR (Cas No. 1317-38-0) (Cupric Oxide Black)	00868 00500	PB	500 gm	28255000	18
Assay : Min. 99% CuO M.W. 79.55					
Copper (II) Oxide Wire AR (Cas No. 1317-38-0) (For elementary Analysis)	00869 00100	PB	100 gm	28255000	18
Assay : Min. 98% CuO M.W. 79.55	00869 00500	PB	500 gm	28255000	18
Copper (I) Oxide Red (Cas No. 1317-39-1) (Cuprous Oxide Red)	00870 00100	PB	100 gm	28255000	18
Assay : Min. 95% Cu ₂ O M.W. 143.09	00870 00500	PB	500 gm	28255000	18
Copper (I) Potassium Cyanide (Cas No. 13682-73-0) (Cuprous Potassium Cyanide) C ₂ CuKN ₂ M.W. 154.67	00871 00500	PB	500gm	28371990	18
Copper (II) Sulphate (Pentahydrate) Extra Pure (Cas No. 7758-99-8) (Pentahydrate Sugar Crystals) (cupric Sulphaste)	00872 00500	PB	500gm	28332500	18
Assay : Min. 98.5% CuSO ₄ .5H ₂ O M.W. 249.69	00872 01000	PB	1 kg	28332500	18
	00872 05000	PC	5kg	28332500	18
Copper (II) Sulphate AR (Pentahydrate) (Cas No. 7758-99-8) (Cupric Sulphaste)	00873 00500	PB	500 gm	28332500	18
Assay : Min. 99% CuSO ₄ .5H ₂ O M.W. 249.69	00873 05000	PC	5 kg	28332500	18
Copper (II) Sulphate 0.1M (0.1N) Standardized Solution,	00874 00500	PB	500 ml	38220090	12
Copper (II) Sulphate (Anhydrous) (Cas No. 7758-98-7) (Cupric Sulphate Anhydrous)	00875 00500	PB	500 gm	28332500	18
Assay : Min. 98% CuSO ₄ .5H ₂ O M.W. 159.61					
Copper (II) Sulphate AR (Anhydrous) (Cas No. 7758-98-7) (Cupric Sulphate Anhydrous)	00876 00500	PB	500 gm	28332500	18
Assay : Min. 99% CuSO ₄ .5H ₂ O M.W. 159.61					
Coriander Oil Extra Pure (Cas No. 8008-52-4) Liquid, d. 0.868	00876A 00100	GB	100 ml	3322	18
	00876A 00250	GB	250 ml	3322	18
Corralin Soda Reagent Soluton	00876B 00500	GB	500 ml	28151200	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Cotton Blue See Aniline Blue Page No. 16					
Cotton Seed Oil (Cas No. 8001-29-4) Liquid, d. 0.92	00876C 00500	GB	500 ml	15122100	5
Coumarin (For Synthesis) (2H-1- Benzopyran-2-One) Assay : Min. 99% $C_9H_6O_2$ M.W. 146.15 (Cas No. 91-64-5)	00877 00250	PB	250 gm	29322010	18
Cream of Tartar See Potassium Bitartrate Page No. 121					
Creatine (Monohydrate) (Cas No. 6020-87-7) Assay : Min. 99% $C_4H_5N_3O_2 \cdot H_2O$ M.W. 149.15	00878 00025	PB	25 gm	29252990	18
	00878 00100	PB	100 gm	29252990	18
Creatinine Extra Pure (Cas No. 60-27-5) Assay : Min. 99% $C_4H_7N_3O$ M.W. 113.12	00879 00025	PB	25 gm	29332990	18
	00879 00100	PB	100 gm	29332990	18
	00879 01000	PB	1 kg	29332990	18
Creatinine AR (Cas No. 60-27-5) Assay : Min. 99% $C_4H_7N_3O$ M.W. 113.12	00880 00010	PB	10 gm	29332990	18
	00880 00025	PB	25 gm	29332990	18
	00880 01000	PB	1 kg	29332990	18
Creatinine Hydrochloride (Cas No. 19230-81-0) Assay : Min. 98% $C_4H_7N_3O \cdot HCl$ M.W. 149.58	00881 00025	GB	25 gm	29332990	18
	00881 00100	GB	100 gm	29332990	18
Creatinine Zinc Chloride (Cas No. 62708-52-5) Assay : Min. 98% $(C_4H_7N_3O)_2 \cdot ZnCl_2$ M.W. 362.53	00882 00010	GB	10 gm	29332990	18
	00882 00025	GB	25 gm	29332990	18
m-Cresol (For Synthesis) (Cas No. 108-39-4) (3-Methylphenol) Assay : Min. 98% $CH_3C_6H_4OH$ M.W. 108.14, Liquid, d. 1.034	00883 00500	GB	500 ml	29071290	18
m-Cresol AR (Cas No. 108-39-4) (3-Methylphenol) Assay : Min. 99% $CH_3C_6H_4OH$ M.W. 108.14, Liquid, d. 1.034	00884 00500	GB	500 ml	29071290	18
O-Cresol (For Synthesis) (Cas No. 95-48-7) (3-Methylphenol) Assay : Min. 98% $CH_3C_6H_4OH$ M.W. 108.14, Liquid, d. 1.04	00885 00500	GB	500 ml	29071210	18
	00885 02500	GB	2.5 Lt	29071210	18
p-Cresol (For Synthesis) (Cas No. 106-44-5) (d. 1.03) Assay : Min. 98% $CH_3C_6H_4OH$ M.W. 108.14, Liquid, d. 1.03	00886 00500	GB	500 gm	29071210	18
	00886 02500	GB	2.5 Lt	29071210	18
o-Cresolphthalein (pH Indicator) (Cas No. 596-27-0) $C_{22}H_{18}O_4$ M.W. 346.39	00887 00005	GB	5 gm	29349900	18
	00887 00025	GB	25 gm	29349900	18
o-Cresolphthalein Complexone (Cas No. 2411-89-4) $C_{32}H_{32}N_2O_{12}$ M.W. 636.60	00888 00001	GB	1 gm	29332990	18
	00888 00005	GB	5 gm	29332990	18
m-Cresol Purple Indicator (Cas No. 2303-01-7) Dye Content : Min. 90% $C_{21}H_{18}O_5S$ M.W. 382.44	00889 00001	GB	1 gm	29349900	18
	00889 00005	GB	5 gm	29349900	18
m-Cresol Red Indicator AR (Cas No. 1733-12-6) Dye Content : Min. 95% $C_{21}H_{18}O_5S$ M.W. 382.43	00890 00005	GB	5 gm	29349900	18
	00890 00025	GB	25 gm	29349900	18
	00890 00100	GB	100 gm	29349900	18
Cresol Red Indicator Solution Liquid, d.0.980	00891 00125	PB	125 ml	38220090	12
	00891 00500	PB	500 ml	38220090	12
Cresol Soap Solution See Lysol Page No. 92					
Cresyl Violet Acetate Certified (Cas No. 10510-54-0) Dye Content : 70% $C_{18}H_{15}N_3O_3$ M.W. 321.33	00892 00005	GB	5 gm	32049000	18
	00892 00001	GB	1 gm	32049000	18
Cresyl Blue See Brilliant Cresyl Blue Page No. 27					
Cresylic Acid (Cresol Mixed Isomers) (Cas No. 1319-77-3) C_7H_8O M.W. 108.14 Liquid, d.1.04	00893 00500	PB	500 ml	29071190	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Crospovidone (Cas No. 9003-39-8) (Kollidon)	00894 00100	PB	100 gm	39059990	18
	00894 00500	PB	500 gm	39059990	18
Crotonaldehyde (For Synthesis) (Cas No. 123-73-9) Assay : Min. 99% C ₄ H ₆ O M.W. 70.09, Liquid, d. 0.846	00895 00500	GB	500 ml	29121910	18
Crotonic Acid (For Synthesis) (Cas No. 107-93-7) Assay : Min. 97% C ₄ H ₆ O ₂ M.W. 86.09	00896 00100	PB	100 gm	29161990	18
18-Crown-6-Ether (For Synthesis) (Cas No. 17455-13-9) (1,4,7,10,13,16-Hexaoxacyclooctadecane) (Phase Transfer Catalyst Complexing Agent) Assay : Min. 98% C ₁₂ H ₂₄ O ₆ M.W. 264.32 (Store at 2-8°C)	00897 00005	GB	5 gm	29329900	18
	00897 00025	PB	25 gm	29329900	18
	00897 00100	PB	100 gm	29329900	18
Cryolite (Cas No. 15096-52-3) (Sodium Hexafluoroaluminate) Assay : Min. 98.5% Na ₃ AlF ₆ M.W. 209.94	00898 00500	PB	500 gm	28263000	18
Crystal Violet (Cas No. 548-62-9) (Gentian Violet) (Basic Violet-3) (M.S.) (C.I. No. 42555) Dye Content : Min. 88% C ₂₅ H ₃₀ N ₃ Cl M.W. 407.98	00899 00025	PB	25 gm	32049000	18
	00899 00100	PB	100 gm	32049000	18
	00899 00500	PB	500 gm	32049000	18
Crystal Violet AR (Cas No. 548-62-9) (Gentian Violet) (Basic Violet-3) (M.S.) (C.I. No. 42555) Dye Content : Min. 96% C ₂₅ H ₃₀ N ₃ Cl M.W. 407.98	00900 00025	PB	25 gm	32049000	18
	00900 00100	PB	100 gm	32049000	18
	00900 00500	PB	500 gm	32049000	18
Crystal Violet Solution (Gram's Staining Solution (Crystal Violet Ammonium Oxalate Solution) Liquid .d. 1.00	00901 00125	PB	125 ml	38220090	12
	00901 00500	PB	500 ml	38220090	12
Cumin Seed Oil Extra Pure (Cas No. 8014-13-9) Liquid, d. 0.925	00901A 00100	GB	100 ml	3345	18
	00901A 00500	GB	500 ml	3345	18
Cupferron AR (N-Nitroso-N-Phenyl Hydroxylamine Ammonium Salt) (Cas No. 135-20-6) Assay : Min. 98% C ₆ H ₉ N ₃ O ₂ M.W. 155.16	00902 00025	PB	25 gm	29280090	18
	00902 00100	PB	100 gm	29280090	18
Cupferron Reagent Solution	00902A 00500	PB	500 ml	38220090	12
Cuoxam Reagent Solution	00902B 00500	PB	500 ml	38220090	12
Cupron AR See a-Benzoin Oxime Page No. 22					
Curcumine Crystalline (C.I. No. 75300) (Cas No. 458-37-7) Assay : Min. 99% C ₂₁ H ₂₀ O ₆ M.W. 368.39 (Store at 2-8°C)	00903 00005	GB	5 gm	32030090	18
	00903 00010	GB	10 gm	32030090	18
Cyanoacetamide (For Synthesis) (Cas No. 107-91-5) (Malonamide Nitrile) Assay : Min. 98% C ₃ H ₄ N ₂ O M.W. 84.08	00904 00100	PB	100 gm	29269000	18
	00904 00500	PB	500 gm	29269000	18
Cyanoacetic Acid (For Synthesis) (Cas No. 372-09-8) Assay : Min. 98% C ₃ H ₃ NO ₂ M.W. 85.06	00905 00250	PB	250 gm	29269000	18
	00905 01000	PB	1 kg	29269000	18
Cyanocobalamine See Vitamin B12 Page No. 166					
Cyanogen Bromide (For Synthesis) (Cas No. 506-68-3) Assay : Min. 99% BrCN M.W. 105.93 (Store at 2-8°C)	00906 00100	GB	100 gm	28530091	18
	00906 00500	GB	500 gm	28530091	18
Cyclohexane (For Synthesis) (Cas No. 110-82-7) Assay : Min. 99% C ₆ H ₁₂ M.W. 84.16, Liquid, d. 0.779	00907 00500	GB	500 ml	29021100	18
	00907 02500	GB	2.5 Lt	29021100	18
Cyclohexane AR (Cas No. 110-82-7) Assay : Min. 99.5% C ₆ H ₁₂ M.W. 84.16, Liquid, d. 0.779	00908 00500	GB	500 ml	29021100	18
	00908 02500	GB	2.5 Lt	29021100	18
Cyclohexanol (For Synthesis) (Cas No. 108-93-0) Assay : Min. 99% C ₆ H ₁₁ OH M.W. 100.16, Liquid, d. 0.948	00910 00500	GB	500 ml	29061200	18
	00910 02500	GB	2.5 Lt	29061200	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Cyclohexanol AR (Cas No. 108-93-0)	00911 00500	GB	500 ml	29061200	18
Assay : Min. 99.5% C ₆ H ₁₁ OH M.W. 100.16, Liquid, d. 0.948	00911 02500	GB	2.5 Lt	29061200	18
Cyclohexanone (For Synthesis)	00912 00500	GB	500 ml	29142200	18
(Cas No. 108-94-1)	00912 02500	GB	2.5 Lt	29142200	18
Assay : Min. 99% C ₆ H ₁₀ O M.W. 98.15, Liquid, d. 0.947	00912 05000	PC	5 Lt	29142200	18
Cyclohexanone AR (Cas No. 108-94-1)	00914 00500	GB	500 ml	29142200	18
Assay : Min. 99.5% C ₆ H ₁₀ O M.W. 98.15, Liquid, d. 0.947	00914 02500	GB	2.5 Lt	29142200	18
Cyclohexene (Cas No. 110-83-8)	00914 00500	GB	500 ml	29142200	18
Assay : Min. 98% C ₆ H ₁₀ M.W. 82.14, Liquid, d. 0.811	00914 02500	GB	2.5 Lt	29142200	18
Cycloheximide AR See Actidione Page No. 3					
Cyclohexylamine (For Synthesis)	00915 00500	GB	500 ml	29213010	18
(Cas No. 108-91-8) (Aminocyclohexane)	00915 02500	GB	2.5 Lt	29213010	18
Assay : Min. 99% C ₆ H ₁₁ NH ₂ M.W. 99.17, Liquid, d. 0.867					
Cyclohexyl Bromide (For Synthesis)	00916 00500	GB	500 ml	29038900	18
(Cas No. 108-85-0) (Bromocyclohexane)					
Assay : Min. 98% C ₆ H ₁₁ Br M.W. 163.06, Liquid, d. 1.324					
Cyclopentane (For Synthesis) (Cas No. 287-92-3)	00917 00250	GB	250 ml	29021900	18
Assay : Min. 98% C ₅ H ₁₀ M.W. 70.13, Liquid, d. 0.751					
Cyclopentanol (For Synthesis)	00918 00500	GB	500 ml	29061990	18
(Cas No. 96-41-3) (Hydroxycyclopentane)					
Assay : Min. 99% C ₅ H ₉ OH M.W. 86.13, Liquid, d. 0.949					
Cyclopentanone (For Synthesis) (Cas No. 120-92-3)	00919 00500	GB	500 ml	29142990	18
Assay : Min. 99% C ₅ H ₈ O M.W. 84.12, Liquid, d. 0.951					
Cyclopentyl Methyl Ether AR (Cas No. 5614-37-9)	00920 00500	GB	500 ml	29093090	18
Assay : Min. 99.9% C ₆ H ₁₂ O M.W. 100.16, Liquid, d. 0.86	00920 01000	GB	1 Lt	29093090	18
Cyclopropylamine (For Synthesis) (Cas No. 765-30-0)	00921 00100	GB	100 ml	29213090	18
Assay : Min. 98% C ₃ H ₇ NH ₂ M.W. 57.09, Liquid, d. 0.824	00921 00500	GB	500 ml	29213090	18
Cysteamine Hydrochloride (For Synthesis)	00922 00100	PB	100 gm	29211990	18
(Cas No. 156-57-0) (Aminoethanethiol hydrochloride)	00922 00500	PB	500 gm	29211990	18
Assay : Min. 98% C ₂ H ₇ NS·HCl M.W. 113.61					
(Store at 2-8°C)					
L-Cysteine (For Biochemistry)	00923 00005	GB	5 gm	29309040	18
(Cas No. 52-90-4)	00923 00025	PB	25 gm	29309040	18
Assay : Min. 99% C ₃ H ₇ NO ₂ S M.W. 121.16	00923 00100	PB	100 gm	29309040	18
L-Cysteine Hydrochloride (Monohydrate)	00924 00025	PB	25 gm	29309040	18
(Cas No. 7048-04-6)	00924 00100	PB	100 gm	29309040	18
Assay : Min. 98% C ₃ H ₇ NO ₂ S·HCl·H ₂ O M.W. 175.63	00924 00500	PB	500 gm	29309040	18
L-Cystine (For Biochemistry)	00925 00025	PB	25 gm	29309040	18
(Cas No. 56-89-3)	00925 00100	PB	100 gm	29309040	18
Assay : Min. 99% C ₆ H ₁₂ N ₂ O ₄ S ₂ M.W. 240.30	00925 00500	PB	500 gm	29309040	18
Cytidine (for biochemistry)	00926 00005	GB	5 gm	29349900	18
(Cas No. 65-46-3) (d-Cytidine)	00926 00025	GB	25 gm	29349900	18
Assay : Min. 99% C ₉ H ₁₃ N ₃ O ₅ M.W. 243.22					
Cytosine (For Biochemistry) (Cas No. 71-30-7)	00927 00005	GB	5 gm	29335990	18
(4-Amino-2-Hydroxy Pyrimidine)	00927 00025	GB	25 gm	29335990	18
Assay : Min. 98% C ₄ H ₅ N ₃ O M.W. 111.10					

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Darco G 60	00928 00500	PB	500 gm	38029019	18
Deae Cellulose 11 (Cas No. 9013-34-7) (For Column Chromatography)	00929 00005	GB	5 gm	39140090	18
	00929 00010	GB	10 gm	39140090	18
Deae Cellulose 52 (For Molecular Biology) (Cas No.9013-34-7) (for column chromatography) (diethylamino ethyl cellulose) (fine mesh)	00930 00005	GB	5 gm	39140090	18
	00930 00025	GB	25 gm	39140090	18
Decalin (for Synthesis) (Decahydronaphthalene) (Cas No.91-17-8) Assay : Min. 98% C ₁₀ H ₁₈ M.W. 138.55, Liquid, d. 0.88	00931 00500	GB	500 ml	29029090	18
n-Decane (For Synthesis) (Cas No. 124-18-5) Assay : Min 99% C ₁₀ H ₂₂ M.W. 142.28, Liquid, d. 0.73	00932 00100	GB	100 ml	29011000	18
	00932 00250	GB	250 ml	29011000	18
1,10-Decanediol (Cas No. 112-47-0) Assay : Min 97.5% C ₁₀ H ₂₂ O ₂ M.W. 174.28	00933 00100	PB	100 gm	29053990	18
1-Decanesulphonic Acid Sodium Salt AR & HPLC (Anhydrous) (Cas No. 13419-61-9) (Sodium 1-Decanesulphonate Anhydrous) Assay : Min 99% C ₁₀ H ₂₁ NaO ₃ S M.W. 244.33	00934 00005	GB	5 gm	29041090	18
	00934 00025	PB	25 gm	29041090	18
	00934 00100	PB	100 gm	29041090	18
1-Decanesulphonic Acid Sodium Salt AR & HPLC (Monohydrate) (Cas No. 13419-61-9) (Sodium 1-Decanesulphonate Monohydrate) Assay : Min. 99% C ₁₀ H ₂₁ NaO ₃ S.H ₂ O M.W. 262.33	00935 00005	GB	5 gm	29041090	18
	00935 00025	PB	25 gm	29041090	18
	00935 00100	PB	100 gm	29041090	18
Hexa-Decanoic Acid See Palmitic Acid Page No. 113					
n-Decanoic Acid See N-Capric Acid Page No. 38					
tetra-Decanoic Acid See Myristic Acid Page No. 104					
1-Decanol (For Synthesis) (Cas No. 112-30-1) (Decyl Alcohol) Assay : Min 99% C ₁₀ H ₂₂ O M.W. 158.29, Liquid, d. 0.829	00936 00500	GB	500 ml	29051990	18
	00936 02500	GB	2.5 Lt	29051990	18
Dehydro-EPI-Androsterone (For Biochemistry) (Cas No. 53-43-0) Assay : Min 97% C ₁₉ H ₂₈ O ₂ M.W. 288.43	00937 00005	GB	5 gm	29379090	18
	00937 00010	GB	10 gm	29379090	18
Devarda's Alloy (Powder) (Cas No. 8049-11-4)	00938 00100	PB	100 gm	74032900	18
	00938 00500	PB	500 gm	74032900	18
Devarda's Alloy (Powder) AR (Cas No. 8049-11-4)	00938 00100	PB	100 gm	74032900	18
	00939 00500	PB	250 gm	74032900	18
Dextrine White (Cas No. 9004-53-9) (C ₅ H ₁₀ O ₅) _n .xH ₂ O	00940 00500	PB	500 gm	35051090	18
Dextrine Yellow (Cas No. 9004-53-9) (C ₅ H ₁₀ O ₅) _n .xH ₂ O	00941 00500	PB	500 gm	35051090	18
Dextrose (anhydrous) Extra Pure (Purified) (Cas No. 50-99-7) (glucose Anhydrous) (D-(+) Glucose Anhydrous) Assay : Min. 99% C ₆ H ₁₂ O ₆ M.W. 180.16	00942 00500	PB	500 gm	17023031	18
	00942 05000	PC	5 kg	17023031	18
Dextrose (anhydrous) AR (Cas No. 50-99-7) (Glucose Anhydrous) (D-(+) Glucose Anhydrous) Assay : Min. 99.5% C ₆ H ₁₂ O ₆ M.W. 180.16	00943 00500	GB	500 gm	17023031	18
Diacetone Alcohol (For Synthesis) (Cas No. 123-42-2) (4-Hydroxy-4-Methyl Pentan-2-One) Assay : Min. 98% C ₆ H ₁₂ O ₂ M.W. 116.16, Liquid, d. 0.931	00944 00500	GB	500 ml	29144000	18
	00944 02500	GB	2.5 Lt	29144000	18
Diacetyl (For Synthesis) (Cas No. 431-03-8) (2,3-Butanedione) Assay : Min. 98% C ₄ H ₆ O ₂ M.W. 86.09	00945 00100	GB	100 ml	29141990	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Diacetyl Monoxime AR (Cas No. 57-71-6)	00946 00025	PB	25 gm	29280090	18
(2,3-Butanedione Oxime)	00946 00100	PB	100 gm	29280090	18
Assay : Min. 99% $C_4H_7NO_2$ M.W. 101.11	00946 00250	PB	250 gm	29280090	18
3,5-Diamino Benzoic Acid (Cas No. 535-87-5)	00947 00100	PB	100 gm	29224990	18
Assay : Min. 98% $C_7H_8N_2O_2$ M.W. 152.15	00947 00500	PB	500 gm	29224990	18
trans-1, 2-Diaminocyclohexane N, N,N,N-Tetra Acetic Acid See CDTA Page No. 39					
1,2-Diaminoethane See Ethylenediamine Page No. 66					
O-Dianisoidine (Cas No. 119-90-4)	00948 00025	GB	25 gm	29222990	18
Assay : Min. 99% $C_{14}H_{16}N_2O_2$ M.W. 244.30	00948 00100	GB	100 gm	29222990	18
Diastase (a-Amylase) (Fungal Diastase) (Cas No. 9000-92-4)	00949 00100	PB	100 gm	35079062	18
(Amylase Activity 1300 1 U/g)	00949 00500	PB	500 gm	35079062	18
Diastase Solution (A-Amylase Solution) Liquid .d .1.013	00950 00500	PB	500 ml	38220090	12
1,4-Diazabicyclo (2.2.2) Octane (For Synthesis) (Cas No. 280-57-9)	00951 00100	PB	100 gm	29335990	18
(DABCO, TED, Triethylenediamine)	00951 00500	PB	500 gm	29335990	18
Assay : Min. 98% $C_6H_{12}N_2$ M.W. 112.17 (Store at 2-8°C)					
Diazo Reagent A Indicator Solution,	00952 00125	GB	125 ml	38220090	18
(Vanden Bergh's Reagent A) (For Billirubin Determination)	00952 00500	GB	500 ml	38220090	18
Liquid .d .0.800-0.850					
Diazo Reagent B Indicator Solution	00953 00125	GB	125 ml	38220090	18
(Vanden Bergh's Reagent B) (For Billirubin Determination)	00953 00500	GB	500 ml	38220090	18
Liquid.d.0.800-0.850					
5-Diazo Uracil (For Biochemistry)(CAS No. 2435-76-9)	00954 00001	GB	1 gm	29222990	18
$C_4H_2N_4O_2$ M.W. 138.08					
1,2-Dibromoethane (For Synthesis)	00955 00500	GB	500 ml	29033100	18
(Cas No. 106-93-4) (Ethylene Dibromide)	00955 02500	GB	2.5 Lt	29033100	18
Assay : Min. 99% $C_2H_4Br_2$ M.W. 187.89 Liquid, d. 2.18					
2,6-Dibromoquinone-4-Chlorimide AR (Cas No. 537-45-1)	00956 00005	GB	5 gm	29251900	18
Assay : Min. 98% $C_6H_2Br_2ClNO$ M.W. 299.35					
2,6-Di-Tert-Butyl-P-Cresol See Butylated Hydroxy Toluene Page No. 33					
Di-N-Butylamine (For Synthesis) (Cas No. 111-92-2)	00957 00500	GB	500 ml	29211990	18
Assay : Min. 99% $C_8H_{19}N$ M.W. 129.25, Liquid, d. 0.767	00957 02500	GB	2.5 Lt	29211990	18
Dibutyl Ether (For Synthesis) (Cas No. 142-96-1)	00958 00500	GB	500 ml	29091900	18
Assay : Min. 98% $C_8H_{18}O$ M.W. 130.23, Liquid, d. 0.764	00958 02500	GB	2.5 Lt	29091900	18
Dibutyl Ether AR (Cas No. 142-96-1)	00959 00500	GB	500 ml	29091900	18
Assay : Min. 99% $C_8H_{18}O$ M.W. 130.23, Liquid, d. 0.764	00959 02500	GB	2.5 Lt	29091900	18
Dibutyl Maleate (For Synthesis) (Cas No. 105-76-0)	00960 00500	GB	500 ml	29171990	18
Assay : Min. 98% $C_{12}H_{20}O_4$ M.W. 228.28, Liquid, d. 0.988	00960 02500	GB	2.5 Lt	29171990	18
Dibutyl Phthalate (For Synthesis) (Cas No. 84-74-2)	00961 00500	GB	500 ml	29173400	18
(Di-n-Butyl Phthalate) (Phthalic Acid Dibutyl Ester)	00961 02500	GB	2.5 Lt	29173400	18
Assay : Min. 99% $C_{16}H_{22}O_4$ M.W. 278.35, Liquid, d.1.043					
Dichloro Acetic Acid See Chloroacetic Acid di Page No. 41					
m-Dichloro Benzene (M.D.C.B.)	00962 00500	GB	500 ml	29039120	18
(Cas No. 541-73-1) (1,3-Dichlorobenzene)	00962 02500	GB	2.5 Lt	29039120	18
Assay : Min. 98% $C_6H_4Cl_2$ M.W. 147.00, Liquid, d. 1.288					

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
o-Dichloro Benzene (O.D.C.B.) (Cas No. 95-50-1) (1, 2-Dichlorobenzene) Assay : Min. 99% C ₆ H ₄ Cl ₂ M.W. 147.00, Liquid, d. 1.306	00963 00500	GB	500 ml	29039100	18
p-Dichloro Benzene (P.D.C.B.) (For Synthesis) (Cas No. 106-46-7) (1, 4-Dichlorobenzene) Assay : Min. 99% C ₆ H ₄ Cl ₂ M.W. 147.00	00964 00500	GB	500 gm	29036130	18
2, 4-Dichloro Benzoic Acid (For Synthesis) (Cas No. 50-84-0) Assay : Min. 98% C ₇ H ₄ Cl ₂ O ₂ M.W. 191.01	00965 00100	PB	100 gm	29163990	18
	00965 00250	PB	250 gm	29163990	18
	00965 00500	PB	500 gm	29163990	18
2, 3-Dichloro-5, 6-Dicyano-P-Benzoquinone (For Synthesis) (Cas No. 84-58-2) (DDQ) Assay : Min. 98% C ₈ Cl ₂ N ₂ O ₂ M.W. 227.00 (Store at 2-8°C)	00966 00100	PB	100 gm	29269000	18
	00966 00500	PB	500 gm	29269000	18
1, 2-Dichloroethane See Ethylene Dichloride Page No. 67					
2,7-Dichloro Fluoresceine AR (Cas No. 76-54-0) Assay : Min. 90% C ₂₀ H ₁₀ Cl ₂ O ₅ M.W. 401.20	00967 00010	GB	10 gm	32049000	18
Dichloro Methane (For Synthesis) (Cas No. 75-09-2) (Methylene Chloride) Assay : Min. 98% CH ₂ Cl ₂ M.W. 84.93, Liquid, d. 1.325	00968 00500	GB	500 ml	29031200	18
	00968 02500	GB	2.5 Lt	29031200	18
Dichloro Methane AR (Cas No. 75-09-2) (Methylene Chloride) Assay : Min. 99.56% CH ₂ Cl ₂ M.W. 84.93, Liquid, d. 1.325	00969 00500	GB	500 ml	29031200	18
	00969 02500	GB	2.5 Lt	29031200	18
2,4-Dichloro Phenol (For Synthesis) (Cas No. 120-83-2) AAssay : Min. 98% C ₆ H ₄ Cl ₂ O M.W. 163.01	00971 00100	PB	100 gm	29081900	18
	00971 00500	PB	500 gm	29081900	18
2, 6-Dichloro Phenol (For Synthesis) (Cas No. 87-65-0) Assay : Min. 98% C ₆ H ₄ Cl ₂ O M.W. 163.01	00972 00100	GB	100 gm	29081900	18
	00972 00500	GB	500 gm	29081900	18
2,6-Dichlorophenol Indophenol Reagent Solution, Liquid .d. 1.025	00973 00125	PB	125 ml	38220090	12
	00973 00500	PB	500 ml	38220090	12
2, 6-Dichlorophenol Phenol Indophenol Sodium Salt AR (Cas No. 620-45-1) (2, 6-DCPIP Na Salt) (Redox Indicator For Biologicalwork) (For the Determination of Ascorbic Acid) Assay : Min. 98% C ₁₂ H ₆ Cl ₂ NNaO ₂ .XH ₂ O M.W. 290.08 (anhy.basis)	00974 00005	GB	5 gm	29252990	18
	00974 00025	PB	25 gm	29252990	18
2, 6-Dichloroquinone-4-Chlorimide AR (Cas No. 101-38-2) (Gibb's Reagent) Assay : Min. 98% C ₆ H ₂ Cl ₃ NO M.W. 210.45	00976 00005	GB	5 gm	29252990	18
	00976 00010	GB	10 gm	29252990	18
Dicyandiamide Extra Pure (Cas No. 461-58-5) Assay : Min. 99% C ₂ H ₄ N ₄ M.W. 84.08	00977 00500	PB	500 gm	29262000	18
Dicyclohexylamine (For Synthesis) (Cas No. 101-83-7) Assay : Min. 99% C ₁₂ H ₂₃ N M.W. 181.32, Liquid. d. 0.912	00978 00500	GB	500 ml	29213090	18
N, N-Dicyclohexylcarbodiimide (For Synthesis) (Cas No. 538-75-0) Assay : Min. 99% C ₁₃ H ₂₂ N ₂ M.W. 206.33	00979 00100	PB	100 gm	29251900	18
	00979 00500	PB	500 gm	29251900	18
Diethanolamine (For Synthesis) (Cas No. 111-42-2) Assay : Min. 98% C ₄ H ₁₁ NO ₂ M.W. 105.14, Liquid, d. 1.097	00980 00500	GB	500 ml	29221200	18
	00980 02500	GB	2.5 Lt	29221200	18
Diethanolamine AR (Cas No. 111-42-2) Assay : Min. 99% C ₄ H ₁₁ NO ₂ M.W. 105.14, Liquid, d. 1.097	00981 00500	GB	500 ml	29221200	18
	00981 02500	GB	2.5 Lt	29221200	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Diethylamine (For Synthesis) (Cas No. 109-89-7)	00982 00500	GB	500 ml	29211990	18
Assay : Min. 99% (C ₂ H ₅) ₂ NH M.W. 73.14, Liquid. d. 707	00982 02500	GB	2.5 Lt	29211990	18
Diethylamine AR (Cas No. 109-89-7)	00983 00500	GB	500 ml	29211990	18
Assay : Min. 99.5% (C ₂ H ₅) ₂ NH M.W. 73.14, Liquid. d. 707	00983 02500	GB	2.5 Lt	29211990	18
Diethylamine Hydrochloride (For Synthesis) (Cas No. 660-68-4) (Diethylammonium Chloride)	00984 00500	PB	500 gm	29211990	18
Assay : Min. 98% (C ₂ H ₅) ₂ NH.HCl M.W. 109.60					
2-Diethylaminoethanol See N,N-Diethylethanolamine Page No. 56					
N,N-Diethylaniline (For Synthesis) (Cas No. 91-66-7)	00985 00500	GB	500 ml	29252990	18
Assay : Min. 98.5% C ₁₀ H ₁₅ N M.W. 149.23, Liquid. d. 0.938	00985 02500	GB	2.5 Lt	29252990	18
N,N-Diethylaniline AR (Reagent for Zinc) (Cas No. 91-66-7)	00986 00500	GB	500 ml	29252990	18
Assay : Min. 99% C ₁₀ H ₁₅ N M.W. 149.23, Liquid. d. 0.938					
Diethyl Carbonate (For Synthesis) (Cas No. 105-58-8)	00987 00500	GB	500 ml	29209099	18
Assay : Min. 99% C ₅ H ₁₀ O ₃ M.W. 118.13, Liquid, d. 0.975	00987 02500	GB	2.5 Lt	29209099	18
Diethylene Glycol (Cas No. 111-46-6) (Digol)	00988 00500	GB	500 ml	29094100	18
Assay : Min. 98.5% C ₄ H ₁₀ O ₃ M.W. 106.12, Liquid, d. 1.118	00988 02500	GB	2.5 Lt	29094100	18
Diethylene Glycol AR (Cas No. 111-46-6) (Digol)	00989 00500	GB	500 ml	29094100	18
Assay : Min. 99% C ₄ H ₁₀ O ₃ M.W. 106.12, Liquid, d. 1.118	00989 02500	GB	2.5 Lt	29094100	18
Diethylene Glycol Dimethylether (For Synthesis) (Cas No. 111-96-6) (Diglyme) (Dimethyldigol)	00990 00500	GB	500 ml	29095090	18
Assay : Min. 99% C ₆ H ₁₄ O ₃ M.W. 134.17, Liquid, d. 0.944	00990 02500	GB	2.5 Lt	29095090	18
Diethylene Glycol Mono Butyl Ether (Cas No. 112-34-5) (Butyl Carbitol) (Butyl Digol)	00991 00500	PB	500 ml	29094300	18
Assay : Min. 98% C ₈ H ₁₈ O ₃ M.W. 162.23, Liquid, d. 0.967	00991 02500	PB	2.5 Lt	29094300	18
Diethylene Glycol Mono Ethyl Ether (Cas No. 111-90-0) (Carbitol) (Ethyl Digol) (Ethyl Carbitol)	00992 00500	GB	500 ml	29094400	18
Assay : Min. 98% C ₆ H ₁₄ O ₃ M.W. 134.17, Liquid, d. 0.999	00992 02500	GB	2.5 Lt	29094400	18
Diethylene Glycol Mono Methyl Ether (Cas No. 111-77-3) (Methyl Digol) (Methyl Carbitol)	00993 00500	GB	500 ml	29094900	18
Assay : Min. 98% C ₅ H ₁₂ O ₃ M.W. 120.15, Liquid, d. 1.023	00993 02500	GB	2.5 Lt	29094900	18
Diethylene Triamine (For Synthesis) (Cas No. 111-40-0)	00994 00500	GB	500 ml	29212990	18
Assay : Min. 98% C ₄ H ₁₃ N ₃ M.W. 103.17, Liquid, d. 0.955					
Diethylene Triamine Penta Acetic Acid (Cas No. 67-43-6) (DTPA)	00995 00100	PB	100 gm	29224990	18
Assay : Min. 98% C ₁₄ H ₂₃ N ₃ O ₁₀ M.W. 393.35	00995 00500	PB	500 gm	29224990	18
Diethylene Triamine Penta Acetic Acid AR (Cas No. 67-43-6) (DTPA)	00996 00100	PB	100 gm	29224990	18
Assay : Min. 99% C ₁₄ H ₂₃ N ₃ O ₁₀ M.W. 393.35	00996 00500	PB	500 gm	29224990	18
Diethylene Triamine Penta Acetic Acid Penta Sodium Salt 40% (aqueous Solution), Liquid, d. 1.303	00997 00500	PB	500 ml	29224990	18
N,N-Diethyl Ethanolamine (Cas No. 100-37-8) (2-Diethylaminoethanol)	00998 00500	GB	500 ml	29221990	18
Assay : Min. 99% C ₆ H ₁₅ NO M.W. 117.19, Liquid, d. 0.884	00998 02500	GB	2.5 Lt	29221990	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Diethyl Ether (Cas No. 60-29-7) (Ether Solvent)	00999 00500	GB	500 ml	29091100	18
Assay : Min. 98% $C_4H_{10}O$ M.W. 74.12, Liquid, d. 0.714	00999 02500	GB	2.5 Lt	29091100	18
Diethyl Ether AR (Cas No. 60-29-7) (Ether Solvent)	01000 00500	GB	500 ml	29091100	18
Assay : Min. 99% $C_4H_{10}O$ M.W. 74.12, Liquid, d. 0.714	01000 02500	GB	2.5 Lt	29091100	18
Diethyl Malonate (For Synthesis) (Cas No. 105-53-3)	01001 00500	GB	500 ml	29171970	18
Assay : Min. 98% $C_7H_{12}O_4$ M.W. 160.17, Liquid, d. 1.055	01001 02500	GB	2.5 Lt	29171970	18
Diethyl Malonate AR (For Synthesis) (Cas No. 105-53-3)	01002 00500	GB	500 ml	29171970	18
Assay : Min. 99% $C_7H_{12}O_4$ M.W. 160.17, Liquid, d. 1.055					
Diethyl Oxalate (For Synthesis) (Cas No. 95-92-1)	01003 00500	PB	500 ml	29171140	18
Assay : Min. 99% $C_6H_{10}O_4$ M.W. 146.14, Liquid, d. 1.076					
N,N-Diethyl-P-Phenylene Diamine Sulphate AR (Cas No. 6283-63-2)	01004 00100	PB	100 gm	29215190	18
Assay : Min. 99% $C_{10}H_{16}N_2.H_2SO_4$ M.W. 262.33					
Diethyl Phthalate (For Synthesis) (Cas No. 84-66-2)	01005 00500	PB	500 ml	29173990	18
Assay : Min. 99% $C_{12}H_{14}O_4$ M.W. 222.24, Liquid, d. 1.12	01005 02500	PB	2.5 Lt	29173990	18
Diethyl Succinate (For Synthesis) (Cas No. 123-25-1)	01006 00500	GB	500 ml	29171990	18
Assay : Min. 99% $C_8H_{14}O_4$ M.W. 174.19, Liquid, d. 1.047					
Diethyl Sulphate (Sulphuric Acid Diethyl Ester) (Cas No. 64-67-5)	01007 00500	GB	500 ml	29209099	18
Assay : Min. 99% $C_4H_{10}O_4S$ M.W. 154.19, Liquid, d. 1.177					
1,3-Difluorobenzene Extra Pure (Cas No. 372-18-9) (M-Difluorobenzene)	01008 00500	GB	100 ml	29039990	18
Assay : Min. 99% $C_6H_4F_2$ M.W. 114.10, Liquid, d. 1.163	01008 00500	GB	500 ml	29039990	18
Digitonin AR (Cas No. 11024-24-1)	01009 00001	GB	1 gm	29389090	18
Assay : Min. 99% $C_{56}H_{92}O_{29}$ M.W. 1229.31					
Digol See Diethylene Glycol Page No. 56					
2, 4-Dihydroxy Acetophenone (For Synthesis) (Cas No. 89-84-9) (Resacetophenone) (4-Acetylresourcinol)	01010 00100	PB	100 gm	29145000	18
Assay : Min. 98% $C_8H_8O_3$ M.W. 152.15	01010 00500	PB	500 gm	29145000	18
3-(3,4-Dihydroxyphenyl)-DL-Alanine (For Synthesis) (Cas No. 63-84-3) (DL-DOPA) (DL-3-Hydroxytyrosin)	01011 00005	GB	5 gm	29222990	18
Assay : Min. 99% $C_9H_{11}NO_4$ M.W. 197.19	01011 00025	PB	25 mg	29222990	18
	01011 00100	PB	100 gm	29222990	18
3-(3,4-Dihydroxyphenyl)-L-Alanine (For Biochemistry) (Cas No. 59-92-7) (L-DOPA)	01012 00005	GB	5 gm	29225000	18
Assay : Min. 99% $C_9H_{11}NO_4$ M.W. 197.19	01012 00025	GB	25 gm	29225000	18
2,2-DI-(4-Hydroxyphenyl) Propane See Bisphenol A Page No. 25					
1,8-Dihydroxy-2-(4-Sulphophenylazo) Naphthalene-3,6-Disulphonic Acid Trisodium Salt AR See SPADNS Page No. 149					
3,5-Dihydroxytoluene See Orcinol Page No. 112					
Diiodomethane (For Separation of Minerals) (Cas No. 75-11-6) (Methylene Iodide)	01013 00100	GB	100 gm	29033990	18
Assay : Min. 98% CH_2I_2 M.W. 267.84, Liquid, d. 3.325					
Diisopropylamine (For Synthesis) (Cas No. 108-18-9)	01014 00500	GB	500 ml	29212910	18
Assay : Min. 99% $C_6H_{15}N$ M.W. 101.19, Liquid, d. 0.722					

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Diisopropylazodicarboxylate (For Synthesis) (Cas No. 2446-83-5) (DIAD, Diisopropylazodiformate) Assay : Min. 98% C ₈ H ₁₄ N ₂ O ₄ M.W. 202.21, Liquid, d. 1.027	01015 00025	GB	25 ml	29270090	18
	01015 00100	GB	100 ml	29270090	18
Di-Isopropyl Ether (For Synthesis) (Cas No. 108-20-3) (Iso-Propyl Ether) Assay : Min. 99% C ₆ H ₁₄ O M.W. 102.17, Liquid, d. 0.724	01016 00500	GB	500 ml	29091900	18
	01016 02500	GB	2.5 Lt	29091900	18
N,N-Diisopropylethylamine (For Peptide Synthesis) (Cas No. 7087-68-5) (DIEA) (Ethylene Diisopropylamine) Assay : Min. 98% C ₈ H ₁₉ N M.W. 129.24, Liquid, d. 0.742	01017 00250	GB	250 ml	29211990	18
	01017 00500	GB	500 ml	29211990	18
	01017 01000	GB	1 Lt	29211990	18
Dill Oil Extra pure (anethi Oil) Liquid, d. 0.892	01017A 00100	GB	100 ml	3323	18
	01017A 00500	GB	500 ml	3323	18
Dimedone AR (Reagent for aldehyde) (Cas No. 126-81-8) Assay : Min. 99.5% C ₈ H ₁₂ O ₂ M.W. 140.18	01018 00500	GB	25 gm	29142990	18
	01018 02500	GB	100 gm	29142990	18
1,2-Dimethoxyethane (Cas No. 110-71-4) (Ethelene Glycol dimethyl ether) Assay : Min. 99% C ₄ H ₁₀ O ₂ M.W. 90.12, Liquid, d. 0.867	01019 00500	GB	500 ml	29091900	18
	01019 02500	GB	2.5 Lt	29091900	18
2,2-Dimethoxy Propane (For Synthesis) (Cas No. 77-76-9) (Acetone Dimethyl Acetal) Assay : Min. 98% C ₅ H ₁₂ O ₂ M.W. 104.15, Liquid, d. 0.850	01020 00500	GB	500 ml	29110010	18
	01020 02500	GB	2.5 Lt	29110010	18
N,N-Dimethyl Acetamide (Cas No. 127-19-5) Assay : Min. 99% C ₄ H ₉ NO M.W. 87.12, Liquid, d. 0.937	01021 00500	GB	500 ml	29241900	18
	01021 02500	GB	2.5 Lt	29241900	18
N,N-Dimethyl Acetamide AR (Cas No. 127-19-5) Assay : Min. 99.5% C ₄ H ₉ NO M.W. 87.12, Liquid, d. 0.937	01022 00500	GB	500 ml	29241900	18
	01022 02500	GB	2.5 Lt	29241900	18
Dimethyl Adipate (For Synthesis) (Cas No. 627-93-0) Assay : Min. 98% C ₈ H ₁₄ O ₄ M.W. 174.19, Liquid, d. 1.062	01023 00500	GB	500 ml	29171200	18
Dimethylamine See Methylamine Solution (Di) page No. 100					
Dimethylamine Hydrochloride (Cas No. 506-59-2) (Dimethyl Ammonium Chloride) Assay : Min. 99% C ₂ H ₇ N.HCl M.W. 81.55	01024 00500	PB	500 gm	29211100	18
p-Dimethyl Amino Benzaldehyde (for Synthesis) (Cas No. 100-10-7) Assay : Min. 98% C ₉ H ₁₁ NO M.W. 149.19	01025 00100	PB	100 gm	29222990	18
	01025 00500	PB	500 gm	29222990	18
p-Dimethyl Amino Benzaldehyde AR (Cas No. 100-10-7) Assay : Min. 99% C ₉ H ₁₁ NO M.W. 149.19	01026 00100	PB	100 gm	29222990	18
	01026 01000	PB	1 kg	29222990	18
p-Dimethyl Amino Benzylidene Rhodanine AR (Reagent for Silver) (Cas No. 536-17-4) Assay : Min. 97% C ₁₂ H ₁₂ N ₂ OS ₂ M.W. 264.37	01027 00005	GB	5 gm	29341000	18
	01027 00025	GB	25 gm	29341000	18
p-Dimethyl Amino Cinnamaldehyde AR (Cas No. 6203-18-5) Assay : Min. 99% C ₁₁ H ₁₃ NO M.W. 175.23	01028 00025	GB	25 gm	29222990	18
	01028 00010	GB	10 gm	29222990	18
2-(Dimethylamino)-Ethanol (Cas No. 108-01-0) (N,N-Dimethylethanolamine) Assay : Min. 99% C ₄ H ₁₁ NO M.W. 89.14, Liquid, d. 0.886	01029 00500	GB	500 ml	29221990	18
	01029 02500	GB	2.5 Lt	29221990	18
4-(Dimethylamino) Pyridine (For Synthesis) (Cas No. 1122-58-3) Assay : Min. 99% C ₇ H ₁₀ N ₂ M.W. 122.17	01030 00025	PB	25 gm	29333919	18
	01030 00100	PB	100 gm	29333919	18
	01030 01000	PB	1 kg	29333919	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Dimethyl Ammonium Chloride See Dimethylamine Hydrochloride Page No. 58					
2,6-Dimethylaniline 99% See 2,6-Xylidine Page No. 168					
N,N-Dimethylaniline (For Synthesis) (Cas No. 121-69-7)	01031 00500	GB	500 ml	29214223	18
(Dimethyl Aniline)	01031 02500	GB	2.5 Lt	29214223	18
Assay : Min. 99% C ₈ H ₁₁ N M.W. 121.18, Liquid, d. 0.956					
N,N-Dimethylaniline AR (Cas No. 121-69-7) (Dimethyl Aniline)	01032 00500	GB	500 ml	29214223	18
Assay : Min. 99.5% C ₈ H ₁₁ N M.W. 121.18, Liquid, d. 0.956	01032 02500	GB	2.5 Lt	29214223	18
Dimethylcarbamyl Chloride (For Synthesis) (Cas No. 79-44-7)	01033 00100	GB	100 gm	29420050	18
Assay : Min. 98% C ₃ H ₈ ClNO M.W. 107.54					
Dimethyl Carbonate (For Synthesis) (Cas No. 616-38-6)	01034 00500	GB	500 ml	29209099	18
Assay : Min. 99% C ₃ H ₆ O ₃ M.W. 90.08, Liquid, d. 1.070					
Dimethyldigol 99% See Diethylene Glycol Dimethylether Page 56					
Dimethyl Formamide (For Synthesis) (Cas No. 68-12-2)	01035 00500	GB	500 ml	29242990	18
(N,N-Dimethyl Formamide)	01035 02500	GB	2.5 Lt	29242990	18
Assay : Min. 99% C ₃ H ₇ NO M.W. 73.09, Liquid, d. 0.944					
Dimethyl Formamide AR (Cas No. 68-12-2)	01036 00500	GB	500 ml	29242990	18
(N,N-Dimethyl Formamide)	01036 02500	GB	2.5 Lt	29242990	18
Assay : Min. 99.8% C ₃ H ₇ NO M.W. 73.09, Liquid, d. 0.944					
Dimethyl Formamide HPLC & Spectroscopy (Cas No. 68-12-2)	01037 02500	GB	2.5 lit	29242990	18
(N,N-Dimethyl Formamide)					
Assay : Min. 99.7% C ₃ H ₇ NO M.W. 73.09, Liquid, d. 0.944					
Dimethyl Formamide (For Molecular Biology) (Cas No. 68-12-2)	01038 00250	GB	250 ml	29242990	18
(N,N-Dimethylformamide (DMF))	01038 00500	GB	500 ml	29242990	18
Assay : Min. 99.5% C ₃ H ₇ NO M.W. 73.09, Liquid, d. 0.944					
Dimethyl Formamide Dimethyl Acetal (Cas No. 4637-24-5)	01039 00500	GB	500 ml	29225090	18
Assay : Min. 97% C ₅ H ₁₃ NO ₂ M.W. 119.16, Liquid, d. 0.897	01039 02500	GB	2.5 Lt	29225090	18
Dimethyl Glyoxime (Cas No. 95-45-4) (2,3-Butanedion Dioxime)	01040 00100	PB	100 gm	29280090	18
Assay : Min. 98% C ₄ H ₈ N ₂ O ₂ M.W. 116.12	01040 00500	PB	500 gm	29280090	18
Dimethyl Glyoxime AR (Cas No. 95-45-4)	01041 00100	PB	100 gm	29280090	18
(2,3-Butanedion Dioxime)	01041 00500	PB	500 gm	29280090	18
Assay : Min. 99% C ₄ H ₈ N ₂ O ₂ M.W. 116.12					
Dimethyl Glyoxime Disodium Salt (Octahydrate) AR	01042 00250	PB	250 gm	29280090	18
(Cas No. 75006-64-3)					
Assay : Min. 99% C ₄ H ₈ N ₂ Na ₂ O ₂ .8H ₂ O M.W. 304.21					
Dimethyl Malonate (For Synthesis) (Cas No. 108-59-8)	01043 00500	GB	500 ml	29171990	18
Assay : Min. 99% C ₅ H ₈ O ₄ M.W. 114.15, Liquid, d. 1.156					
N,N-Dimethyl-P-Phenylenediamine Dihydrochloride AR	01044 00010	GB	10 gm	29215190	18
(Cas No. 536-46-9)	01044 00025	PB	25 gm	29215190	18
Assay : Min. 99.5% C ₈ H ₁₂ N ₂ .2HCl M.W. 209.12	01044 00100	PB	100 gm	29215190	18
Dimethyl Phthalate (For Synthesis) (Cas No. 131-11-3)	01045 00500	PB	500 ml	29173940	18
Assay : Min. 99% C ₁₀ H ₁₀ O ₄ M.W. 194.19, Liquid, d. 1.19	01045 02500	PB	2.5 Lt	29173940	18
Dimethyl Popop (Scintillation Grade) (Cas No. 3073-87-8)	01046 00005	GB	5 gm	29349900	18
[1,4-bis (4-Methyl-5-Phenyl-2-oxazolyl) benzene]	01046 00025	GB	25 gm	29349900	18
Assay Min. 99% C ₂₆ H ₂₀ N ₂ O ₂ M.W. 392.45					

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Dimethyl Sulphate (For Synthesis) (Cas No. 77-78-1) Assay : Min. 99% $(\text{CH}_3\text{O})_2\text{SO}_2$ M.W. 126.13, Liquid, d. 1.33	01047 00500	GB	500 ml	29209099	18
Dimethyl Sulphoxide (Cas No. 67-68-5) Assay : Min. 99% $\text{CH}_3\text{SO}\cdot\text{CH}_3$ M.W. 78.13, Liquid, d. 1.10	01048 00500	GB	500 ml	29309099	18
	01048 02500	GB	2.5 Lt	29309099	18
Dimethyl Sulphoxide AR (Cas No. 67-68-5) Assay : Min. 99% $\text{CH}_3\text{SO}\cdot\text{CH}_3$ M.W. 78.13, Liquid, d. 1.10	01049 00500	GB	500 ml	29309099	18
	01049 02500	GB	2.5 Lt	29309099	18
N,N-Dimethylurea (For Synthesis) (Cas No. 96-31-1) Assay : Min. 98% $\text{C}_3\text{H}_8\text{N}_2\text{O}$ M.W. 88.11	01051 00500	PB	500 gm	29242120	18
Dimethyl Yellow pH Indicator (C.I. No. 11020) (Cas No. 60-11-7) ph 2.9 - 4.0 Red to Orange Yellow $\text{C}_{14}\text{H}_{15}\text{N}_3$ M.W. 225.29	01052 00025	PB	25 gm	29270090	18
	01052 00100	PB	100 gm	29270090	18
	01052 00500	PB	500 gm	29270090	18
Dimethyl Yellow Indicator Solution	01053 00125	PB	125 ml	38220090	12
	01053 00500	PB	500 ml	38220090	12
Dimidium Bromide (For Tensile Test) (Cas No. 518-67-2) Assay : Min. 98% $\text{C}_{20}\text{H}_{18}\text{BrN}_3$ M.W. 380.28	01054 00100	GB	100 mg	29339900	18
	01054 00001	GB	1 gm	29339900	18
2,4-Dinitro Aniline (For Synthesis) (Cas No. 97-02-9) Assay : Min. 98% $\text{C}_6\text{H}_5\text{N}_3\text{O}_4$ M.W. 183.12	01055 00100	PB	100 gm	29214226	18
	01055 00500	PB	500 gm	29214226	18
m-Dinitrobenzene (For Synthesis) (Cas No. 99-65-0) Assay : Min. 98% $\text{C}_6\text{H}_4\text{N}_2\text{O}_4$ M.W. 168.11	01056 00500	PB	500 gm	29042020	18
m-Dinitrobenzene AR (For Determination of 17 Ketosteroids) (Cas No. 99-65-0) (HSN Code. 2904 2020) Assay : Min. 99% $\text{C}_6\text{H}_4\text{N}_2\text{O}_4$ M.W. 168.11	01057 00100	PB	100 gm	29042020	18
	01057 00500	PB	500 gm	29042020	18
3,5-Dinitro Benzoic Acid (Cas No. 99-34-3) Assay : Min. 98% $\text{C}_7\text{H}_4\text{N}_2\text{O}_6$ M.W. 212.12	01058 00100	PB	100 gm	29163990	18
	01058 00500	PB	500 gm	29163990	18
3,5-Dinitro Benzoic Acid AR (Cas No. 99-34-3) Assay : Min. 99% $\text{C}_7\text{H}_4\text{N}_2\text{O}_6$ M.W. 212.12	01059 00100	PB	100 gm	29163990	18
	01059 00500	PB	500 gm	29163990	18
2,4-Dinitrochlorobenzene See 1-Chloro-2, 4-Dinitrobenzene Page No. 41					
2,4-Dinitro-1-Fluorobenzene AR (Cas No. 70-34-8) (Sanger's Reagent, 1-Fluoro-2-4-Dinitrobenzene) Assay : Min. 98% $\text{C}_6\text{H}_3\text{FN}_2\text{O}_4$ M.W. 186.10 (store at 2 - 8°C)	01060 00025	GB	25 ml	29049990	18
	01060 00100	GB	100 ml	29049990	18
2,4-Dinitrophenol (For Synthesis) (Cas No. 51-28-5) Assay : Min. 97% $\text{C}_6\text{H}_4\text{N}_2\text{O}_5$ M.W. 184.11	01061 00025	PB	25 gm	29089990	18
	01061 00100	PB	100 gm	29089990	18
	01061 00500	PB	500 gm	29089990	18
2,4-Dinitrophenol (Indicator) AR (Cas No. 51-28-5) ph 2.8 - 4.7 Colourless to Yellow Assay : Min. 99% $\text{C}_6\text{H}_4\text{N}_2\text{O}_5$ M.W. 184.11	01062 00025	PB	25 gm	29089990	18
	01062 00100	PB	100 gm	29089990	18
2,4-Dinitrophenyl Hydrazine (For Synthesis) (Cas No. 119-26-6) Assay : Min. 97% $\text{C}_6\text{H}_6\text{N}_4\text{O}_4$ M.W. 198.14	01063 00100	PB	100 gm	29280090	18
	01063 00500	PB	500g	29280090	18
2,4-Dinitrophenyl Hydrazine AR (Cas No. 119-26-6) Assay : Min. 99% $\text{C}_6\text{H}_6\text{N}_4\text{O}_4$ M.W. 198.14	01064 00025	PB	25 gm	29280090	18
	01064 00100	PB	100 gm	29280090	18
3,5-Dinitro Salicylic Acid (For Synthesis) (Cas No. 609-99-4) Assay : Min. 97% $\text{C}_7\text{H}_4\text{N}_2\text{O}_7$ M.W. 228.12	01065 00025	PB	25 gm	29182190	18
	01065 00100	PB	100 gm	29182190	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
3,5-Dinitro Salicylic Acid AR (Cas No. 609-99-4) Assay : Min. 98% $C_7H_4N_2O_7$ M.W. 228.12	01066 00025	PB	25 gm	29182190	18
	01066 00100	PB	100 gm	29182190	18
Diocetyl Phthalate (DOP) (For Synthesis) (Cas No. 117-81-7) Assay : Min. 99% $C_{24}H_{38}O_4$ M.W. 390.57, Liquid, d. 0.985	01067 00500	GB	500 ml	29173920	18
	01067 02500	GB	2.5 Lt	29173920	18
Diocetyl Sebacate [Di (2-ethylhexyl) sebacate] (Cas No. 122-62-3) Assay : Min. 98% $C_{26}H_{50}O_4$ M.W. 426.68, Liquid, d. 0.914	01068 00500	PB	500 ml	29173200	18
	01068 02500	PB	2.5 Lt	29173200	18
Diocetyl Sodium Sulphosuccinate (Cas No. 577-11-7) (Aerosol OT) (DOSS) Assay : Min. 98% $C_{20}H_{37}NaO_7S$ M.W. 444.57	01069 00500	PB	500 gm	29171990	18
	01069 05000	PB	5 kg	29171990	18
1,3-Dioxolane (For Synthesis) (Cas No. 646-06-0) Assay : Min. 99% $C_3H_6O_2$ M.W. 74.06, Liquid, d. 1.06	01070 00500	GB	500 ml	29329900	18
	01070 02500	GB	2.5 Lt	29329900	18
1,3-Dioxolane AR (Cas No. 646-06-0) Assay : Min. 99% $C_3H_6O_2$ M.W. 74.06, Liquid, d. 1.06	01071 00500	GB	500 ml	29329900	18
	01071 02500	GB	2.5 Lt	29329900	18
1,4-Dioxan (For Synthesis) (Cas No. 123-91-1) Assay : Min. 99% $C_4H_8O_2$ M.W. 88.11, Liquid, d. 1.034	01072 00500	GB	500 ml	29329900	18
	01072 02500	GB	2.5 Lt	29329900	18
1,4-Dioxan AR (Cas No. 123-91-1) Assay : Min. 99.5% $C_4H_8O_2$ M.W. 88.11, Liquid, d. 1.034	01073 00500	GB	500 ml	29329900	18
	01073 02500	GB	2.5 Lt	29329900	18
Diphenyl See Biphenyl Page No. 24					
Diphenylamine (Cas No. 122-39-4) Assay : Min. 98% $C_{12}H_{11}N$ M.W. 169.23	01075 00100	PB	100 gm	29214410	18
	01075 00500	PB	500 gm	29214410	18
Diphenylamine AR (Cas No. 122-39-4) Assay : Min. 99% $C_{12}H_{11}N$ M.W. 169.23	01076 00100	PB	100 gm	29214410	18
	01076 00500	PB	500 gm	29214410	18
N,N-Diphenyl Benzidine AR (Cas No. 531-91-9) (Oxidation Reduction Indicator) Assay : Min. 98% $C_{24}H_{20}N_2$ M.W. 336.43	01077 00005	GB	5 gm	29215990	18
	01077 00025	GB	25 gm	29215990	18
Diphenyl Carbazide (Cas No. 140-22-7) (1,5-Diphenyl Carbazide) Assay : Min. 98% $C_{13}H_{14}N_4O$ M.W. 242.28	01078 00025	PB	25 gm	29280090	18
	01078 00100	PB	100 gm	29280090	18
Diphenyl Carbazide AR (Cas No. 140-22-7) (1,5-Diphenyl Carbazide) Assay : Min. 98% $C_{13}H_{14}N_4O$ M.W. 242.28	01079 00005	GB	5 gm	29280090	18
	01079 00025	PB	25 gm	29280090	18
Diphenyl Carbazone (Cas No. 538-62-5) (Reagent for Mercury) $C_{13}H_{12}N_4O$ M.W. 240.26	01080 00005	GB	5 gm	29280090	18
	01080 00025	PB	25 gm	29280090	18
	01080 00100	PB	100 gm	29280090	18
	01080 00500	PB	500 gm	29280090	18
Diphenyl Carbazone AR (Cas No. 538-62-5) (Reagent for Mercury) $C_{13}H_{12}N_4O$ M.W. 240.26	01081 00005	GB	5 gm	29280090	18
	01081 00025	PB	25 gm	29280090	18
	01081 00100	PB	100 gm	29280090	18
Diphenyl Carbinol See Benzhydrol Page No. 21					
Diphenyl Carbonate (For Synthesis) (Cas No. 102-09-0) Assay : Min. 99% $C_{13}H_{10}O_3$ M.W. 214.22	01082 00250	PB	250 gm	29209099	18
	01082 01000	PB	1 Kg	29209099	18
Diphenyl Ether (Cas No. 101-84-8) (Diphenyl Oxide) Assay : Min. 98% $C_{12}H_{10}O$ M.W. 170.21, Liquid, d. 1.073	01083 00500	GB	500 ml	29093090	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Diphenyl Methane (Cas No. 101-81-5) Assay : Min. 99% C ₁₃ H ₁₂ M.W. 168.23, Liquid, d. 1.006	01084 00500	GB	500 ml	29029090	18
Diphenyl Oxide See Diphenyl Ether Page No. 61					
4,7-Diphenyl-1-10-Phenanthroline See Bathophenanthroline Page No. 20					
Diphenyl Thiocarbazon AR (Cas No. 60-10-6) (Dithizone) Assay : Min. 85% C ₁₃ H ₁₂ N ₄ S M.W. 256.33	01085 00005 01085 00025	GB GB	5 gm 10 gm	29309099 29309099	18 18
2,2-Diquinolyl See 2,2-Biquinoline Page No. 24					
Distilled Water (Cas No. 7732-18-5) (DM Water) H ₂ O M.W. 18.02, Liquid, d. 1.000	01086 00500 01086 05000	PB PC	500 ml 5 Lt	28530010 28530010	18 18
Disulphine Blue (C.I. 42045) (Cas No. 129-17-9) C ₂₇ H ₃₁ N ₂ NaO ₆ S ₂ M.W. 566.7	01087 00010 01087 00025	GB GB	10 gm 25 gm	32041245 32041245	 18
Dithioerythritol (For Molecular Biology) (Cas No. 6892-68-8) (D.T.E) (1,4-Dithioerythritol) Assay : Min. 99% C ₄ H ₁₀ O ₂ S ₂ M.W. 154.25 (Store at 2-8°C)	01088 00001 01088 00005 01088 00025	GB GB GB	1 gm 5 gm 25 gm	29309099 29309099 29309099	18 18 18
Dithiooxamide See Rubeanic Acid Page No. 133					
Dithiothreitol (Cas No. 3483-12-3) (D.T.T.) (Cleland's Reagent) Assay : Min. 99% C ₄ H ₁₀ O ₂ S ₂ M.W. 154.24	01089 00001 01089 00005 01089 00025	GB GB GB	1 gm 5 gm 25 gm	29309099 29309099 29309099	18 18 18
Dithizone See Diphenyl Thiocarbazon Page No. 62					
Dodecanethiol Extra Pure (Cas No. 112-55-0) (Lauryl Mercaptan, Dodecyl Mercaptan) Assay : Min. 98% C ₁₂ H ₂₆ S M.W. 202.41, Liquid, d. 0.845	01090 00500	GB	500 ml	29309070	18
Dodecylamine (For Synthesis) (Cas No. 124-22-1) (Laurylamine) Assay : Min. 98% C ₁₂ H ₂₇ N M.W. 185.35, Liquid, d. 0.806	01091 00100 01091 00500	GB GB	100 ml 500 ml	29211990 29211990	18 18
DL-Dopa See 3-(3,4-Dihydroxyphenyl)-DL-Alanine Page No. 57					
L-Dopa See 3-(3,4-Dihydroxyphenyl)-DL-Alanine Page No. 57					
1-Dodecanesulphonic Acid Sodium Salt AR & HPLC (Cas No. 2386-53-0) (Sodium 1-Dodecanesulphonate) Assay : Min. 98% C ₁₂ H ₂₅ NaO ₃ S M.W. 272.38	01092 00005 01092 00025 01092 00100	GB GB GB	5 gm 25 gm 100 gm	29041090 29041090 29041090	18 18 18
N-Dodecanoic Acid See Lauric Acid Page No. 88					
Dodecyl Alcohol See Lauryl Alcohol Page No. 88					
Dodecyl Benzene (For Synthesis) (cas No. 123-01-3) Assay : Min. 97% C ₁₈ H ₃₀ M.W. 246.44, Liquid, d. 0.856	01093 00500	GB	500 ml	29029030	18
Dodecyl Benzene Sulphonic Acid Sodium Salt Purified (Cas No. 25155-30-0) Assay : Min. 80% C ₁₈ H ₂₉ NaO ₃ S M.W. 348.48	01094 00500	PB	500 gm	29041090	18
D.P.X. Mountant (For Microscopy) Liquid, d. 0.904	01095 00250 01095 00500	GB GB	250 ml 500 ml	38220090 38220090	12 12
Drabkin's Solution Diluent)	01096 00500 01096 02500	GB GB	500 ml 5 Lt	38220090 38220090	12 12
Dragendroff's Reagent (Test Reagent for Alkaloids)	01097 00125 01097 00500	GB GB	125 ml 500 ml	38220090 38220090	12 12

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Dulcitol (For Microscopy) (Cas No. 608-66-2) (Dulcitol) (Galactitol) Assay : Min. 99% $C_6H_{14}O_6$ M.W. 182.17	01098 00025	GB	25 gm	29054900	18
Dysprosium Carbonate AR (Cas No. 38245-35-1) (Tetrahydrate) Assay : Min. 99.9% $Dy_2(CO_3)_3 \cdot 4H_2O$ M.W. 577.06	01099 00005	GB	5 gm	28469090	18
	01099 00025	GB	25 gm	28469090	18
Dysprosium Oxide AR (Cas No. 1308-87-8) Assay : Min. 99.9% Dy_2O_3 M.W. 373.00	01100 00005	GB	5 gm	28469010	18
	01100 00025	GB	25 gm	28469010	18
Dysprosium Sulphate AR (Cas No. 14373-91-2) Assay : Min. 99.99% $Dy_2(SO_4)_3$ M.W. 613.19	01101 00001	GB	1 gm	28469010	18
	01101 00005	GB	5 gm	28469010	18

***** **E**

EDTA (Plain) See Ethylenediamine Tetra Acetic Acid Page No. 66

EDTA Disodium Salt See Ethylenediamine Tetra Acetic Acid Disodium Salt Page No. 67

EDTA Dipotassium Salt See Ethylenediamine Tetra Acetic Acid Dipotassium Salt Page No. 66

EDTA Solution N/50 (0.02N) (For Valumetric Analysis) Liquid, d. 1.003	01102 00500	PB	500 ml	38220090	12
EDTA 0.1 Mol/L (0.2N) Solution Liquid, d. 1.02	01103 00500	PB	500 ml	38220090	12
EDTA 0.01 Mol/L (0.02N) Solution Liquid, d. 1.003	01104 00500	PB	500 ml	38220090	12
EDTA Disodium Salt 0.1M Solution , Liquid, d. 1.02	01105 00500	PB	500 ml	38220090	12
EDTA Disodium Salt 0.01M (0.02N) Standardized Solution Liquid, d. 1.003	01106 00500	PB	500 ml	38220090	12
EDTA Disodium Salt 0.1M (0.2N) Standardized Solution , Liquid, d. 1.02	01107 00500	PB	500 ml	38220090	12
EDTA Disodium Salt 0.5M (1N) Standardized Solution , Liquid, d. 1.003	01108 00500	PB	500 ml	38220090	12
EDTA Solution 5%	01109 00125	PB	125 ml	38220090	12
	01109 00500	PB	500 ml	38220090	12
EDTA Solution 5% (2x2 amps. Of Set in a Box)	01110 00125	PB	125 ml	38220090	12
Egg Albumin See Albumin Egg Page No. 5					
Ehrlich's Reagent Liquid, d. 1.10 (For Detection of Urobilinogen)	01111 00125	PB	125 ml	38220090	12
	01111 00500	PB	500 ml	38220090	12
Ehrlich's A Reagent Liquid, d. 1.10 For Diazo-Reaction For Determination of Bilirubin In Serum & Urine	01112 00125	PB	125 ml	38220090	12
Ehrlich's B Reagent Liquid, d. 1.10 For Diazo-Reaction For Determination of Bilirubin In Serum & Urine	01113 00125	PB	125 ml	38220090	12
Eosine Blue (For Microscopy) (Cas No. 548-24-3) (C.I. No. 45400) Dye Content : Min. 90% $C_{20}H_6Br_2N_2O_9Na_2$ M.W. 624.06	01114 00025	PB	25 gm	32041293	18
	01114 00100	PB	100 gm	32041293	18
	01114 00500	PB	500 gm	32041293	18
Eosine Blue (2% w/v) (Staining Solution)	01115 00125	PB	125 ml	32041293	18
	01115 00500	PB	500 ml	32041293	18
Eosine Spirit Soluble (For Microscopy) (Cas No. 6359-05-3) (Ethyl Eosine) (C.I. No. 45386) Dye Content : Min. 95% $C_{22}H_{11}Br_4KO_5$ M.W. 714.03	01116 00025	PB	25 gm	32049000	18
	01116 00100	PB	100 gm	32049000	18
	01116 00500	PB	500 gm	32049000	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Eosine Yellow (W.S.)(For Microscopy) (Cas No. 17372-87-1) (C.I. No. 45380) Dye Content : Min. 85% $C_{20}H_6Br_4Na_2O_5$ M.W. 691.85	01117 00025	PB	25 gm	32041299	18
	01117 00100	PB	100 gm	32041299	18
	01117 00500	PB	500 gm	32041299	18
Eosine Yellow (2% w/v) Staining Solution, Liquid, d. 1.015	01118 00125	PB	125 ml	32041299	18
	01118 00500	PB	500 ml	32041299	18
Epichlorohydrin (Cas No. 106-89-8) (1-Chloro-2, 3-epoxypropane) Assay : Min. 98.5% C_3H_5ClO M.W. 92.52, Liquid, d. 1.18	01119 00500	GB	500 ml	29103000	18
	01119 02500	GB	2.5 Lt	29103000	18
Epichlorohydrin AR (Cas No. 106-89-8) (1-Chloro-2, 3-epoxypropane) Assay : Min. 99% C_3H_5ClO M.W. 92.52, Liquid, d. 1.18	01120 00500	GB	500 ml	29103000	18
	01120 02500	GB	2.5 Lt	29103000	18
Erdman's Reagent (for protein test)	01120A 00125	PB	125 ml	38220090	12
	01120A 00500	PB	500 ml	38220090	12
Eriochrome Black T (C.I. No. 14645) (Cas No. 1787-61-7) (Mordant Black 11) (Solochrome Black T) $C_{20}H_{12}N_3NaO_7S$ M.W. 461.38	01121 00025	PB	25 gm	32041267	18
	01121 00100	PB	100 gm	32041267	18
	01121 00500	PB	500 gm	32041267	18
Eriochrome Black T AR (C.I. No. 14645) (Cas No. 1787-61-7) (Mordant Black 11) (Solochrome Black T) $C_{20}H_{12}N_3NaO_7S$ M.W. 461.38	01122 00025	PB	25 gm	32041267	18
	01122 00100	PB	100 gm	32041267	18
Eriochrome Black T (Indicator Solution) (Solochrome Black T Solution), Liquid, d. 1.109	01123 00125	PB	125 ml	38220090	12
	01123 00500	PB	500 ml	38220090	12
Eriochrome Blue Black R See Calcon Page No. 36					
Eriochrome Cyanine R AR (C.I. No. 43820) (Cas No. 3564-18-9) (Solochrome Cyanine R) $C_{23}H_{15}Na_3O_5S$ M.W. 536.39	01124 00010	GB	10 gm	32041264	18
	01124 00025	GB	25 gm	32041264	18
Erioglaucine Disodium Salt (C.I. No. 42090) (Cas No. 3844-45-9) $C_{37}H_{34}Na_2N_2O_5S_3$ M.W. 792.85	01125 00010	GB	10 gm	32041200	18
	01125 00025	GB	25 gm	32041200	18
Erioglaucine A See Brilliant Blue FCF Page No. 27					
Erythrosine B (For Microscopy) (C.I. No. 45430) (Cas No. 16423-68-0) (Iodoeosin) Dye Content : Min. 90% $C_{20}H_6I_4Na_2O_5$ M.W. 879.84	01126 00025	PB	25 gm	32049000	18
	01126 00100	PB	100 gm	32049000	18
Esbach's Reagent (for detection of Proteins) Liquid, d. 0.987	01127 00125	PB	125 ml	38220090	12
	01127 00500	PB	500 ml	38220090	12
Eschka's Mixture AR (Cas No. 8007-09-8) (For Determination of Sulfur in Coal) Assay : Min. 38-42% $2MgO.Na_2CO_3$	01128 00100	PB	100 gm	38220090	12
	01128 00250	PB	250 gm	38220090	12
	01128 01000	PB	1 kg	38220090	12
Esculin See Aesculin Page No. 4					
Ethanediol See Ethylene Glycol Mono Page No. 67					
Ethanolamine (Mono) (Cas No. 141-43-5) (Monoethanolamine) (2-Aminoethanol) Assay : Min. 99% C_2H_7NO M.W. 61.08, Liquid, d. 1.012	01129 00500	PB	500 ml	29221190	18
	01129 02500	PB	2.5 Lt	29221190	18
Ethanolamine (Mono) AR (Cas No. 141-43-5) (Monoethanolamine) (2-Aminoethanol) Assay : Min. 99% C_2H_7NO M.W. 61.08, Liquid, d. 1.012	01130 00500	GB	500 ml	29221190	18
	01130 02500	GB	2.5 Lt	29221190	18
Ether Petroleum 40°-60°C (Cas No. 8032-32-4) (Petroleum Benzine) (Petroleum Ether) Liquid, d. 0.655	01131 00500	GB	500 ml	27101213	18
	01131 02500	GB	2.5 Lt	27101213	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Ether Petroleum 40°-60°C AR (Cas No. 8032-32-4)	01132 00500	GB	500 ml	27101213	18
Liquid, d. 0.655 (Petroleum Benzine) (Petroleum Ether)	01132 02500	GB	2.5 Lt	27101213	18
Ether Petroleum 40°-60°C HPLC & SPECTROSCOPY (Cas No. 8032-32-4) (Petroleum Benzine) (Petroleum Ether) Liquid, d.0.655	01133 00500	GB	500 ml	27101213	18
	01133 02500	GB	2.5 Lt	27101213	18
Ether Petroleum 60°-80°C (Cas No. 8032-32-4) (Petroleum Benzine) (Petroleum Ether) Liquid, d. 0.672	01134 00500	GB	500 ml	27101213	18
	01134 02500	GB	2.5 Lt	27101213	18
	01134 05000	PC	5 Lt	27101213	18
Ether Petroleum 60°-80°C AR (Cas No. 8032-32-4) (Petroleum Benzine) (Petroleum Ether) Liquid, d. 0.672	01135 00500	GB	500 ml	27101213	18
	01135 02500	GB	2.5 Lt	27101213	18
Ether Petroleum 80°-100°C (Cas No. 8032-32-4) (Petroleum Benzine) (Petroleum Ether) Liquid, d. 0.77	01136 00500	GB	500 ml	27101213	18
	01136 02500	GB	2.5 Lt	27101213	18
Ether Petroleum 100°-120°C (Cas No. 8032-32-4) (Petroleum Benzine) (Petroleum Ether) Liquid, d. 0.77	01137 00500	GB	500 ml	27101213	18
	01137 02500	GB	2.5 Lt	27101213	18
Ethidium Bromide (For Molecular Biology) (For Lab Use) (Cas No. 1239-45-8)	01138 00500	GB	1 gm	29339900	18
Assay : Min. 95% $C_{21}H_{20}BrN_3$ M.W. 394.31	01138 02500	GB	5 gm	29339900	18
Ethidium Bromide Solution 1% In Water for Fluorescence, Store at 2-80C	01139 00050	GB	50 ml	38220090	12
2-Ethoxyethanol See Cellosolve Page No. 39					
2-Ethoxy Ethyl Acetate See Cellosolve Acetate Page No. 39					
Etherl See 2-Chloroethyl Phosphonic Acid Page No. 43					
Ethyl Acetate (Cas No. 141-78-6) (For Synthesis)	01140 00500	PB	500 ml	29153100	18
	01140 02500	PB	2.5 Lt	29153100	18
Assay : Min. 99% $C_4H_8O_2$ M.W. 88.11, Liquid, d. 0.902	01140 05000	PC	5 Lt	29153100	18
Ethyl Acetate AR (Cas No. 141-78-6)	01141 00500	GB	500 ml	29153100	18
Assay : Min. 99.5% $C_4H_8O_2$ M.W. 88.11, Liquid, d. 0.902	01141 02500	GB	2.5 Lt	29153100	18
Ethyl Acetate HPLC & SPECTROSCOPY (Cas No. 141-78-6)	01142 01000	GB	1 Lt	29153100	18
Assay : Min. 99.8% $C_4H_8O_2$ M.W. 88.11, Liquid, d. 0.902	01142 02500	GB	2.5 Lt	29153100	18
Ethyl Aceto Acetate (Cas No. 141-97-9) (Acetoacetic Ester Ethyl)	01143 00500	GB	500 ml	29183020	18
Assay : Min. 99% $C_6H_{10}O_3$ M.W. 130.14, Liquid, d. 1.029	01143 02500	GB	2.5 Lt	29183020	18
Ethyl Acrylate (For Synthesis) (Cas No. 140-88-5)	01145 00500	GB	500 ml	29161290	18
Assay : Min. 99% $C_5H_8O_2$ M.W. 100.12, Liquid, d. 0.902					
Ethylamine Solution 70% (Cas No. 75-04-7) (Monoethylamine)	01146 00500	GB	500 ml	29211990	18
Assay : Min. 70% C_2H_7N M.W. 45.08, Liquid, d. 0.689	01146 02500	GB	2.5 Lt	29211990	18
2-(Ethylamino) Ethanol (For Synthesis) (Cas No. 110-73-6) (N-ethylethanolamine)	01147 00250	GB	250 ml	29221990	18
Assay : Min. 98% $C_4H_{11}NO$ M.W. 89.14, Liquid, d. 0.914	01147 01000	GB	1 Lt	29221990	18
Ethylaniline (Mono) (For Synthesis) (Cas No. 103-69-5) (Monoethylaniline) (N-Ethylaniline)	01148 00500	GB	500 ml	29214290	18
Assay : Min. 98% $C_8H_{11}N$ M.W. 121.18, Liquid, d. 0.963	01148 02500	GB	2.5 Lt	29214290	18
Ethyl Benzene (For Synthesis) (Cas No. 100-41-4)	01149 00500	GB	500 ml	29026000	18
Assay : Min. 99% C_8H_{10} M.W. 106.17, Liquid, d. 0.867					

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Ethyl Benzoate Extra Pure (Cas No. 93-89-0) (Benzoic acid Ethyl Ester) Assay : Min. 99% $C_9H_{10}O_2$ M.W. 150.17, Liquid, d. 1.049	01150 00500	GB	500 ml	29163190	18
	01150 02500	GB	2.5 Lt	29163190	18
Ethyl Benzoyl Acetate (For Synthesis) (Cas No. 94-02-0) (EBA) Assay : Min. 88% $C_{11}H_{12}O_3$ M.W. 192.21, Liquid, d. 1.11	01151 00100	GB	100 ml	29183090	18
Ethyl Bromide (For Synthesis) (Cas No. 74-96-4) (Bromoethane) Assay : Min. 99% C_2H_5Br M.W. 108.97, Liquid, d. 1.46	01152 00250	GB	250 ml	29033990	18
	01152 00500	GB	500 ml	29033990	18
Ethyl Bromoacetate (For Synthesis) (Cas No. 105-36-2) (Bromoacetic Acid Ethyl Ester) Assay : Min. 95% $C_4H_7BrO_2$ M.W. 167.00, Liquid, d. 1.506	01153 00250	GB	250 ml	29153990	18
	01153 00500	GB	500 ml	29153990	18
Ethyl Cellosolve See Cellosolve Page No. 40					
Ethyl Cellulose (7 cps) (Low Viscosity) (Cas No. 9004-57-3)	01154 00250	PB	250 gm	39123911	18
	01154 00500	PB	500 gm	39123911	18
Ethyl Cellulose (18-22 cps) (High Viscosity) (Cas No. 9004-57-3)	01155 00250	PB	250 gm	39123911	18
	01155 00500	PB	500 gm	39123911	18
Ethyl Chloro Acetate (Mono) (For Synthesis) (Cas No. 105-39-5) Assay : Min. 99% $C_4H_7ClO_2$ M.W. 122.55, Liquid, d. 1.145	01156 00500	GB	500 ml	29153990	18
Ethyl Chloroformate (For Synthesis) (Cas No. 541-41-3) (Ethyl Chlorocarbonate) Assay : Min. 98% $C_3H_5ClO_2$ M.W. 108.32, Liquid, d. 1.135	01157 00250	GB	250 ml	29153990	18
	01157 00500	GB	500 ml	29153990	18
Ethyl Cyanoacetate (For Synthesis) (Cas No. 105-56-6) Assay : Min. 98% $C_5H_7NO_2$ M.W. 113.11, Liquid, d. 1.063	01158 00500	GB	500 ml	29269000	18
Ethyl Digol See Diethylene Glycol Mono ethyl Ether Page No. 56					
Ethylene Chlorohydrine (Cas No. 107-07-3) (2-Chloroethanol) Assay : Min. 99% C_2H_5ClO M.W. 80.51, Liquid, d. 1.201	01159 00500	GB	500 ml	29051690	18
Ethylene Diamine (Cas No. 107-15-3) (1,2-Diaminoethane) Assay : Min. 99% $C_2H_8N_2$ M.W. 60.10, Liquid, d. 0.90	01160 00500	GB	500 ml	29212100	18
	01160 02500	GB	2.5 Lt	29212100	18
Ethylenediamine Dihydrochloride (Cas No. 333-18-6) (1,2-Diaminoethane Dihydrochloride) Assay : Min. 98% $C_2H_8N_2 \cdot 2HCl$ M.W. 133.02	01161 00100	PB	100 gm	29212100	18
	01161 00500	PB	500 gm	29212100	18
Ethylenediamine Tetra Acetic Acid (Plain) (Cas No. 60-00-4) (Salt Free) (EDTA Plain) Assay : Min. 98% $C_{10}H_{16}N_2O_8$ M.W. 292.24	01162 00100	PB	100 gm	29224990	18
	01162 00500	PB	500 gm	29224990	18
Ethylenediamine Tetra Acetic Acid AR (Plain) (Cas No. 60-00-4) (Salt Free) (EDTA Plain) Assay : Min. 99.5% $C_{10}H_{16}N_2O_8$ M.W. 292.24	01163 00100	PB	100 gm	29224990	18
	01163 00500	PB	500 gm	29224990	18
Ethylenediamine Tetra Acetic Acid Calcium Disodium Salt (Cas No. 62-33-9) (EDTA Calcium Disodium Salt) Assay : Min. 98% $C_{10}H_{12}N_2O_8CaNa_2$ M.W. 374.27	01164 00100	PB	100 gm	29224990	18
	01164 00500	PB	500 gm	29224990	18
Ethylenediamine Tetra Acetic Acid Dipotassium Salt AR (Cas No. 25102-12-9) (EDTA Dipotassium Salt) Assay : Min. 98% $C_{10}H_{14}K_2N_2O_8 \cdot 2H_2O$ M.W. 404.5	01165 00100	PB	100 gm	29224990	18
	01165 00500	PB	500 gm	29224990	18
Ethylenediamine Tetra Acetic Acid Disodium Salt (Cas No. 6381-92-6) (EDTA Disodium Salt) Assay : Min. 99% $C_{10}H_{14}N_2Na_2O_8 \cdot 2H_2O$ M.W. 372.24	01166 00100	PB	100 gm	29224990	18
	01166 00500	PB	500 gm	29224990	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Ethylenediamine Tetra Acetic Acid Disodium Salt AR (Cas No. 6381-92-6) (EDTA Disodium Salt)	01167 00100	PB	100 gm	29224990	18
Assay : Min. 99% $C_{10}H_{14}N_2Na_2O_8 \cdot 2H_2O$ M.W. 372.24	01167 00500	PB	500 gm	29224990	18
Ethylenediamine Tetra Acetic Acid Disodium Salt Dihydrate (For Molecular Biology) (Cas No. 6381-92-6) (EDTA Disodium Salt)	01168 00500	PB	500 gm	29224990	18
Assay : Min. 99% $C_{10}H_{14}N_2Na_2O_8 \cdot 2H_2O$ M.W. 372.24	01168 01000	PB	1 kg	29224990	18
Ethylenediamine Tetra Acetic Acid Magnesium Salt AR (Cas No. 14402-88-1) (EDTA Magnesium Salt AR) (anhyd. basis)	01169 00100	PB	100 gm	29224990	18
Assay : Min. 99% $C_{10}H_{12}MgN_2Na_2O_8 \cdot xH_2O$ M.W. 358.50	01169 00500	PB	500 gm	29224990	18
Ethylene Dibromide See 1,2-Dibromoethane Page No. 54					
Ethylene Dichloride (For Synthesis) (Cas No. 107-06-2) (1,2-Dichloroethane)	01170 00500	GB	500 ml	29031500	18
Assay : Min. 98% $C_2H_4Cl_2$ M.W. 98.96, Liquid, d. 1.256	01170 02500	GB	2.5 Lt	29031500	18
	01170 05000	GB	5 Lt	29031500	18
Ethylene Dichloride AR (Cas No. 107-06-2) (1,2-Dichloroethane)	01171 00500	GB	500 ml	29031500	18
Assay : Min. 99% $C_2H_4Cl_2$ M.W. 98.96, Liquid, d. 1.256	01171 02500	GB	2.5 Lt	29031500	18
Ethylene Glycol (Mono) Extra Pure (Cas No. 107-21-1) (Ethandiol) (MEG)	01173 00500	GB	500 ml	29053100	18
Assay : Min. 99% $C_2H_6O_2$ M.W. 62.07, Liquid, d. 1.113	01173 02500	GB	2.5 Lt	29053100	18
Ethylene Glycol (Mono) AR (Cas No. 107-21-1) (Ethandiol) (MEG)	01174 00500	GB	500 ml	29053100	18
Assay : Min. 99.5% $C_2H_6O_2$ M.W. 62.07, Liquid, d. 1.113	01174 02500	GB	2.5 Lt	29053100	18
Ethylene Glycol Monobutyl Ether (Cas No. 111-76-2) (2-Butoxyethanol) (Butyl Glycol) (Butyl Cellosolve)	01175 00500	GB	500 ml	29094300	18
Assay : Min. 99% $C_6H_{14}O_2$ M.W. 118.17, Liquid, d. 0.902	01175 02500	GB	2.5 Lt	29094300	18
Ethylene Glycol Monobutyl Ether Acetate (For Synthesis) (Cas No. 112-07-2) (Butyl Cellosolve Acetate)	01176 01000	GB	1 Lt	29153990	18
Assay : Min. 99% $C_8H_{16}O_3$ M.W. 160.21, Liquid, d. 0.942	01176 02500	GB	2.5 Lt	29153990	18
Ethylene Glycol Monoethyl Ether See Cellosolve Page No. 40					
Ethylene Glycol Monomethyl Ether See 2-Methoxyethanol Page No. 99					
Ethyl Formate (For Synthesis) (Cas No. 109-94-4) (Formic Acid Ethyl Ester)	01177 00500	GB	500 ml	29151290	18
Assay : Min. 98% $C_3H_6O_2$ M.W. 74.08, Liquid, d. 0.921	01177 02500	GB	2.5 Lt	29151290	18
2-Ethylhexanoic Acid (Cas No. 149-57-5) (Octoic Acid)	01178 00500	PB	500 ml	29159020	18
Assay : Min. 99% $C_8H_{16}O_2$ M.W. 144.21, Liquid, d. 0.903					
2-Ethyl Hexanol See iso-Octanol Page No. 111					
2-Ethyl-1-Hexanol (Cas No. 104-76-7)	01179 00500	GB	500 ml	29051610	18
Assay : Min. 99% $C_8H_{18}O$ M.W. 130.23, Liquid, d. 0.833	01179 02500	GB	2.5 Lt	29051610	18
2-Ethylhexyl Acrylate (For Synthesis) (Cas No. 103-11-7) (Acrylic Acid 2-ethyl Hexyl Ether)	01180 00500	GB	500 ml	29161290	18
Assay : Min. 99% $C_{11}H_{20}O_2$ M.W. 184.28, Liquid, d. 0.885	01180 02500	GB	2.5 Lt	29161290	18
2-Ethylhexyl Methacrylate (For Synthesis) Stabilized (Cas No. 688-84-6)	01181 00250	GB	250 ml	29161290	18
Assay : Min. 98% $C_{12}H_{22}O_2$ M.W. 198.31, Liquid, d. 0.885	01181 01000	GB	1 Lt	29161290	18
Ethyl-4-Hydroxy Benzoate Extra Pure See Ethyl Paraben Page No. 68					
Ethyl Iodide (For Synthesis) (Cas No. 75-03-6) (Iodoethane)	01182 00100	GB	100 ml	29033930	18
Assay : Min. 99% C_2H_5I M.W. 155.97, Liquid, d. 1.940	01182 00250	GB	250 ml	29033930	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Ethyl Lactate (Cas No. 97-64-3) Assay : Min. 99% $C_5H_{10}O_3$ M.W. 118.13, Liquid, d. 1.03	01183 00500	GB	500 ml	29181190	18
N-Ethyl Maleimide (Cas No. 128-53-0) (NEM) Assay : Min. 99% $C_6H_7NO_2$ M.W. 125.13 (Store at 2-8°C)	01184 00005	GB	5 gm	29251900	18
	01184 00025	GB	25 gm	29251900	18
Ethyl Methyl Ketone (For Synthesis) (Cas No. 78-93-3) (Butanone) (Butane-2-One) (Methyl Ethyl Ketone) Assay : Min. 99% C_4H_8O M.W. 72.11, Liquid, d. 0.805	01185 00500	GB	500 ml	29141200	18
	01185 02500	GB	2.5 Lt	29141200	18
	01185 05000	PC	5 Lt	29141200	18
Ethyl Methyl Ketone AR (Cas No. 78-93-3) (Butanone) (Butane-2-One) (Methyl Ethyl Ketone) Assay : Min. 99.5% C_4H_8O M.W. 72.11, Liquid, d. 0.805	01186 00500	GB	500 ml	29141200	18
	01186 02500	GB	2.5 Lt	29141200	18
Ethyl Methyl Ketone HPLC & SPECTROSCOPY (Cas No. 78-93-3) (Butanone) (Butane-2-One) (Methyl Ethyl Ketone) Assay : Min. 99.7% C_4H_8O M.W. 72.11, Liquid, d. 0.805	01187 00500	GB	500 ml	29141200	18
	01187 02500	GB	2.5 Lt	29141200	18
N-Ethyl Morpholine (For Synthesis) (Cas No. 100-74-3) (4-Ethyl Morpholine) Assay : Min. 97% $C_6H_{13}NO$ M.W. 115.17, Liquid, d. 0.91	01188 00250	GB	250 ml	29349900	18
	01188 01000	GB	1 Lt	29349900	18
Ethyl Oleate (Cas No. 111-62-6) Assay : Min. 98% $C_{20}H_{38}O_2$ M.W. 310.51, Liquid, d. 0.87	01189 00500	GB	500 ml	29161590	18
	01189 02500	GB	2.5 Lt	29161590	18
Ethyl Orthoformate (Triethyl Orthoformate) (Cas No. 122-51-0) Assay : Min. 98% $C_7H_{16}O_3$ M.W. 148.20, Liquid, d. 0.891	01190 00500	GB	500 ml	29159090	18
Ethyl Paraben Extra Pure (Cas No. 120-47-8) (Ethyl-P-Hydroxy Benzoate) (Nipagin A) Assay : Min. 99% $C_9H_{10}O_3$ M.W. 166.17	01191 00100	PB	100 gm	29182990	18
	01191 00500	PB	500 gm	29182990	18
N-Ethyl Piperazine (For Synthesis) (Cas No. 5308-25-8) Assay : Min. 99% $C_6H_{14}N_2$ M.W. 114.19, Liquid, d. 0.899	01192 00250	PB	250 ml	29339900	18
	01192 01000	GB	1 Lt	29339900	18
Ethyl Pyruvate (For Synthesis) (Cas No. 617-35-6) Assay : Min. 98% $C_5H_8O_3$ M.W. 116.12, Liquid, d. 1.045	01193 00100	GB	100 gm	29183090	18
	01193 00500	GB	500 gm	29183090	18
Ethyl Trifluoroacetate (For Synthesis) (Cas No. 383-63-1) Assay : Min. 98% $C_4H_5F_3O_2$ M.W. 142.08, Liquid, d. 1.194	01194 00100	GB	100 gm	29159090	18
	01194 00500	GB	500 gm	29159090	18
Ethyl Violet (For Microscopy) (C.I. No. 42600) (Cas No. 2390-59-2) Dye Content : Min 80% $C_{21}H_{42}N_3Cl$ M.W. 492.14	01195 00025	GB	25 gm	32041341	18
Eucalyptus Oil Extra Pure (Cas No. 8000-48-4) $C_{10}H_{18}O$ M.W.154 Liquid, d. 0.909	01196 00500	GB	500 ml	3324	18
Eugenol (Cas No. 97-53-0) (Store at 2-8°C) Assay : Min. 99% $C_{10}H_{12}O_2$ M.W. 164.20, Liquid, d. 1.067	01197 00100	GB	100 ml	29095090	18
	01197 00500	GB	500 ml	29095090	18
Euparal (For Microscopy)	01198 00100	GB	100 ml	38220090	12
Europium Oxide AR (Cas No. 1308-96-9) Assay : Min. 99.9% Eu_2O_3 M.W. 351.93	01199 00001	GB	1 gm	28469090	18
	01199 00005	GB	5 gm	28469090	18
Evan's Blue (For Microscopy) (Cas No. 314-13-6) (C.I. No. 23860) Dye Content : Min. 75% $C_{34}H_{24}N_6Na_4O_{14}S_4$ M.W. 960.81	01200 00005	GB	5 gm	32049000	18
	01200 00025	GB	25 gm	32049000	18
	01200 00100	GB	100 gm	32049000	18
Evan's Blue Staining Solution	01200A 00125	PB	125 ml	38220019	12
	01200A 00500	PB	500 ml	38220019	12
Exten's Reagent	01200B 00125	PB	125 ml	38220019	12
	01200B 00500	PB	500 ml	38220019	12

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Fast Garnet GBC Sulfate Salt (C.I. No. 37210) (Cas No. 101-89-3) C ₁₄ H ₁₄ N ₄ O ₄ S M.W. 334.35	01201 00005	GB	5 gm	32049000	18
Fast Green (For Microscopy) See Malachite Green Page No. 94					
Fast Green FCF (M.S.) (Cas No. 2353-45-9) (C.I. No. 42053) Dye Content : Min. 85% C ₃₇ H ₃₄ N ₂ O ₁₀ S ₃ Na ₂ M.W. 808.85	01202 00005	GB	5 gm	32041900	18
	01202 00025	GB	25 gm	32041900	18
	01202 0100	GB	100 gm	32041900	18
Fast Green FCF (For Molecular Biology) (Cas No. 2353-45-9) Dye Content : Min. 85% C ₃₇ H ₃₄ N ₂ O ₁₀ S ₃ Na ₂ M.W. 808.85	01203 00010	GB	10 gm	32041900	18
	01203 00025	GB	25 gm	32041900	18
Fast Green Indicator Solution See Malachite Green Solution Page No. 94					
Fast Sulphon Black F (Cas No. 3682-47-1) (C.I. NO. 26990) C ₃₀ H ₁₇ N ₄ O ₁₁ S ₃ Na ₃ M.W. 774.64	01204 00025	PB	25 gm	32041490	18
	01204 00100	PB	100 gm	32041490	18
	01204 00500	PB	500 gm	32041490	18
Fehling Solution 'A' (Fehling Solution No. 1) (d. 1.038-1.060)	01205 00500	PB	500 ml	28332500	18
	01205 05000	PC	5 lt	28332500	18
Fehling Solution 'B' (Fehling Solution No. 2) (d. 1.23-1.25)	01206 00500	PB	500 ml	29319090	18
	01206 05000	PC	5 lt	29319090	18
Fennel Oil Extra Pure (d. 0.963)	01206A 00500	GB	500 ml	3325	18
Ferric Alum See Ammonium Ferric Sulphate Page No. 12					
Ferric Ammonium Citrate See Ammonium Ferric Citrate Page No. 12					
Ferric Ammonium Sulphate See Ammonium Ferric Sulphate Page No. 12					
Ferric Chloride (anhydrous) (Cas No. 7705-08-0) (Iron (III) Chloride) Assay : Min. 98% FeCl ₃ M.W. 162.20	01207 00500	PB	500 gm	28273990	18
Ferric Chloride (anhydrous) AR (Cas No. 7705-08-0) (Iron (III) Chloride) Assay : Min. 99% FeCl ₃ M.W. 162.20	01208 00500	PB	500 gm	28273990	18
Ferric Chloride (hexahydrate) (Cas No. 10025-77-1) Assay : Min. 97% FeCl ₃ .6H ₂ O M.W. 270.30	01209 00500	PB	500 gm	28273990	18
Ferric Chloride (hexahydrate) AR (Cas No. 10025-77-1) Assay : Min. 99% FeCl ₃ .6H ₂ O M.W. 270.30	01210 00500	PB	500 gm	28273990	18
Ferric Chloride (lumps) (Cas No. 10025-77-1) (iron (III) chloride 6-hydrate) Assay : Min. 98% FeCl ₃ .6H ₂ O M.W. 270.30	01211 00500	PB	500 gm	28273990	18
Ferric Chloride 10% Solution w/v Liquid, d. 1.086	01212 00500	PB	500 ml	38220090	12
Ferric Citrate (tribasic) (Monohydrate) (Cas No. 2338-05-8) [Iron (III) Citrate] Assay : (Fe) Min. 18-20% C ₆ H ₅ FeO ₇ .H ₂ O M.W. 262.96	01213 00500	PB	500 gm	29181590	18
Ferric Nitrate nonahydrate (Cas No. 7782-61-8) [Iron (III) Nitrate] Assay : Min. 98% Fe(NO ₃) ₃ .9H ₂ O M.W. 404.00	01214 00500	PB	500 gm	28342990	18
Ferric Nitrate nonahydrate AR (Cas No. 7782-61-8) [Iron (III) Nitrate] Assay : Min. 99% Fe(NO ₃) ₃ .9H ₂ O M.W. 404.00	01215 00500	PB	500 gm	28342990	18
Ferric Oxide (Red) Extra Pure (Cas No. 1309-37-1) (Iron (III) Nitrate) Assay : Min. 95% Fe ₂ O ₃ M.W. 159.69	02916 00500	PB	500 gm	28211010	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Ferric Phosphate (Iron (III) Phosphate) (Cas No. 10045-86-0) Assay (ex Fe) : Min. 29% $\text{FePO}_4 \cdot 2\text{H}_2\text{O}$ M.W. 186.85	01216 00500	PB	500 gm	28352990	18
Ferric Pyrophosphate Pure (Cas No. 10058-44-3) Assa : Min. 97% $\text{Fe}_4(\text{P}_2\text{O}_7)_3$ M.W. 745.21	01217 00500	PB	500 gm	28353900	18
Ferric Sulphate Hydrate (Cas No. 15244-10-7) [iron (III) Sulphate] Assay : (ex Fe) : Min. 20% $\text{Fe}_2(\text{SO}_4)_3 \cdot x\text{H}_2\text{O}$ M.W. 399.88	01218 00500	PB	500 gm	28332990	18
Ferric Sulphate AR Hydrate (Cas No. 15244-10-7) [iron (III) Sulphate] Assay : (ex Fe) : Min. 20% $\text{Fe}_2(\text{SO}_4)_3 \cdot x\text{H}_2\text{O}$ M.W. 399.88	01219 00500	PB	500 gm	28332990	18
Ferrocene (For Synthesis) (Cas No. 102-54-5) (Dicylopentadienyliron) Assay : Min. 98% $\text{C}_{10}\text{H}_{10}\text{Fe}$ M.W. 186.03	01220 00025	PB	25 gm	29319090	18
	01220 00100	PB	100 gm	29319090	18
Ferriin Solution AR (0.025 A) (redox Indicator) (Cas No. 14634-91-4) $\text{C}_{36}\text{H}_{24}\text{FeN}_6\text{SO}_4$ M.W. 692.52, Liquid, d. 1.006	01221 00100	GB	100 ml	38220090	12
	01221 00250	GB	250 ml	38220090	12
Ferrous Ammonium Sulphate See Ammonium Ferrous Sulphate Page No. 12					
Ferrous Chloride (tetrahydrate) purified (Cas No. 13478-10-9) [Iron (II) Chloride] Assay : Min. 99% $\text{FeCl}_2 \cdot 4\text{H}_2\text{O}$ M.W. 198.81	01222 00500	PB	500 gm	28274190	18
Ferrous Sulphate (heptahydrate) (Cas No. 7782-63-0) [iron (II) Sulphate] Assay : Min. 98.5% $\text{FeSO}_4 \cdot 7\text{H}_2\text{O}$ M.W. 278.01	01223 00500	PB	500 gm	28332910	18
Ferrous Sulphate AR (heptahydrate) (Cas No. 7782-63-0) [iron (II) Sulphate] Assay : Min. 99% $\text{FeSO}_4 \cdot 7\text{H}_2\text{O}$ M.W. 278.01	01224 00500	PB	500 gm	28332910	18
Ferrous Sulphate (dried) (exsiccated White Powder) (Cas No. 13463-43-9) Assay : Min. 97% $\text{FeSO}_4 \cdot \text{aq}$ M.W. 151.91 (Anhy.Basis)	01225 00500	PB	500 gm	28332990	18
Ferrous Sulphide Powder (CasNo.131737-9) [iron (II) Sulphide Powder] Assay (Fe) : Min. 67-72% FeS M.W. 87.91	01226 00500	PB	500 gm	28309010	18
Ferrous Sulphide Sticks (Cas No. 1317-37-9) [iron (II) Sulphide Sticks] (Selected Sticks of Producing H_2S) Assay : Min. 29% FeS M.W. 87.91 (Sulphide, Sulphur)	01227 00500	PB	500 gm	28309010	18
Feulgen Reagent Solution See Schiff's Reagent Solution Page No. 134					
Field's Stain 'A' Powder	01228 00025	PB	25 gm	32041929	18
	01228 00100	PB	100 gm	32041929	18
	01228 00500	PB	500 gm	32041929	18
Field's Stain 'A' Solution , Liquid, d.0.89 (Microscopy Staining)	01229 00125	PB	125 ml	38220090	12
	01229 00500	PB	500 ml	38220090	12
Field's Stain 'B' Powder	01230 00025	PB	25 gm	32041929	18
	01230 00100	PB	100 gm	32041929	18
	01230 00500	PB	500 gm	32041929	18
Field's Stain 'B' Solution (Microscopy Staining)	01231 00125	PB	125 ml	38220090	12
	01231 00500	PB	500 ml	38220090	12

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Florisol Powder (60-100 Mesh) (Cas No. 1343-88-0)	01232 00100	PB	100 gm	28399090	18
	01232 00500	PB	500 gm	28399090	18
Fluoboric Acid 40% (Cas No. 16872-11-0) (Borofluoric Acid) Assay : Min. 40% HBF ₄ M.W. 87.81, Liquid, d. 1.38	01233 00500	GB	500 ml	28111100	18
	01233 05000	GB	5 lt	28111100	18
Fluorene (Cas No. 86-73-7) (Diphenylene methane) Assay : Min 98% C ₁₃ H ₁₀ M.W. 166.22	01234 00100	PB	100 gm	29029090	18
	01234 00250	PB	250 gm	29029090	18
Fluorescein (M.S.) (Cas No. 2321-07-5) (C.I. No. 45350) Assay : Min 98% C ₂₀ H ₁₂ O ₅ M.W. 332.31	01235 00025	PB	25 gm	32049000	18
	01235 00100	PB	100 gm	32049000	18
	01235 00500	PB	500 gm	32049000	18
Fluorescein Complexone See Calceine indicator Page No. 34					
Fluorescein Sodium (Cas No. 518-47-8) (uranin) (C.I. No. 45350) Assay : Min 98% C ₂₀ H ₁₀ Na ₂ O ₅ M.W. 376.28	01236 00025	PB	25 gm	32041211	18
	01236 00100	PB	100 gm	32041211	18
	01236 00500	PB	500 gm	32041211	18
4-Fluoro Aniline (for synthesis) (Cas No. 371-40-4) Assay : Min 98% C ₆ H ₆ FN M.W. 111.12, Liquid, 1.173	01237 00100	GB	100 ml	29214190	18
	01237 00500	GB	500 ml	29214190	18
Fluorobenzene (for synthesis) (Cas No.462-06-6) Assay : Min 99% C ₆ H ₅ F M.W. 96.10, Liquid, 1.024	01238 00500	GB	500 ml	29039910	18
	01238 02500	GB	2.5 Lt	29039910	18
1-Fluoro-2,4, - Dinitrobenzene see 2, 4-Dinitro-1-Fluorobenzene Page No. 60					
5-Fluorouracil Extra Pure (for biochemistry) (Cas No. 51-21-8) ((2-4-dihydroxy-5-fluoropyrimidine) Assay : Min 99% C ₄ H ₃ FN ₂ O ₂ M.W. 130.08	01239 00001	GB	1 gm	29335990	18
	01239 00005	GB	5 gm	29335990	18
Folic Acid (Cas No. 59-30-3) (for biochemistry) Assay : Min 98% C ₁₉ H ₁₉ N ₇ O ₆ M.W. 441.40 (Store at 2-8°C)	01240 00010	GB	5 gm	29362910	18
	01240 00025	GB	10 gm	29362910	18
	01240 00100	PB	100 gm	29362910	18
Folin & Ciocalteu's Phenol Reagent (Phenol reagent) (d.1.24) (Store at 2-8°C)	01241 00100	GB	100 ml	38220090	12
	01241 00500	GB	500 ml	38220090	12
Folin & WU's Phosphate - Molybdate Solution (Phosphate Molybdate Solution)	01242 00500	GB	500 ml	38220090	12
Formaldehyde Solution (Cas No. 50-00-0) (37-41% w/v H.CHO) (formaline Solution) Assay : Min 37-41% HCHO M.W. 30.03, Liquid, d.1.09	01243 00500	PB	500 ml	29121100	18
	01243 02500	PB	2.5 lt	29121100	18
	01243 05000	PC	5 lt	29121100	18
Formaldehyde Solution AR (Cas No.50-00-0) (formaline Solution) Assay : Min 37-41% HCHO M.W. 30.03 Liquid, d.1.09	01244 00500	PB	500 ml	29121100	18
	01240 02500	PB	2.5 lt	29121100	18
Formaldehyde Solution (For Molecular Biology) (Cas No. 50-00-0) (HSN Code.2912 1100) (Formalin, Methanal) Assay : Min 37% CH ₂ O M.W. 30.03, Liquid, d.1.09	01245 00500	GB	500 ml	29121100	18
Formamide (for synthesis) (Cas No. 75-12-7) Assay : Min 98% CONH ₃ M.W. 45.04 Liquid, d1.134	01246 00500	PB	500 ml	29241900	18
	01246 02500	PB	2.5 lt	29241900	18
Formamide AR (Cas No. 75-12-7) Assay : Min 99% CONH ₃ M.W. 45.04 Liquid, d 1.134	01247 00500	GB	500 ml	29241900	18
	01247 02500	GB	2.5 lt	29241900	18
Formamide (For Molecular Biology) (Cas No. 75-12-7) Forms a clear colourless solution in water (10%) Assay : Min 99.5% CONH ₃ M.W. 45.04 Liquid, d 1.134	01248 00500	GB	500 ml	29241900	18
	01248 01000	GB	1 lt	29241900	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Formic Acid 85% (for synthesis) (Cas No. 64-18-6) Assay : Min 85% CH ₂ O ₂ M.W. 46.03 Liquid, d 1.22	01249 00500	PB	500 ml	29151100	18
	01249 02500	PB	2.5 lt	29151100	18
Formic Acid 90% (Cas No. 64-18-6) Assay : Min 90% CH ₂ O ₂ M.W. 46.03 Liquid, d 1.22	01250 00500	PB	500 ml	29151100	18
Formic Acid 90% AR (Cas No. 64-18-6) Assay : Min 90% CH ₂ O ₂ M.W. 46.03 Liquid, d 1.22	01251 00500	GB	500 ml	29151100	18
Formic Acid 98-100% (Cas No. 64-18-6) Assay : Min 98% CH ₂ O ₂ M.W. 46.03 Liquid, d 1.22	01252 00500	GB	500 ml	29151100	18
	01252 02500	GB	2.5Lt	29151100	18
Formic Acid 98-100% AR (Cas No. 64-18-6) Assay : Min 90-100% CH ₂ O ₂ M.W. 46.03 Liquid, d 1.22	01253 00500	GB	500 ml	29151100	18
	01253 02500	GB	2.5Lt	29151100	18
Fouchet's Reagent (for bile pigment)	01254 00125	GB	125 ml	38220090	12
	01254 00500	GB	500 ml	38220090	12
Fougler's Reagent Solution	01254A 00500	GB	500 ml	38220090	12
French Chalk Powder Extra Pure (Cas No. 14807-96-6) (talcum Powder) 3Mgo.4SiO ₂ H ₂ O M.W. 379.27	01255 00500	PB	500 gm	25262000	5
D-(-)-Fructose (Cas No. 57-48-7) (levulose) Assay : Min. 98% C ₆ H ₁₂ O ₆ M.W. 180.16	01256 00100	PB	100 gm	17026010	18
	01256 00500	PB	500 gm	17026010	18
D-(-)-Fructose AR (For Molecular Biology) (Cas No. 57-48-7) Assay : Min. 99% C ₆ H ₁₂ O ₆ M.W. 180.16 (levulose)	01257 00100	PB	100 gm	17026010	18
	01257 00250	PB	250 gm	17026010	18
D-Fructose-1, 6-Diphosphate, Tetrasodium Salt (Cas No.23784-19-2) Assay : Min. 99% C ₆ H ₁₀ O ₁₂ P ₂ Na ₄ M.W. 428.04	01258 00005	GB	5 gm	29190090	18
Fuchsin Acid (M.S.) (C.I.No. 42685) (Cas No. 3244-88-0) (Magenta Acid) (Acid Fuchsin) Dye Content : Min. 70% C ₂₀ H ₁₇ N ₃ Na ₂ O ₉ S ₃ M.W. 585.54	01259 00025	PB	25 gm	32041216	18
	01259 00100	PB	100 gm	32041216	18
	01259 00500	PB	500 gm	32041216	18
Fuchsin Acid Staining Solution (Acid Fuchsin Solution)	01260 00125	PB	125 ml	38220090	12
	01260 00500	PB	500 ml	38220090	12
Fuhsin Basic See Basic Fuchsin Page No. 20					
Fuller's Earth (Cas No. 8031-18-3)	01261 00500	PB	500 gm	25059000	5
Fumaric Acid (For Synthesis) (Cas No. 110-17-8) Assay : Min. 99% C ₄ H ₄ O ₄ M.W. 116.07	01262 00500	PB	500 gm	29171950	18
	01262 05000	PB	5 kg	29171950	18
Fumaric Acid AR (Cas No. 110-17-8) Assay : Min. 99.5-100.5% C ₄ H ₄ O ₄ M.W. 116.07	01263 00500	PB	500 gm	29171950	18
Fungal Diastase See Diastase Page No. 54					
Furfuraldehyde (for synthesis) (Cas No. 98-01-1) (furfural) Assay : Min. 98% C ₅ H ₄ O ₂ M.W. 96.09, Liquid, d. 1.16	01264 00500	GB	500 ml	29321200	18
	01264 02500	GB	2.5Lt	29321200	18
Furfuraldehyde AR (Cas No. 98-01-1) (furfural) Assay : Min. 99% C ₅ H ₄ O ₂ M.W. 96.09, Liquid, d. 1.16	01265 00500	GB	500 ml	29321200	18
Furfuryl Alcohol (for synthesis) (Cas No. 98-00-0) Assay : Min. 98% C ₅ H ₈ O ₂ M.W. 98.10, Liquid, d. 1.135	01266 00500	GB	500 ml	29321300	18
	01266 02500	GB	2.5Lt	29321300	18
Farfurylamine (for synthesis) (Cas No. 617-89-0) Assay : Min 98% C ₅ H ₇ NO M.W. 97.12, Liquid, d. 1.099	01267 00500	GB	500 ml	29321990	18
	01267 02500	GB	2.5Lt	29321990	18
6- Furfuryl Aminopurine See Kinetine Page No. 87					
Fusion Mixture (Cas No. 9006-59-1) (sodium potassium carbonate)	01268 00500	PB	500 gm	38220090	12

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Gadolinium (III) Oxide (Cas No. 12064-62-9) Assay : Min. 99.9% Gd ₂ O ₃ M.W. 362.50	01269 00005	GB	5 gm	28469010	18
	01269 00025	GB	25 gm	28469010	18
D-(+)-Galactose (For Molecular Biology) (Cas No. 59-23-4) Assay : Min. 99% C ₆ H ₁₂ O ₆ M.W. 180.16	01270 00025	PB	25 gm	29400000	18
	01270 00100	PB	100 gm	29400000	18
Gallic Acid (Cas No. 5995-86-8) (3,4,5-trihydroxybenzoic acid) Assay : Min. 98% C ₇ H ₆ O ₅ M.W. 188.14	01271 00250	PB	250 gm	29182910	18
	01271 00500	PB	500 gm	29182910	18
Garlic Oil Extra Pure (Cas No. 8000-78-0) Liquid, d. 1.073	01272A 00100	GB	100 ml	3347	18
	01272A 00250	GB	250 ml	3347	18
Gelatine Powder (for bacteriology) (Cas No. 9000-70-8) (Store at 2-8°C)	01272 00500	PB	500 gm	35030090	18
Gellan Gum Extra Pure (Cas No. 7101-52-1) (agar substitute gelling agent) (phytagel)	01272A 00100	PB	100 gm	39139090	18
	01272A 00500	PB	500 gm	39139090	18
Gentian Violet See Crystal Violet Page No. 51					
Gentian Violet AR See Crystal Violet AR Page No. 51					
Gentian Violet Solution (aqueous staining solution)	01273 00125	PB	125 ml	38220090	12
	01273 00500	PB	500 ml	38220090	12
Gentitan Violet Solution (alcoholic solution)	01274 00125	PB	125 ml	38220090	12
	01274 00500	PB	500 ml	38220090	12
Geranium Oil Extra Pure (Cas No. 8000-46-2) Liquid, d. 0.887	01274A 00100	GB	100 ml	33029012	18
	01274A 00500	GB	500 ml	33029012	18
Germanium Dioxide (electronic grade) (Cas No. 1310-53-8) (germanium (IV) oxide) Assay : Min. 99.99% GeO ₂ M.W. 104.64	01275 00001	GB	1 gm	28256010	18
	01275 00010	GB	10 gm	28256010	18
Gibbs Reagent AR See 2, 6-Dichloroquinone-4-Chlorimide Page No. 55					
Giemsa's Stain (Cas No. 51811-82-6) (for microscopy) C ₁₄ H ₁₄ ClN ₃ S M.W. 291.80	01276 00025	PB	25 gm	32049000	18
	01276 00100	PB	100 gm	32049000	18
	01276 00500	PB	500 gm	32049000	18
Giemsa's Stain Solution (azur-eosin-methylene blue staining solution)	01277 00125	PB	125 ml	38220090	12
	01277 00500	PB	500 ml	38220090	12
Ginger Oil Extra pure (Cas No. 8007-08-7), Liquid, d. 0.871	01277A 00500	GB	500 ml	3326	18
Girard's Reagent P AR (Cas No. 1126-58-5) Assay : Min 98% C ₇ H ₁₀ ClN ₃ O M.W. 187.63	01278 00025	PB	25 gm	29280090	18
	01278 00100	PB	100 gm	29280090	18
Glass Beads (undrilled)	01280 00500	PB	500 gm	70189090	18
Glass Wool (Cas No. 65997-19-3) (low in lead)	01281 00250	PB	250 gm	70199010	18
	01281 00500	PB	500 gm	70199010	18
Glucose See Dextrose Page No. 53					
Glucose-1-Phosphate Dipotassium Salt (for biochemistry) (Cas No. 5996-14-5) (store in refrigerator) (Store at 2-8°C) Assay : Min. 99% C ₆ H ₁₁ K ₂ O ₉ P.2H ₂ O M.W. 372.36	01282 00001	GB	1 gm	29400000	18
	01282 00005	GB	5 gm	29400000	18
Glucose Standard Stock Solution (1% w/v) Liquid, d.1.0	01283 00100	PB	100 ml	38220090	12
	01283 00500	PB	500 ml	38220090	12

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
L-Glutamic Acid	01284 00100	PB	100 gm	29224210	18
(Cas No.56-86-0)	01284 00250	PB	250 gm	29224210	18
(for biochemistry)	01284 00500	PB	500 gm	29224210	18
Assay : Min. 99% C ₅ H ₉ NO ₄ M.W. 147.13	01284 01000	PC	1 kg	29224210	18
L-Glutamic Acid Mono Sodium Salt See Sodium-L-Glutamate Page No. 142					
L-Glutamine	01285 00025	PB	25 gm	29241900	18
(Cas No. 56-85-9) (for biochemistry)	01285 00100	PB	100 gm	29241900	18
Assay : Min. 99% C ₅ H ₁₀ N ₂ O ₃ M.W. 146.15	01285 00500	PB	500 gm	29241900	18
Glutaraldehyde (25% aqueous solution) (Cas No. 111-30-8)	01286 00500	GB	500 ml	29122990	18
Assay : Min. 25% C ₅ H ₈ O ₂ M.W. 100.12, Liquid, d. 1.06	01286 02500	GB	2.5 Lt	29122990	18
(Store at 0-4°C)					
Glutaraldehyde 8% Solution (Cas No. 111-30-8)	01287 00100	GB	100 ml	29122990	18
In Water Fixing Agent Liquid, d.1.016					
Glutaric Acid Extra Pure (Cas No. 110-94-1) (pentanedioic acid)	01288 00100	PB	100 gm	29171990	18
Assay : Min. 99% C ₅ H ₈ O ₄ M.W. 132.11 2917.1990	01288 00500	PB	500 gm	29171990	18
Glutaric Anhydride (Cas No. 108-55-4)	01289 00025	GB	25 gm	29171990	18
Assay : Min. 98% C ₅ H ₈ O ₃ M.W. 114.1	01289 00500	GB	500 gm	29171990	18
L-Glutathione reduced (For Molecular Biology) (Cas No. 70-18-8)	0 00005	GB	5 gm	29309099	18
Assay : Min. 99% C ₁₀ H ₁₇ N ₃ O ₆ S M.W. 307.33	0 00025	GB	25 gm	29309099	18
Glycerine purified (Cas No. 56-81-5)	1 00500	PB	500 ml	29054500	18
(1,2,3-Propanetriol) (glycerol)	1 02500	PB	2.5 Lt	29054500	18
Assay : Min. 98% C ₃ H ₈ O ₃ M.W. 92.09, Liquid, d. 1.25					
Glycerine AR (Cas No. 56-81-5) (1,2,3-Propanetriol) (glycerol)	2 00500	GB	500 ml	29054500	18
Assay : Min. 99% C ₃ H ₈ O ₃ M.W. 92.09, Liquid, d. 1.25	2 02500	GB	2.5 Lt	29054500	18
Glycerol (For Molecular Biology) (Cas No. 56-81-5)	3 00500	GB	500 ml	29054500	18
(1,2,3-Propanetriol) (glycerol)					
Assay : Min. 99.5% C ₃ H ₈ O ₃ M.W. 92.09					
Glycerol Mono Stearate (Cas No. 123-94-4) (G.M.S.)	4 00500	GB	500 gm	29161590	18
C ₁₂ H ₄₂ O ₄ M.W. 358.56					
Glycerol Triacetate (Cas No. 102-76-1) (triacetin)	5 00500	GB	500 ml	29153990	18
Assay : Min. 99% C ₉ H ₁₄ O ₆ M.W. 218.21, Liquid, d. 1.16	5 02500	GB	2.5 Lt	29153990	18
Glycerol tributyrat See Tributyrin Page No. 161					
Glycine See Aminoacetic Acid Page No. 8					
Glycine Ethylester Hydrochloride (for synthesis)	6 00100	PB	100 gm	29224910	18
(Cas No. 623-33-6)	6 00500	PB	500 gm	29224910	18
Assay : Min. 99% C ₄ H ₉ NO ₂ .HCL M.W. 139.6					
Glycogen (from Oysters) Type II (for Molecular Biology)	7 00001	GB	1 gm	39139090	18
(Cas No. 9005-79-2)	7 00005	GB	5 gm	39139090	18
Assay : Min. 90% (C ₆ H ₁₀ O ₅) _n					
Glycolic Acid 70% (in water) (for synthesis) (Cas No. 79-14-1)	8 00500	GB	500 ml	29181990	18
Assay : Min. 70% C ₂ H ₄ O ₃ M.W. 76.05, Liquid, d. 1.25					
Glycyl Glycine (for biochemistry) (Cas No. 556-50-3)	9 00010	GB	10 gm	29241900	18
(Gly-Gly, diglycine) useful pH range 7.5-8.9	9 00025	PB	25 gm	29241900	18
Assay : Min. 99% C ₄ H ₈ N ₂ O ₃ M.W. 132.12	9 00100	PB	100 gm	29241900	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Glyoxal (liquid) 40% (for synthesis) (Cas No. 107-22-2)	01300 00500	GB	500 ml	29121930	18
Assay : Min. 40% $C_2H_2O_2$ M.W. 58.04, Liquid, d. 1.265	01300 02500	GB	2.5 Lt	29121930	18
Glyoxal-Bis-(2-Hydroxyanil) See 1,2-bis (2-Hydroxyphenylimino) Ethane See Page No. 24					
Gold AAS Standard Solution	01300A 00125	GB	125 ml	38220090	12
1000mg/L in Hydrochloric Acid Liquid, d. 1.033	01300A 00500	GB	500 ml	38220090	12
Gold ICP Standard Solution 1000mg/L in hydrochloric Acid	01300B 00125	GB	125 ml	38220090	12
Liquid, d. 1.033					
Gold Chloride See Auric Chloride See Page No. 18					
Glyoxaline See Imidazole Page No. 83					
Gower's Solution (R.B.C. diluting fluid)	01301 00500	PB	500 ml	38220090	12
Gram's Iodine (For Microscopy)	01302 00025	GB	25 gm	38220090	12
(Cas No. 12298-68-9)	01302 00100	GB	100 gm	38220090	12
Gram's Iodine	01303 00125	GB	125 ml	38220090	12
Staining solution Liquid, d.1.027	01303 00500	GB	500 ml	38220090	12
Gram's Staining Kit (each 125 ml stain solution)	01304 KIT01	GB	Kit	38220090	12
Graphite Powder (Cas No. 7782-42-5)	01305 00500	PC	500 gm	38011000	18
Assay : Min. 99% C M.W. 12.01					
Groundnut Oil (Cas No. 8002-03-7) Liquid, d. 0.91	01305A 00500	GB	500 ml	15162021	5
Guaiacol (liquid) (Cas No. 90-05-1) (o-methoxy phenol)	01306 00500	GB	500 ml	29095010	18
Assay : Min. 99% $C_7H_8O_2$ M.W. 124.14, Liquid, d. 1.129					
Guanidine Carbonate (Cas No. 593-85-1)	01307 00500	PB	500 gm	29252990	18
(Guanidinium carbonate)	01307 00100	PB	100 gm	29252990	18
Assay : Min. 98% $C_3H_{12}N_6O_3$ M.W. 180.17					
Guanidine Hydrochloride (for biochemistry)	01308 00100	PB	100 gm	29252990	18
(Cas No. 50-01-1) (guanidium chloride)	01308 00500	PB	500 gm	29252990	18
Assay : Min. 99% $CH_5N_3.HCl$ M.W. 95.53					
Guanidine Nitrate (Cas No. 506-93-4) (guanidinium nitrate)	01309 00500	PB	250 gm	29252910	18
Assay : Min. 98% $CH_5N_3.HNO_3$ M.W. 122.08					
Guanidine Thiocyanate (for molecular biology)	01310 00100	PB	100 gm	29252990	18
(Cas No. 593-84-0) (guanidinium rhodanide)	01310 00500	PB	500 gm	29252990	18
Assay : Min. 99% $CH_5N_3.CHNS$ M.W. 118.16					
Guanine (for Molecular Biology) (Cas No. 73-40-5)	01311 00005	GB	5 gm	29335990	18
Assay : Min. 98% $C_5H_5N_5O$ M.W. 151.13	01311 00025	GB	25 gm	29335990	18
(Store at 2-8°C)					
Guanine Hydrochloride (Cas No. 635-39-2)	01312 00005	GB	5 gm	29252990	18
Assay : Min. 99% $C_5H_5N_5O.HCl$ M.W. 187.59	01312 00025	GB	25 gm	29252990	18
(Store at 2-8°C)	01312 00100	GB	100 gm	29252990	18
Guanosine (for biochemistry)	01313 00010	GB	10 gm	29349900	18
(Cas No. 118-00-3)	01313 00025	PB	25 gm	29349900	18
Assay : Min. 99% $C_{10}H_{13}N_5O_5$ M.W. 283.25	01313 00100	PB	100 gm	29349900	18
Gum Acacia See Acacia Page No. 1					
Gum Ghatti Extra Pure	01314 00100	PB	100 gm	13019049	5
(Cas No. 9000-28-6)	01314 00500	PB	500 gm	13019049	5
Gum Ghatti Solution	01315 00125	PB	125 ml	13019049	5
	01315 00500	PB	500 ml	13019049	5

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Gum Guar Extra Pure (Cas NO. 9000-30-0)	01316 00500	PB	500 gm	13023230	5
Gum Karaya Extra pure (Cas No. 9000-36-6) (karaya gum)	01316A 00500	PB	500 gm	13019016	5
	01316A 02500	PB	2.5 kg	13019016	5
Gum Locust Bean (Cas No. 9000-40-2) (locust bean gum)	01316B 00025	PB	25 gm	13023900	18
	01316B 00100	PB	100 gm	13023900	18
Gum Tragacanth (Cas No. 9000-65-1) (tragacanth gum powder)	01317 00500	PB	500 gm	13019017	5
Gum Xanthan Extra Pure (food grade) See Xanthan Gum Page No. 168					

H

HABA for automatic analysis (Cas No. 1634-82-8) [2-(4-hydroxybenzeneazo)-(benzoic acid) Assay : Min. 98% $C_{13}H_{10}N_2O_3$ M.W. 242.23	01318 00005	GB	5 gm	29270090	18
	01318 00025	GB	25 gm	29270090	18
HATU Extra Pure for Peptide Synthesis (Cas No. 148893-10-1) [O-(7-azobenzotriazol-1-yl) N,N,N'-Tetramethyluronium Hexafluorophosphate Assay : Min. 98% $C_{10}H_{15}F_6N_6OP$ M.W. 380.23 (Store at 2-8°C)	01319 00001	GB	1 gm	29339900	18
	01319 00005	GB	5 gm	29339900	18
Hayem's Solution Liquid, d. 1.014	01320 00125	GB	125 ml	38220090	12
	01320 00500	GB	500 ml	38220090	12
HBTU For Peptide Synthesis (Cas No. 94790-37-1) [O-(benzotriazol-1-yl) N,N,N'-Tetramethyluronium Hexafluorophosphate Assay : Min. 97% $C_{11}H_{16}F_6N_5OP$ M.W. 379.2 (Store at 2-8°C)	01321 00005	GB	5 gm	29339900	18
	01321 00025	PB	25 gm	29339900	18
	01321 00100	PB	100 gm	29339900	18
Hematoxylin Stain (certified) (Cas No. 517-28-2) (for microscopy) (C.I. No. 75290) (anhys basis) Dye Content : Min. 95% $C_{16}H_{14}O_6 \cdot xH_2O$ M.W. 302.28	01323 00005	GB	5 gm	32030090	18
	01323 00025	PB	25 gm	32030090	18
Hematoxylin (Delafield) Staining solution Liquid, d.1.00-1.04	01324 00125	PB	125 ml	38220090	12
	01324 00500	PB	500 ml	38220090	12
Hematoxylin (Ehrlich) Staining solution Liquid, d.1.00-1.04	01325 00125	PB	125 ml	38220090	12
	01325 00500	PB	500 ml	38220090	12
Hematoxylin (Harris) staining solution (papanicolaous solution 1 a)	01326 00125	PB	125 ml	38220090	12
	01326 00500	PB	500 ml	38220090	12
Hematoxylin (mayer's) staining solution (hemalum mayer's)	01327 00125	PB	125 ml	38220090	12
	01327 00500	PB	500 ml	38220090	12
Hemoglobin Powder (as protease substrate) (Cas No. 9008-02-0)	01328 00100	PB	100 gm	30021099	12
	01328 00500	PB	500 gm	30021099	12
Heparin Sodium Extra Pure 20,000 IU/Vial (Cas No. 9041-08-1) (store in refrigerator)	01329 VAL01	GB	Vial	30019099	12
Heparin Sodium Extra Pure 1,00,000 IU/Vial (Cas No. 9041-08-1) (store in refrigerator)	01330 VAL01	GB	Vial	30019099	12
HEPES (For Molecular Biology) (Cas No. 7365-45-9) (good zwitteruonic buffer substance) [4-(2-hydroxyethyl)-1-Piperazineethanesulphonic Acid) Assay : Min. 99% $C_8H_{18}N_2O_4S$ M.W. 238.30	01331 00005	GB	5 gm	29335990	18
	01331 00025	PB	25 gm	29335990	18
	01331 00100	PB	100 gm	29335990	18
	01331 00500	PB	500 gm	29335990	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
HEPES Buffer Solution	01332 00125	PB	125 ml	29335990	18
1 M Solution in Water, Liquid.d.1.070	01332 00500	PB	500 ml	29335990	18
Heptane 85% (fraction from petroleum) (Cas No. 142-82-5)	01333 00500	GB	500 ml	2990	18
Assay : Min. 85% C ₇ H ₁₆ M.W. 100.20, Liquid, d. 0.685	01333 02500	GB	2.5 Lt	2990	18
n-Heptane 99% (for synthesis) (Cas No. 142-82-5)	01334 00500	GB	500 ml	29011000	18
Assay : Min. 99% C ₇ H ₁₆ M.W. 100.20, Liquid, d. 0.685	01334 02500	GB	2.5 Lt	29011000	18
n-Heptane AR (Cas No. 142-82-5)	01335 00500	GB	500 ml	29011000	18
Assay : Min. 99% C ₇ H ₁₆ M.W. 100.20, Liquid, d. 0.685	01335 02500	GB	2.5 Lt	29011000	18
n-Heptane HPLC & SPECTROSCOPY (Cas No. 142-82-5)	01336 01000	GB	1Lt	29011000	18
Assay : Min. 99.5% C ₇ H ₁₆ M.W. 100.20, Liquid, d. 0.685					
1-Heptanesulphonic Acid Sodium Salt AR & HPLC (anhydrous)	01337 00025	PB	25 gm	29041090	18
(sodium-1-heptansulphonate) (Cas No. 22767-50-6)	01337 00100	PB	100 gm	29041090	18
Assay : Min. 99% C ₇ H ₁₅ O ₃ Na M.W. 202.25					
1-Heptanesulphonic Acid Sodium Salt AR & HPLC (monohydrate)	01338 00005	GB	5 gm	29041090	18
(sodium-1-heptansulphonate) (Cas No. 207300-90-1)	01338 00025	PB	25 gm	29041090	18
Assay : Min. 99% C ₇ H ₁₅ NaO ₃ ·H ₂ O M.W. 220.26	01338 00100	PB	100 gm	29041090	18
n-Heptanol (for synthesis) (Cas No. 111-70-6)	01339 00500	GB	500 ml	29051990	18
(heptan-1-ol) (n-heptyl alcohol)	01339 02500	GB	2.5 Lt	29051990	18
Assay : Min. 99% C ₇ H ₁₆ O M.W. 116. 20, Liquid, d. 0.823					
n-Heptanol AR (Cas No. 111-70-6) (heptan-1-ol)	01340 00500	GB	500 ml	29051990	18
(n-heptyl alcohol)	01340 02500	GB	2.5 Lt	29051990	18
Assay : Min. 99.5% C ₇ H ₁₆ O M.W. 116. 20, Liquid, d. 0.823					
1-Hexadecane Sulphonic Acid Sodium Salt AR & HPLC (Cas No.15015-81-3) (anhydrous) (sodium 1-hexadecanesulphonate)	01341 00005	GB	5 gm	29041090	18
Assay : Min. 98% C ₁₆ H ₃₃ NaO ₃ S M.W. 328.49	01341 00025	PB	25 gm	29041090	18
	01341 00100	PB	100 gm	29041090	18
1-Hexadecanol See Cetyl Alcohol Page No. 40					
Hexamethyldisilazane (Cas No. 999-97-3)	01342 00100	GB	100 ml	29319090	18
(bis(trimethylsilyl)amine)	01342 00500	GB	500 ml	29319090	18
Assay : Min. 98% C ₆ H ₁₉ NSi ₂ M.W. 161.39, Liquid, d. 0.774					
Hexamethyl disiloxane (for synthesis) (Cas No. 107-46-0)	01343 00100	GB	100 ml	29319090	18
Assay : Min. 99% C ₆ H ₁₈ OSi ₂ M. W. 162.38 Liquid, d. 0.764	01343 00500	GB	500 ml	29319090	18
Hexamethylphosphoric Acid Triamide (Cas No. 680-31-9)	01344 00100	GB	100 ml	29299090	18
(HMPA)	01344 00500	GB	500 ml	29299090	18
Assay : Min. 98%[(CH ₃) ₂ N] ₃ PO M.W. 179.20, Liquid, d. 1.03					
Hexamine (Cas No. 100-97-0) (hexamethylene tetramine)	01345 00500	PB	500 gm	29212910	18
Assay : Min. 99% C ₆ H ₁₂ N ₄ M.W. 140.19	01345 05000	PC	5 kg	29212910	18
Hexamine AR (Cas No. 100-97-0) (hexamethylene tetramine)	01346 00500	PB	500 gm	29212910	18
Assay : Min. 99.5% C ₆ H ₁₂ N ₄ M.W. 140.19					
Hexachloro Platinic Acid See Platinum Chloride Page No. 120					
Hexane 65-70°C (Cas No. 110-54-3) (fraction from petroleum)	01347 00500	GB	500 ml	2990	18
Assay : Min. 85% C ₆ H ₁₄ M.W. 86.18, Liquid, d. 0.659	01347 02500	GB	2.5 Lt	2990	18
Hexan 65-70°C AR (Cas No. 110-54-3) (fraction from petroleum)	01347A 00500	GB	500 ml	2990	18
Assay : Min. 85% C ₆ H ₁₄ M.W. 86. 18, Liquid, d. 0.659	01347A 02500	GB	2.5 Lt	2990	18
n-Hexane 95% (for synthesis) (Cas No. 110-54-3)	01348 00500	GB	500 ml	29011000	18
Assay : Min. 95% C ₆ H ₁₄ M.W. 86.18, Liquid, d. 0.659	01348 02500	GB	2.5 Lt	29011000	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
n-Hexane (for synthesis) (Cas No. 110-54-3)	01349 00500	GB	500 ml	29011000	18
Assay : Min. 99% C ₆ H ₁₄ M.W. 86.18, Liquid, d. 0.659	01349 02500	GB	2.5 Lt	29011000	18
n-Hexane AR (Cas No. 110-54-3)	01350 00500	GB	500 ml	29011000	18
Assay : Min. 99% C ₆ H ₁₄ M.W. 86.18, Liquid, d. 0.659	01350 02500	GB	2.5 Lt	29011000	18
1-Hexanesulphonic Acid Sodium Salt AR & HPLC (anhydrous) (Cas No. 2832-45-3) (sodium-1-hexanesulphonate)	01352 00025	PB	25 gm	29041090	18
Assay : Min. 98% C ₆ H ₁₃ NaO ₃ S M.W. 188.22	01352 00100	PB	100 gm	29041090	18
1-Hexanesulphonic Acid Sodium Salt AR & HPLC (Cas No. 207300-91-2) (sodium-1-hexanesulphonate)	01353 00005	GB	5 gm	29041090	18
Assay: Min. 98% C ₆ H ₁₃ NaO ₃ S.H ₂ O M.W. 206.24 (monohydrate)	01353 00025	PB	25 gm	29041090	18
	01353 00100	PB	100 gm	29041090	18
n-Hexanol (for synthesis) (hexan-1-ol) (n-hexyl alcohol) (Cas No. 111-27-3)	01354 00005	PB	500 ml	29051990	18
Assay : Min. 98% C ₆ H ₁₄ O M.W. 102.18, Liquid, d. 0.814	01354 00025	PB	2.5 Lt	29051990	18
n-Hexanol AR (hexan-1-ol) (n-hexyl alcohol) (Cas No. 111-27-3)	01355 00500	GB	500 ml	29051990	18
Assay : Min. 99% C ₆ H ₁₄ O M.W. 102.18, Liquid, d. 0.814	01355 02500	GB	2.5 Lt	29051990	18
Hexylene Glycol (for synthesis) (Cas No. 107-41-5) (2-methylpentane-2,4-diol)	01356 00500	GB	500ml	29053990	18
Assay : Min. 99% C ₆ H ₁₄ O ₂ M.W. 118.17, Liquid, d. 0.925					
High Vacuum Silicon Grease See Silicone Grease Page No. 135					
Hippuric Acid (crystals) (Cas No. 495-69-2) (benzoylglycine)	01357 00100	PB	100 gm	29242990	18
Assay : Min. 98% C ₉ H ₉ NO ₃ M.W. 179.18	01357 00500	PB	500 gm	29242990	18
Hippuric Acid Sodium Salt (Cas No. 532-94-5) (sodium hippurate) (N-benzoglycine sodium salt)	01358 00025	PB	25 gm	29242990	18
Assay : Min. 99% C ₉ H ₈ NNaO ₃ .xH ₂ O M.W. 201.15 (anhy basis)	01358 00100	PB	100 gm	29242990	18
Histamine Dihydrochloride (Cas No. 56-92-8)	01359 00005	GB	5 gm	29333990	18
Assay : Min. 99% C ₅ H ₉ N ₃ .2HCl M.W. 184.07	01359 00025	GB	25 gm	29333990	18
L-Histidine (Cas No. 71-00-1) (for biochemistry)	01360 00025	PB	25 gm	29332990	18
Assay : Min. 99% C ₆ H ₉ N ₃ O ₂ M.W. 155.15	01360 00100	PB	100 gm	29332990	18
	01360 00500	PB	500 gm	29332990	18
L-Histidine hydrochloride Monohydrate (Cas No. 5934-29-2) (for biochemistry)	01361 00025	PB	25 gm	29332990	18
Assay : Min. 99% C ₆ H ₁₀ ClN ₃ O ₂ .H ₂ O M.W. 209.63	01361 00100	PB	100 gm	29332990	18
	01361 00500	PB	500 gm	29332990	18
Holmium Oxide (Cas No. 12055-62-8) [holmium (III) oxide]	01362 00005	GB	5 gm	28469090	18
Assay : Min. 99.9% Ho ₂ O ₃ M.W. 377.88	01362 00025	GB	25 gm	28469090	18
Humic Acid (Metal Chelator) (Cas No. 1415-93-6)	01363 00500	PB	500 gm	31059090	12
	01363 05000	PC	5 kg	31059090	12
Hyamine 1622 (for tensile test) (Cas No. 121-54-0) (benzethonium chloride)	01364 00025	PB	25 gm	29239000	18
Assay : Min. 99% C ₂₇ H ₄₂ ClNO ₂ M.W. 448.08	01364 00100	PB	100 gm	29239000	18
Hyamine 1622 Solution 0.004M (store at 2 – 8oC) Liquid, d. 0.998 (Store at 2 - 8°C)	01365 00500	GB	500 ml	29239000	18
	01363 05000	GB	5 Lt	29239000	18
Hyamine 1622 Solution 0.004M (0.004N) Standardized Solution (Store at 2 - 8°C) Liquid, d.0.998	01366 00500	GB	500 ml	29239000	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Hyamine 1622 Solution 0.04M (0.04N) Liquid, d. 0.998 Standardized Solution (Store at 2 - 8°C)	01367 00500	GB	500 ml	29239000	18
Hydrazine Hydrate 80% (for synthesis) (Cas No. 7803-57-8) Assay : Min. 80% $H_4N_2.H_2O$ M.W. 50.06, Liquid, d. 1.032	01368 00500	GB	500 ml	28251020	18
	01368 02500	GB	2.5 Lt	28251020	18
Hydrazine Hydrate 80% AR (Cas No. 7803-57-8) Assay : Min. 80% $H_4N_2.H_2O$ M.W. 50.06, Liquid, d. 1.032	01369 00500	GB	500 ml	28251020	18
	01369 02500	GB	2.5 Lt	28251020	18
Hydrazine Hydrate 99% (for synthesis) (Cas No. 7803-57-8) Assay : Min. 99% $H_4N_2.H_2O$ M.W. 50.06, Liquid, d. 1.032	01370 00500	GB	500 ml	28251020	18
Hydrazine Hydrate 99% AR (Cas No. 7803-57-8) Assay : Min. 99% $H_4N_2.H_2O$ M.W. 50.06, Liquid, d. 1.032	01371 00500	GB	500 ml	28251020	18
Hydrazine Hydrochloride (Cas No. 5341-61-7) (hydrazine chloride) (hydrazinium chloride) Assay : Min. 99% $N_2H_4.2HCl$ M.W. 104.97	01372 00100	PB	100 gm	28251090	18
	01372 00500	PB	500 gm	28251090	18
Hydrazine Sulphate (Cas No. 10034-93-2) (hydrazinium sulphate) Assay : Min. 98% $N_2H_6.SO_4$ M.W. 130.12	01373 00100	PB	100 gm	28251030	18
	01373 00500	PB	500 gm	28251030	18
Hydrazine Sulphate AR (Cas No. 10034-93-2) (hydrazinium sulphate) Assay : Min. 99% $N_2H_6.SO_4$ M.W. 130.12	01374 00100	PB	100 gm	28251030	18
	01374 00500	PB	500 gm	28251030	18
Hydriodic Acid AR (about 57% HI) (Cas No. 10034-85-2) HI Assay : Min. 55% HI M.W. 127.91 Liquid, d. 1.701	01375 00100	GB	100 ml	28111990	18
	01375 00250	GB	250 ml	28111990	18
	01375 00500	GB	500 ml	28111990	18
HYDRO See Sodium Dithionite Page No. 141					
Hydrobromic Acid 48% (Cas No.10035-10-6) (hydrogen bromide) Assay : Min. 46-48% HBr M.W. 80.91, Liquid, d. 1.49	01376 00500	GB	500 ml	28111990	18
	01376 02500	GB	2.5 Lt	28111990	18
Hydrobromic Acid 48% AR (Cas No. 10035-10-6) (hydrogen bromide) Assay : Min. 47-49% HBr M.W. 80.91, Liquid, d. 1.049	01377 00500	GB	500 ml	28111990	18
	01377 02500	GB	2.5 Lt	28111990	18
Hydrobromic Acid Solution (in glacial acetic acid 33% w/v HBr) Liquid, d. 1.040	01378 00500	GB	500 ml	38220090	12
Hydrochloric Acid 35-38% (Cas No. 7647-01-0) Assay : Min. 35-38% HCl M.W. 36.46, Liquid, d. 1.2	01379 00500	GB	500 ml	28061000	18
	01379 02500	GB	2.5 Lt	28061000	18
	01379 05000	PC	5 Lt	28061000	18
Hydrochloric Acid 35.4% AR (Cas No. 7647-01-0) Assay : Min. 35.4% HCl M.W. 36.46, Liquid, d. 1.2	01380 00500	GB	500 ml	28061000	18
	01380 02500	GB	2.5 Lt	28061000	18
	01380 05000	PC	5 Lt	28061000	18
Hydrochloric Acid N/10 (0.1N solution for volumetric analysis), Liquid, d.1.0	01380A 00500	PB	500 ml	38220090	12
Hydrochloric Acid 0.01M Solution Liquid, d.1.0	01381 00500	PB	500 ml	38220090	12
Hydrochloric Acid 0.5N Solution Liquid, d.1.01	01382 00500	PB	500 ml	38220090	12
Hydrochloric Acid 1N Solution Liquid, d.1.02	01383 00500	PB	500 ml	38220090	12
Hydrochloric Acid 0.05M (0.05N) Standardized Solution Liquid, d.1.0	01384 00500	PB	500 ml	38220090	12
Hydrochloric Acid 0.25M (0.25N) Standardized Solution Liquid, d.1.1	01385 00500	PB	500 ml	38220090	12

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Hydrochloric Acid 0.2M (0.2N) Standardized Solution Liquid, d.1.005	01386 00500	PB	500 ml	38220090	12
Hydrochloric Acid 2M (2N) Standardized Solution Liquid, d.1.03	01387 00500	PB	500 ml	38220090	12
Hydrochloric Acid 5M (5N) Standardized Solution Liquid, d.1.1	01388 00500	PB	500 ml	38220090	12
Hydrochloric Acid 6M (6N) Standardized Solution	01389 00500	PB	500 ml	38220090	12
Hydrochloric Acid 0.1 mol/L (0.1N) For 500 ML Solution 2x2 Amps. of 14	02903 AMP	AMP	4 Amp.	38220090	12
Hydrocortisone Acetate Extra pure (Cas No. 50-03-3) Assay : Min. 97% $C_{23}H_{32}O_6$ M.W. 404.51	01391 00001	GB	1 gm	29372900	18
	01391 00005	GB	5 gm	29372900	18
Hydrofluoric Acid 40% (for glass etching) (Cas No. 7664-39-3) Assay : Min. 39-43% HF M.W. 20.01 Liquid, d. 1.15	01392 00500	PB	500 ml	28111100	18
Hydrofluoric Acid 48% AR (Cas No. 7664-39-3) Assay : Min. 48% HF M.W. 20.01, Liquid, d. 1.15	01393 00500	PB	500 ml	28111100	18
Hydrofluoric Acid 48% (electronic grade) (Cas No. 7664-39-3) Assay : Min. 60% HF M.W. 20.01, Liquid, d. 1.15	01394 00500	PB	500 ml	28111100	18
Hydrogen Peroxide (20 Vol.) solution (6% w/v H_2O_2) (Cas No. 7722-84-1) Assay : Min. 6% H_2O_2 M.W. 34.01, Liquid, d. 1.135-1.145	01395 01000	PB	1 Lt	28470000	18
Hydrogen Peroxide (100 Vol.) solution (30% w/v H_2O_2) (Cas No. 7722-84-1) Assay : Min. 30% H_2O_2 M.W. 34.01, Liquid, d. 1.135-1.145	01396 00500	PB	500 ml	28470000	18
Hydrogen Peroxide 50% W/W Solution (Cas No. 7722-84-1) (d. 1.20)	01396A 00500	PB	500 ml	28470000	18
Hydrogen Peroxide (100 Vol.) AR (30% w/v H_2O_2) (Cas No. 7722-84-1) Assay : Min. 30% H_2O_2 M.W. 34.01, Liquid, d. 1.135-1.145	01397 00500	PB	500 ml	28470000	18
Hydrogen Sulphide solution	01398 00500	GB	500 ml	38220090	12
Hydroquinone (for synthesis) (quinol) (Cas No. 123-31-9) Assay : Min. 99% $C_6H_6O_2$ M.W. 110.11	01399 00100	PB	100 gm	29072200	18
	01399 00500	PB	500 gm	29072200	18
Hydroquinone AR (quinol) (Cas No. 123-31-9) Assay : Min. 99% $C_6H_6O_2$ M.W. 110.11	01400 00100	PB	100 gm	29072200	18
	01400 00500	PB	500 gm	29072200	18
Hydroquinone Dimethyl Ether (for synthesis) (Cas No. 150-78-7) (1,4-dimethoxybenzene) Assay : Min. 99% $C_8H_{10}O_2$ M.W. 138.17	01401 00250	PB	250 gm	29093090	18
	01401 01000	PB	1 kg	29093090	18
Hydroquinone Monomethyl Ether (Cas No. 150-76-5) (MEHQ) (4-methoxyphenol) Assay : Min. 99% $C_7H_8O_2$ M.W. 124.14	01402 00100	PB	100 gm	29094900	18
	01402 00250	PB	250 gm	29094900	18
m-Hydroxy Acetophenone (for synthesis) (Cas No. 121-71-1) (3-hydroxyacetophenone) Assay : Min. 96% $C_8H_8O_2$ M.W. 136.15	01403 00025	PB	25 gm	29145000	18
	01403 00100	PB	100 gm	29145000	18
o-Hydroxy Acetophenone (Cas No. 118-93-4) (2-hydroxyacetophenone) Assay : Min. 98% $C_8H_8O_2$ M.W. 136.15, Liquid, d. 1.131	01404 00100	GB	100 ml	29143990	18
	01404 00500	GB	500 ml	29143990	18
p-Hydroxy Acetophenone (For Synthesis) (Cas No. 99-93-4) 4-Hydroxy Acetophenone) Assay : Min. 98% $C_8H_8O_2$ M.W. 136.15	01405 00100	GB	100 ml	29145000	18
	01405 00500	GB	500 ml	29145000	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
p-Hydroxy Azobenzene (Cas No. 1689-82-3) Assay : Min. 98% $C_{12}H_{10}N_2O$ M.W. 198.22	01406 00025	GB	25 gm	29181190	18
o-Hydroxy Benzaldehyde See Salicylaldehyde Page No. 133					
p-Hydroxy Benzaldehyde (Cas No. 123-08-0) (4-hydroxy benzaldehyde) Assay : Min. 98% $C_7H_6O_2$ M.W. 122.12	01407 00100	PB	100 gm	29124999	18
	01407 00250	PB	250 gm	29124999	18
p-Hydroxy Benzoic Acid (for synthesis) (Cas No. 99-96-7) (4-hydroxy benzoic acid) Assay : Min. 98% $C_7H_6O_3$ M.W. 138.12	01408 00100	PB	100 gm	29182990	18
	01408 00500	PB	500 gm	29182990	18
1-Hydroxy Benzotriazole (anhydrous) (for synthesis) (Cas No. 2592-95-2) Assay : Min. 99% $C_6H_5N_3O$ M.W. 135.12	01409 00100	PB	100 gm	29339900	18
	01409 00250	PB	250 gm	29339900	18
p-Hydroxy Diphenyl (Cas No. 92-69-3) Assay : Min. 97% $C_{12}H_{10}O$ M.W. 170.21	01410 00100	PB	100 gm	29072990	18
	01410 00500	PB	500 gm	29072990	18
Hydroxy Ethyl Cellulose (high viscosity) (for synthesis) (Cas No. 9004-62-0) (ethyl hydroxyl cellulose)	01411 00100	PB	100 gm	39123919	18
	01411 00500	PB	500 gm	39123919	18
Hydroxy Ethyl Cellulose (Low Viscosity) (145 m Pas) (Cas No. 9004-62-0)	01412 00500	PB	500 gm	39123919	18
2-Hydroxy Ethyl Methacrylate Extra Pure (Cas No. 868-77-9) Assay : Min. 96.5% $C_6H_{10}O_3$ M.W. 130.14, Liquid, d. 1.073 (Store at 2 - 8°C)	01413 00500	PB	500 ml	29161320	18
2-Hydroxy-1-(2-Hydroxy-4-Sulpho-1-Naphthylazo)-3-Naphthoic Acid AR See Patton & Reeder's Reagent Page No. 114					
Hydroxylamine Hydrochloride (for synthesis) (Cas No. 5470-11-1) (hydroxyl ammonium chloride) Assay : Min. 98% H_4ClNO M.W. 69.49	01414 00100	PB	100 gm	28251090	18
	01414 00500	PB	500 gm	28251090	18
Hydroxylamine Hydrochloride AR (Cas No. 5470-11-1) (hydroxyl ammonium chloride) Assay : Min. 99% H_4ClNO M.W. 69.49	01415 00100	PB	100 gm	28251090	18
	01415 00500	PB	500 gm	28251090	18
Hydroxylamine Sulphate (Cas No. 10039-54-0) (hydroxyl ammonium sulphate) Assay : Min. 99.% $H_8N_2O_6S$ M.W. 164.13	01416 00100	PB	100 gm	28251040	18
	01416 00500	PB	500 gm	28251040	18
Hydroxylamine Sulphate AR (Cas No. 10039-54-0) (hydroxyl ammonium sulphate) Assay : Min. 99.9% $H_8N_2O_6S$ M.W. 164.13	01417 00100	PB	100 gm	28251040	18
	01417 00500	PB	500 gm	28251040	18
4-Hydroxy-4-Methyl Pentan-2-One See Diacetone Alcohol Page No. 53					
Hydroxy Naphthol Blue (Cas No. 63451-35-4) (indicator for calcium determination) $C_{20}H_{11}N_2Na_3O_{11}S_3$ M.W. 620.48	01418 00005	GB	5 gm	29270090	18
	01418 00025	GB	25 gm	29270090	18
	01418 00100	PB	100 gm	29270090	18
2-Hydroxy-1-Nitroso-3, 6-Naphthalene Disulphonic Acid Sodium Salt AR See Nitroso R Salt Page No. 110					
L-Hydroxyproline (Cas No. 51-35-4) (for biochemistry) Assay : Min. 99% $C_5H_9NO_3$ M.W. 131.13	01419 00005	GB	5 gm	29339900	18
	01419 00025	GB	25 gm	29339900	18
	01419 00100	PB	100 gm	29339900	18
Hydroxy Propyl Methyl Cellulose (Cas No. 9004-65-3) (HPMC) E 50 Lv Premium (Confirming to USP)	01420 01000	PB	1kg	39123929	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Hydroxy Propyl Methyl Cellulose (Cas No. 9004-65-3) (HPMC) E 15 Lv Premium (Confirming to USP)	01421 01000	PB	1kg	39123929	18
8-Hydroxyquinoline (Cas No. 148-24-3) (oxine) Assay : Min. 99% C ₈ H ₇ NO M.W. 145.16	01422 00100	PB	100 gm	29333990	18
	01422 00500	PB	500 gm	29333990	18
8-Hydroxyquinoline AR (Cas No. 148-24-3) (oxine) Assay : Min. 99% C ₈ H ₇ NO M.W. 145.16	01423 00100	PB	100 gm	29333990	18
	01423 00500	PB	500 gm	29333990	18
n-Hydroxy Succinimide (Cas No. 6066-82-6) (reagent for peptide synthesis) (1-hydroxy-2, 5-pyrrolidinedione) Assay : Min. 98% C ₄ H ₅ NO ₃ M.W. 115.09 (Store at 2 – 8°C)	01424 00025	PB	25 gm	29251900	18
	01424 00100	PB	100 gm	29251900	18
	01424 00500	Pb	500 gm	29251900	18
Hyflo Super-Cel (filter aid)	01425 00500	PB	500 gm	25120090	5
Hypo See Sodium Thiosulphate Page No. 148					
Hypo Bromide Solution Liquid, d. 3.37 (Sodium hypobromide solution)	01425A 00500	GB	500 ml	28275110	18
Hypo Bromite Solution Liquid, d. 1.0 (Sodium hypobromite Solution)	01425B 00500	GB	500 ml	38220090	12
Hypoiodide Solution Liquid, d. 0.8 (Sodium hypoiodide Solution)	01425B 00500	GB	500 ml	38220090	12
Hypophosphorous Acid 30-32% (Cas No. 6303-21-5) Assay : Min. 30-32% HPH ₂ O ₂ M.W. 66.0, Liquid, d.1.21-1.26	01426 00500	GB	500 ml	28111920	18
Hypoxanthine (for biochemistry) (Cas No. 68-94-0) Assay : Min. 99% C ₅ H ₄ N ₄ O M.W. 136.11	01427 00005	GB	5 gm	29335990	18
	01427 00025	GB	25 gm	29335990	18
	01427 00100	GB	100 gm	29335990	18

Imidazole (Cas No. 288-32-4) (glyoxaline) Assay : Min. 99% C ₃ H ₄ N ₂ M.W. 68.08	01428 00100	PB	100 gm	29332990	18
	01428 00500	PB	500 gm	29332990	18
Imidazole AR (For Molecular Biology) (Cas No. 288-32-4) Assay : Min. 99.5% C ₃ H ₄ N ₂ M.W. 68.08 (glyoxaline)	01429 00100	PB	100 gm	29332990	18
	01429 00500	PB	500 gm	29332990	18
Iminodiacetic Acid (for synthesis) (Cas No. 142-73-4) Assay : Min. 98% C ₄ H ₇ NO ₄ M.W. 133.10	01430 00250	PB	250 gm	29224990	18
	01430 00500	PB	500 gm	29224990	18
Immersion Oil See Cedarwood Oil Page No. 39					
Indicator Paper pH 1-10 See Universal Indicator paper Page No. 165					
Indicator Paper (specific range) pH 2.0-4.5 (with colour scale)	01431 10Bks	CB	10 bks	38220090	12
Indicator Paper (specific range) pH 3.5-6.0 (with colour scale)	01432 10Bks	CB	10 bks	38220090	12
Indicator Paper (specific range) pH 5.0-7.5 (with colour scale)	01433 10Bks	CB	10 bks	38220090	12
Indicator Paper (specific range) pH 6.5-9.0 (with colour scale)	01434 10Bks	CB	10 bks	38220090	12
Indicator Paper (specific range) pH 8.0-10.5 (with colour scale)	01435 10Bks	CB	10 bks	38220090	12
Indicator Paper (wide range) pH 2.0-10.5 (with colour scale)	01436 10Bks	CB	10 bks	38220090	12
Indicator Paper (full range) pH 1.0-14.0 (with colour scale)	01437 10Bks	CB	10 bks	38220090	12
Indigo Carmine AR (Cas No. 860-22-0) (C.I. No. 73015) C ₁₆ H ₈ N ₂ Na ₂ O ₈ S ₂ M.W. 466.35	01438 00025	PB	25 gm	32049000	18
	01438 00100	PB	100 gm	32049000	18
	01438 00500	PB	500 gm	32049000	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Indigo Carmine staining solution	01439 00125	PB	125 ml	32041219	18
	01439 00500	PB	500 ml	32041219	18
Indium AAS Standard Solution 1000mg/L in Nitric Acid, Liquid, d. 1.02	01440 00125	PB	125 ml	38220090	12
	01440 00500	PB	500 ml	38220090	12
Indium ICP Standard Solution 1000mg/L in Nitric Acid, Liquid, d. 10.14	01440A 00125	PB	125 ml	38220090	12
Indole (crystalline) AR (Cas No. 120-72-9) (2, 3-benzopyrrole) Assay : Min. 99% C ₈ H ₇ N M.W. 117.15	01441 00010	GB	10 gm	29339900	18
	01441 00100	PB	100 gm	29339900	18
Indole-3-Acetic Acid (IAA) (Cas No. 87-51-4) (plant growth hormone) (for biochemistry) Assay : Min. 99% C ₁₀ H ₉ NO ₂ M.W. 175.19	01442 00005	GB	5 gm	29339900	18
	01442 00025	PB	25 gm	29339900	18
	01442 00100	PB	100 gm	29339900	18
Indole-3-Butyric Acid (IBA) (Cas No. 133-32-4) (for biochemistry) (plant growth hormone) Assay : Min. 99% C ₁₂ H ₁₃ NO ₂ M.W. 203.24	01443 00005	GB	5 gm	29339900	18
	01443 00025	PB	25 gm	29339900	18
	01443 00100	PB	100 gm	29339900	18
Indole-3-Carboxylic Acid AR (for biochemistry) (Cas No. 771-50-6) Assay : Min. 99% C ₉ H ₇ NO ₂ M.W. 161.16	01444 00001	GB	1 gm	29339900	18
	01444 00005	GB	5 gm	29339900	18
Inosine (for biochemistry) (Cas No. 58-63-9) (hypoxanthine-9-d-ribofurnoside) Assay : Min. 99% C ₁₀ H ₁₂ N ₄ O ₅ M.W. 268.23	01445 00005	GB	5 gm	29349900	18
	01445 00025	GB	25 gm	29349900	18
Meso-Inositol (Cas No. 87-89-8) (myo-inositol) Assay : Min. 99% C ₆ H ₁₂ O ₆ M.W. 180.16	01446 00025	PB	25 gm	29061390	18
	01446 00100	PB	100 gm	29061390	18
	01446 00500	PB	500 gm	29061390	18
	01446 01000	PB	1 kg	29061390	18
I.N.T. (For Molecular Biology) (Cas No. 146-68-9) [2-(4-iodophenyl)-3-(4-nitrophenyl)-5-phenyltetrazolium chloride] Assay : Min. 95% C ₁₉ H ₁₃ ClIN ₅ O ₂ M.W. 505.70 (Store at 2 - 8°C)	01447 00001	GB	1 gm	29036990	18
	01447 00005	GB	5 gm	29036990	18
Inulin (for biochemistry) (Cas No. 9005-80-5) (C ₆ H ₁₀ O ₅) _n	01448 00025	PB	25 gm	11082000	12
	01448 00100	PB	100 gm	11082000	12
Iodic Acid AR (Cas No. 7782-68-5) Assay : Min. 99.5% HIO ₃ M.W. 175.91	01449 00025	PB	25 gm	28111990	18
	01449 00100	PB	100 gm	28111990	18
Iodine (crystals) (resublimed) (Cas No. 7553-56-2) Assay : Min. 98.5% I ₂ M.W. 253.81	01450 00025	GB	25 gm	28012000	12
	01450 00100	GB	100 gm	28012000	12
	01450 00500	GB	500 gm	28012000	12
Iodine AR (crystals) (resublimed) (Cas No. 7553-56-2) Assay : Min. 99.8% I ₂ M.W. 253.81	01451 00025	GB	25 gm	28012000	12
	01451 00100	GB	100 gm	28012000	12
	01451 00500	GB	500 gm	28012000	12
Iodine Solution See Gram's Iodine Solution Page No. 75					
Iodine N/10 Solution (iodine 0.1N solution), Liquid, d. 1.02	01452 00125	GB	125 ml	38220090	12
	01452 00500	GB	500 ml	38220090	12
Iodine 0.02365M (0.0473N) Standardized Solution,	01453 00125	GB	125 ml	38220090	12
	01453 00500	GB	500 ml	38220090	12

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Iodine 0.5M (1N) Solution	01454 00125	GB	125 ml	38220090	12
Standardized Solution, Liquid, d. 1.22	01454 00500	GB	500 ml	38220090	12
Iodine 0.05 Mol/L (0.01N) Solution	01455 00125	GB	125 ml	38220090	12
Liquid, d. 1.22	01455 00500	GB	500 ml	38220090	12
Iodine 0.025 Mol/L (0.05N) Solution	01456 00125	GB	125 ml	38220090	12
Liquid, d. 1.02	01456 00500	GB	500 ml	38220090	12
Iodine 0.005 Mol/L (0.01N) Solution	01457 00125	GB	125 ml	38220090	12
Liquid, d. 1.03	01457 00500	GB	500 ml	38220090	12
Iodine 0.01 Normal Volumetric Solution	01458 00125	GB	125 ml	38220090	12
Liquid, d. 1.00	01458 00500	GB	500 ml	38220090	12
Iodine 1N (0.05M) Solution	01459 00125	GB	125 ml	38220090	12
Liquid, d. 1.22	01459 00500	GB	500 ml	38220090	12
Iodine Solution 0.05 mol/L (0.1N) Solution (When diluted to 500 ml with water) (Concn. Of Soution in each ampoule is 1N) (2x2 amps. Of set in a box)	02917 AMP04	AMP	4 Amp	38220090	12
Iodine Chloride See Iodine Monochloride Page No. 84					
Iodine Monochloride (for synthesis) (Cas No. 7790-99-0) (Iodine chloride) (HSN Code. 2812 9000) Assay : Min. 98% ICl M.W. 162.36	01460 00050	GB	50 gm	28129000	18
	01460 00100	GB	100 gm	28129000	18
Iodine Pentoxide AR (Cas No. 12029-98-0) Assay : Min. 99% I ₂ O ₅ M.W. 333.81	01461 00050	PB	25 gm	28112990	18
	01461 00100	PB	100 gm	28112990	18
Iodine Trichloride (for synthesis) (Cas No. 865-44-1) Assay : Min. 97% ICl ₃ M.W. 233.26	01462 00025	GB	25 gm	28121990	18
	01462 00100	GB	100 gm	28121990	18
Iodobenzene (for synthesis) (Cas No. 591-50-4) Assay : Min. 98% C ₆ H ₅ M.W. 204.01	01463 00100	PB	100 gm	29251900	18
	01463 00500	PB	500 gm	29251900	18
2-Iodobenzoic Acid (Cas No. 88-67-5) (o-iodobenzoic acid) Assay : Min. 98% C ₇ H ₅ IO ₂ M.W. 248.02	01464 00025	PB	25 gm	29163110	18
	01464 00100	PB	100 gm	29163110	18
Iodoeosin See Erythrosine B Page No. 64					
Iodoethane See Ethyl Iodide Page No. 68					
Iodoform Extra Pure (Cas No. 75-47-8) Assay : Min. 99-100.5% CHI ₃ M.W. 393.73	01465 00025	PB	25 gm	29033990	18
	01465 00100	PB	100 gm	29033990	18
	01465 00250	PB	250 gm	29033990	18
	01465 00500	PB	500 gm	29033990	18
Iodomethane See Methyl Iodide Page No. 101					
2-(4-Iodophenyl)-3-(4-Nitrophenyl)-(5-Phenyltetrazolim Chloride See I.N.T. Page No. 83					
Iodophor Liquid, d. 1.01	01466 05000	PC	5 Lt	38089400	18
Iodosuccinimide (for synthesis) (Cas No. 516-12-1) Assay : Min. Page 95% C ₄ N ₄ INO ₂ M.W. 224.98	01467 00025	PB	25 gm	29251900	18
	01467 00100	PB	100 gm	29251900	18
Iridium Trichloride (iridium content approx. 46%) (Cas No. 10025-83-9) Assay (Ir) : Min. 46% IrCl ₃ M.W. 298.58	01468 00001	GB	1 gm	28439019	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Iron AAS Standard Solution	01469 00125	GB	125 ml	38220090	12
1000 mg/L in Nitric Acid, Liquid, d. 1.015	01469 00500	GB	500 ml	38220090	12
Iron ICP Standard Solution 1000 mg/L in Nitric Acid, Liquid, d. 1.015	01469A 00125	GB	125 ml	38220090	12
Iron ICP Standard Solution 10000 mg/L in Nitric Acid, Liquid, d. 1.082	01469B 00125	GB	125 ml	38220090	12
Iron (metal) Filling (small pieces) (Cas NO. 7439-89-6) Assay : Min. 99.5% Fe A.W. 55.85	01470 00500	PB	500 gm	72039000	18
Iron (metal) Powder (Cas NO. 7439-89-6) (electrolytic grade, 250-300 mesh) Assay : Min. 99% Fe A.W. 55.85	01471 00500	PB	500 gm	72051019	18
Iron Allum See Ammonium Ferric Sulphate Page No. 12					
Iron Oxide See Ferric Oxide See Page No. 70					
Iron Sulphide See Ferrous Sulphide Page No. 70					
Iron (II) Sulphate 0.1M (0.1N) Standardized Solution, Liquid .d. 1.30	01472 00500	PB	500 ml	38220090	12
Isatin AR (Cas NO. 91-56-5) Assay : Min. 98% C ₈ H ₅ NO ₂ M.W. 147.14	01473 00025	PB	25 gm	29337900	18
	01473 00100	PB	100 gm	29337900	18
Iso butyraldehyde (for synthesis) (Cas NO. 78-84-2) (2-methyl propanal) Assay : Min. 99% C ₄ H ₈ O M.W. 72.10, Liquid, d. 0.79	01474 00100	GB	100 ml	29121990	18
	01474 00500	GB	500 ml	29121990	18
Isoniazide (Cas No. 54-85-3) (isonicotinic acid hydrazide) Assay : Min. 99% C ₆ H ₇ N ₃ O M.W. 137.14	01475 00100	PB	100 gm	29333999	18
	01475 00500	PB	500 gm	29333999	18
Isophorone (for synthesis) (Cas No. 78-59-1) (3,5,5-trimethyl-2-cyclohexane-1-one) Assay : Min. 99% C ₉ H ₁₆ O M.W. 138.21, Liquid, d. 0.923	01476 00500	GB	500 ml	29141910	18
	01476 02500	GB	2.5 Lt	29141910	18
Isophthalaldehyde (for synthesis) (Cas No. 626-19-7) Assay : Min. 98% C ₈ H ₆ O ₂ M.W. 134.13	01477 00100	PB	100 gm	29122990	18
Iso Propyl Alcohol See iso-Propyl Alcohol Page No. 129					
Isopropylamine See iso-Propylamine Page No. 129					
Isopropyl Ether See Di-Isopropyl Ether Page No. 58					
Iso Propyl Myristate See iso-propyl Myristate Page No. 130					
Iso Propyl b-D-1Thiogalactopyranoside (IPTG) (Cas No. 367-93-1) (for molecular biology) non metabolizable galactose analog Assay : Min. 99% C ₉ H ₁₈ O ₅ S M.W. 238.30	01478 0250M	GB	25 mg	29329900	18
	01478 00001	GB	1 gm	29329900	18
	01478 00005	GB	5 gm	29329900	18
Iso Valeraldehyde (For Synthesis) (Cas No. 590-86-3) Assay : Min. 98% C ₅ H ₁₀ O M.W. 86.13, Liquid, d. 0.803	01479 00100	GB	100 ml	29121910	18
	01479 00500	GB	500 ml	29121910	18
	01479 02500	GB	2.5 Lt	29121910	18
Isovaniline Pure (Cas No. 621-59-0) Assay : Min. 98% C ₈ H ₈ O ₃ M.W. 152.2	01480 00025	PB	25 gm	29124900	18
	01480 00100	PB	100 gm	29124900	18
Itaconic Acid (for synthesis) (Cas No. 97-65-4) (methylene succinic acid) Assay : Min. 99% C ₅ H ₆ O ₄ M.W. 130.10	01481 00500	PB	500 gm	29171960	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Jack Bean Meal (Cas No. 9002-13-5) (urease active meal)	01482 00100	PB	100 gm	35079069	18
	01482 00500	PB	500 gm	35079069	18
Jam Rosa Oil Extra Pure Liquid, d. 0.870	01482A 00500	GB	500 ml	3390	18
Janus Green B (M.S.) (Cas No. 2869-83-2) (C.I. No. 11050) Dye Content : Min. 65% $C_{30}H_{31}ClN_6$ M.W. 511.06	01483 00010	GB	10 gm	32041399	18
	01483 00025	GB	25 gm	32041399	18
Janus Green B Solution Liquid, d. 1.0	01483A 00125	PB	125 ml	38220090	12
	01483A 00500	PB	500 ml	38220090	12
Jasmine Oil Extra Pure (Cas No. 8022-96-6) Liquid, d. 0.947	01483B 00500	GB	500 ml	33012200	18
Jenner's Stain (for Microscopy) (Cas No. 62851-42-7)	02904 00025	PB	25 gm	32041399	18
Jojoba Oil (Cas No. 61789-91-1) Liquid, d. 0.87	02904A 00500	GB	500 ml	15151990	5
J.S.B. Stain Solution 1	02904B 00125	PB	125 ml	38220090	12
	02904B 00500	PB	500 ml	38220090	12
J.S.B. Stain Solution 2	02904C 00125	PB	125 ml	38220090	12
	02904C 00500	PB	500 ml	38220090	12
Juniper Berry Oil Extra Pure (Cas No. 8002-68-4) Liquid, d. 0.863	02904D 00500	GB	500 ml	33012590	18

K

Kalignost AR (Cas no. 143-66-8) (sodium tetra phenyl boron) (sodium tetra phenyl borate) Assay : Min. 99.5% $C_{24}H_{20}BNa$ M.W. 342.23 (Store at 2 - 8°C)	01484 00010	GB	10 gm	29319090	18
	01484 00025	GB	25 gm	29319090	18
	01484 00100	GB	100 gm	29319090	18
Kaolin Extra Pure (heavy powder) (Cas No. 1332-58-7)	01485 00500	PB	500 gm	25070029	5
Kaolin Extra Pure (light powder) (Cas No. 1332-58-7)	01486 00500	PB	500 gm	25070029	5
Karanja Oil , Liquid, d. 0.980	01486 00500	GB	500 ml	15159020	18
Karaya Gum See Gum Karaya See Page No. 76					
Karl Fischer Reagent (pyridine free, single solution), Liquid, d. 0.93	01487 00250	GB	2 x 250ml	38220090	12
a-Ketoglutaric Acid (Cas no. 328-50-7) (2-oxoglutaric acid) (Store at 2 - 8°C) Assay : Min. 99% $C_5H_6O_5$ M.W. 146.10	01488 00025	PB	25 gm	29183090	18
	01488 00100	PB	100 gm	29183090	18
Kieselguhr (purified white)	01489 00500	PB	500 gm	25120010	5
Kinetine AR (Cas no. 525-79-1) (6-furfuryl aminopurine) Assay : Min. 99.5% $C_{10}H_9N_5O$ M.W. 215.21	01490 00001	GB	1 gm	29349900	18
	01490 00010	GB	10 gm	29349900	18
	01490 00025	GB	25 gm	29349900	18
Kovac's Indole Reagent (Cas No. 100-10-7) $C_9H_{11}NO$ M.W.149.19 (Store at 2 - 8°C)	01490 00125	GB	125 ml	32049000	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Lab Lemco See Beef Extract Page No. 21					
Lacmoid (pH indicator) (Cas No. 33869-21-5) C ₂₄ H ₁₆ N ₂ O ₆ M.W. 428.39	01492 00005	GB	5 gm	32049000	18
Lactic Acid (Cas no. 50-21-5) (DL-lactic acid) Assay : Min. 88% C ₃ H ₅ O ₃ M.W. 90.08, Liquid, d. 1.209	01493 00500	GB	500 ml	29181110	18
	01493 02500	GB	2.5 Lt	29181110	18
Lactic Acid AR (Cas no. 50-21-5) (DL-lactic acid) Assay : Min. 88% C ₃ H ₅ O ₃ M.W. 90.08, Liquid, d. 1.209	01494 00500	GB	500 ml	29181110	18
	01494 02500	GB	2.5 Lt	29181110	18
Lactic Acid 0.1N Solution Liquid, d. 1.00	01495 00125	PB	125 ml	38220090	12
	01495 00500	PB	500 ml	38220090	12
Lactic Acid Lithium Salt See Lithium Lactate Page No. 91					
Lactophenol solution (for microscopy)	01496 00125	PB	125 ml	38220090	12
	01496 00500	PB	500 ml	38220090	12
Lactophenol Picric Acid solution (for microscopy)	01497 00125	PB	125 ml	38220090	12
	01497 00500	PB	500 ml	38220090	12
Lactose Extra Pure (Cas No. 64044-51-5) (monohydrate) Assay : Min. 98% C ₁₂ H ₂₂ O ₁₁ .H ₂ O M.W. 360.31 d.1.52	01498 00500	PB	500 gm	17021110	18
Lactose AR (Cas No. 64044-51-5) (monohydrate) Lanette Wax Assay : Min. 98.5% C ₁₂ H ₂₂ O ₁₁ .H ₂ O M.W. 360.31 d.1.52	01499 00500	PB	500 gm	17021110	18
Lanette Wax Extra Pure (Cas No. 8038-90-2)	01499A 00500	PB	500 gm	34049039	18
Lanolin (anhydrous) (Cas No. 8006-54-0) (wool fat) d.0.932-0.9457	01500 00500	PB	500 gm	15050020	12
Lanthanum AAS Standard Solution 1000mg/L in Nitric Acid, Liquid, d. 1.013	01501 00125	GB	125 ml	38220090	12
	01501 00500	GB	500 ml	38220090	12
Lanthanum ICP Standard Solution 1000mg/L in Nitric Acid, Liquid, d. 1.013	01501A 00125	GB	125 ml	38220090	12
Lanthanum Carbonate AR (hydrate) (Cas No. 54451-24-0) Assay : Min. 99.5% C ₃ La ₂ O ₉ .xH ₂ O M.W. 457.94 (anhy basis) d.2.6–2.7	01502 00025	GB	25 gm	28469090	18
	01502 00100	GB	100 gm	28469090	18
Lanthanum Chloride AR (CAS No. 10025-84-0) (heptahydrate) Assay : Min. 99% LaCl ₃ .7H ₂ O M.W. 371.37 d.2.6–2.7	01503 00025	PB	25 gm	28469030	18
	01503 00100	PB	100 gm	28469030	18
	01503 00500	PB	500 gm	28469030	18
Lanthanum Nitrate 99% Purified (hexahydrate) (Cas No. 10277-43-7) Assay : Min. 99% LaN ₃ O ₉ . 6H ₂ O M.W. 433.02	01503A 00025	PB	25 gm	28469090	18
	01503A 00100	PB	100 gm	28469090	18
	01503A 00500	PB	500 gm	28469090	18
Lanthanum Nitrate AR (Cas No. 10277-43-7) (hexahydrate) Assay : Min. 99.9% LaN ₃ O ₉ . 6H ₂ O M.W.433.02	01504 00025	PB	25 gm	28469090	18
	01504 00100	PB	100 gm	28469090	18
	01504 00500	PB	500 gm	28469090	18
Lanthanum Oxide (Cas No. 1312-81-8) (lanthanum (III) oxide) Assay : Min. 99.5% La ₂ O ₃ M.W. 325.81 d.6.51	01504A 00025	PB	25 gm	28469010	18
	01504A 00100	PB	100 gm	28469010	18
	01504A 00500	PB	500 gm	28469010	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Lanthanum Oxide AR (CAS No. 1312-81-8)	01505 00025	PB	25 gm	28469010	18
(lanthanum (III) oxide)	01505 00100	PB	100 gm	28469010	18
Assay : Min. 99.9% La_2O_3 M.W. 325.81 d.6.51	01505 00500	PB	500 gm	28469010	18
Lauric Acid (CAS No. 143-07-7) (N-dodecanoic acid)	01506 00500	PB	500 gm	29159090	18
Assay : Min 99% $\text{C}_{12}\text{H}_{24}\text{O}_2$ M.W. 200.32 d.1.007					
Lauryl Alcohol (CAS No. 112-53-8) (Dodecyl Alcohol)	01507 00500	PB	500 ml	29051700	18
Assay : Min. 98% $\text{C}_{12}\text{H}_{26}\text{O}$ M.W. 186.33, Liquid, d. 0.833					
Lavender Oil Extra Pure (Cas No. 8000-28-0) Liquid, d. 0.879	01507A 00500	GB	500 ml	3390	18
Lead AAS Standard Solution Liquid, d. 1.02	01508 00125	GB	125 ml	38220090	12
1000 mg / L in Nitric Acid	01508 00500	GB	500 ml	38220090	12
Lead ICP Standard Solution	01508A 00125	GB	125 ml	38220090	12
Liquid, d. 1.02 1000 mg / L in Nitric Acid					
Lead (metal) Foil AR (CAS No. 7439-92-1)	01510 00250	PB	250 gm	78041120	18
Pb A.W. 207.2 d.11.35	01510 00500	PB	500 gm	78041120	18
Lead (metal) Granulars (CAS NO. 7439-92-1)	01511 00500	PB	500 gm	78042000	18
Assay : Min. 99.5% Pb. A.W. 207.2 d.11.35					
Lead (metal) Powder (CAS No. 7439-92-1)	01512 00500	PB	500 gm	78042000	18
Assay : Min. 99.5% Pb A.W. 207.2 d.11.34					
Lead (metal) Shots (CAS NO. 7439-92-1)	01513 00500	PB	500 gm	78011000	18
Assay : Min. 99.9% Pb A.W. 207.2					
Lead Acetate (trihydrate crystals) (CAS No. 6080-56-4)	01514 00500	PB	500 gm	29152990	18
(lead (II) acetate)					
Assay : Min. 99% $\text{C}_4\text{H}_6\text{O}_4\text{Pb} \cdot 3\text{H}_2\text{O}$ M.W.379.33 d.3.25					
Lead Acetate AR (trihydrate crystal)	01515 00500	PB	500 gm	29152990	18
(CAS No. 6080-56-4) (lead (II) acetate)					
Assay : Min. 99.5% $\text{C}_4\text{H}_6\text{O}_4\text{Pb} \cdot 3\text{H}_2\text{O}$ M.W.379.33 d.3.25					
Lead Acetate (basic) (for sugar analysis by Horne method)	01516 00500	PB	500 gm	29152990	18
(CAS No. 51404-69-4) (anhydrous) (lead subacetate)	01516 01000	PB	1 kg	29152990	18
Assay : Min. 99.8% $(\text{CH}_3\text{COO})_2\text{Pb} \cdot \text{Pb} \cdot (\text{OH})_2$ M.W. 566.50 d.3.25	01516 02500	PB	2.5 kg	29152990	18
	01516 05000	PC	5 kg	29152990	18
Lead Acetate Solution Liquid, d. 1.05	01517 00500	PB	500 ml	38220090	12
Lead Bromide (for synthesis) (CAS No. 10031-22-8)	01518 00500	PB	500 gm	28275990	18
Assay : Min. 98% PbBr_2 M.W. 367.01 d.6.66					
Lead Bromide AR (CAS No. 10031-22-8)	01518A 00500	PB	500 gm	28275990	18
Assay : Min. 99% PbBr_2 M.W. 367.01 d.6.66					
Lead Carbonate (basic)	01519 00500	PB	500 gm	28369990	18
(CAS No. 598-63-0) (lead (II) carbonate basic)					
Assay : Min. 98% PbCO_3 M.W. 267.21 d.6.6					
Lead Carbonate AR (CAS No. 598-63-0) (lead (II) carbonate basic)	01520 00500	PB	500 gm	28369990	18
Assay : Min. 99% PbCO_3 M.W. 267.21 d.6.6					
Lead Chloride (anhydrous) (CAS No. 7758-95-4) (lead (II) chloride)	01521 00500	PB	500 gm	28273990	18
Assay : Min . 98% PbCl_2 M.W. 278.11 d.5.85					
Lead Chloride AR (anhydrous)	01521A 00500	PB	500 gm	28273990	18
(CAS No. 7758-95-4) (lead (II) chloride)					
Assay : Min . 99% PbCl_2 M.W. 278.11 d.5.85					

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Lead Chromate (CAS NO. 7758-97-6) (lead (II) chromate) Assay : Min. 98% CrO ₄ Pb M.W. 323.18 d.6.3	01522 00500	PB	500 gm	28415090	18
Lead Chromate AR (CAS No. 7758-97-6) (lead (II) chromate) Assay : Min. 99% CrO ₄ Pb M.W. 323.18 d.6.3	01523 00100	PB	100 gm	28415090	18
	01523 00250	PB	250 gm	28415090	18
Lead Dioxide (CAS NO. 1309-60-0) (lead peroxide) (lead (IV) oxide) Assay : Min. 95% PbO ₂ M.W.239.20 d.9.38	01524 00500	PB	500 gm	28249000	18
Lead Dioxide AR (CAS No. 1309-60-0) (lead peroxide) (lead (IV) oxide) Assay : Min. 97% PbO ₂ M.W. 239.20 d.9.38	01525 00250	PB	250 gm	28249000	18
Lead Fluoborate (49%) (CAS No. 13814-96-5) Assay : Min. 49% B ₂ F ₆ Pb M.W. 380.80, Liquid, d. 1.615	01526 00500	PB	500 gm	28372090	18
Lead Monoxide (CAS NO. 1317-36-8) (litharge) (lead oxide yellow) Assay : Min. 99% PbO M.W. 223.20 d.9.53	01527 00500	PB	500 gm	28241010	18
	01527 01000	PC	1 kg	28241010	18
Lead Monoxide AR (CAS NO. 1317-36-8) (litharge) (lead oxide yellow) Assay : Min. 99.9% PbO M.W. 223.20 d.9.53	01528 00250	PB	250 gm	28241010	18
Lead Nitrate (Lead (II) Nitrate) (Cas No. 10099-74-8) Assay : Min. 99% N ₂ O ₆ Pb M.W. 331.21 d.4.53	01529 00500	PB	500 gm	28342990	18
Lead Nitrate AR (Lead (II) Nitrate) (Cas No. 10099-74-8) Assay : Min. 99.5% N ₂ O ₆ Pb M.W. 331.21 d.4.53	01530 00500	PB	500 gm	28342990	18
Lead (ii) Nitrate 0.01M (0.02N) Standardized Solution traceable to NIST	01531 00500	PB	500 ml	38220090	12
Lead (ii) Nitrate 0.5M (1N) Standardized Solution traceable to NIST	01532 00500	PB	500 ml	38220090	12
Lead Oxide Red (CAS No. 1314-41-6) (red lead) (lead (II, IV) oxide) Assay : Min. 95% Pb ₃ O ₄ M.W.685.60 d.9.58	01533 00500	PB	500 gm	28249000	18
Lead Peroxide See Lead Dioxide Page No. 89					
Lead Stearate (anhydrous) (Cas No. 1072-35-1) C ₃₆ H ₇₀ O ₄ Pb M.W. 774.15 d.1.323	01534 00500	PB	500 gm	29157090	18
Lead Sulphate (CAS NO. 7446-14-2) Assay : Min 98.5% PbSO ₄ M.W. 303.26 d.6.29	01535 00500	PB	500 gm	28332990	18
Lead Sulphate AR (CAS NO. 7446-14-2) Assay : Min 98.5% PbSO ₄ M.W. 303.26 d.6.29	01535A 00500	PB	500 gm	28332990	18
Lead Thiocyanate (CAS NO. 592-87-0) Assay : Min. 98% C ₂ N ₂ PbS ₂ M.W. 323.36 d.3.82	01536 00100	PB	100 gm	28429090	18
	01536 00500	PB	500 gm	28429090	18
Leishman's Stain (Cas no. 12627-53-1) (for microscopy) (eosin methylene blue compound)	01536A 00025	PB	25 gm	32041959	18
	01536A 00100	PB	100 gm	32041959	18
	01536A 00500	PB	500 gm	32041959	18
Leishman's Stain solution (Liquid, d. 0.79)	01537 00125	GB	125 ml	38220090	12
	01537 00250	GB	250 ml	38220090	12
	01537 00500	GB	500 ml	38220090	12
Lemongrass Oil Extra Pure (Cas No. 8007-02-1) Liquid, d. 0.887	01537A 00500	GB	500 ml	3342	18
Lemon Oil Extra Pure (Cas No. 8008-56-8) Liquid, d. 0.850	01537B 00500	GB	500 ml	33011300	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
L-iso-leucine (for biochemistry) (CAS No. 73-32-5) L-Leucine (for bioche mixing) Assay : Min. 99% $C_6H_{13}NO_2$ M.W. 131.18	01538 00025	GB	25 gm	29224990	18
L-Leucine (for biochemistry) (Cas No. 61-90-5) Assay : Min. 99% $C_6H_{13}NO_2$ M.W. 131.18 d.1,293	01538A 00025	GB	25 gm	29224990	18
	01538A 00100	GB	100 gm	29224990	18
	01538A 01000	GB	1 kg	29224990	18
DI-nor-leucine (for biochemistry) (CAS No. 616-06-8) Assay : Min. 99% $C_6H_{13}NO_2$ M.W.131.17	01539 00010	GB	10 gm	29224990	18
	01539 00025	GB	25 gm	29224990	18
Light Green (for microscopy) (C.I. No. 42095) (CAS No. 5141-20-8) (light Green SF yellowish) Dye Content Min. 80% $C_{37}H_{34}N_2Na_2O_9S_3$ M.W.792.85	01540 00025	PB	25 gm	32041229	18
	01540 00100	PB	100 gm	32041229	18
	01540 00500	PB	500 gm	32041229	18
Light Green Solutions 0.1%	01541 00125	PB	125 ml	32041200	18
	01541 00500	PB	500 ml	32041200	18
Lime Oil Extra Pure (Cas No. 8008-26-2) Liquid, d. 0.861	01541A 00500	GB	500 ml	33011990	18
Lime Water (for testing carbonates)	01542 00500	PB	500 ml	28259040	18
	01542 05000	PC	5 Lt	28259040	18
Linseed Oil Extra Pure	01542A 00500	GB	500 ml	15151900	5
Liquid Paraffin See Paraffin Liquid Page No. 113					
Liquor Ammonia See Ammonia Solution Page No. 10					
Lissamine Green B (C.I.NO. 44090) (Cas No. 3087-16-9) Dye Content : Min. 60% $C_{27}H_{25}N_2NaO_7S_2$ M.W. 576.62	01543 00025	GB	25 gm	32049000	18
Litharge See Lead Monoxide Page No. 89					
Lithium Aas Standard Solution 1000 mg / L in Nitric Acid	01544 00125	PB	125 ml	38220090	12
	01544 00500	PB	500 ml	38220090	12
Lithium (metal) 99% (coated) (Cas No. 7439-93-2) Assay : Min. 99% Li M.W. 6.94 d.0.534	01545 00100	GB	100 gm	28051900	18
Lithium Acetate (dihydrate) (CAS No. 6108-17-4) (acetic acid lithium salt) Assay : Min. 99% $C_2H_3LiO_2 \cdot 2H_2O$ M.W. 102.02 d.1.26	01546 00250	PB	250 gm	29152990	18
Lithium Acetate AR (dihydrate) (CAS No. 6108-17-4) (acetic acid lithium salt) Assay : Min. 99% $C_2H_3LiO_2 \cdot 2H_2O$ M.W. 102.02 d.1.26	01547 00250	PB	250 gm	29152990	18
Lithium Aluminium Hydride (for synthesis) (Cas No. 16853-85-3) Assay : Min. 96% $LiAlH_4$ M.W. 37.95	01548 00100	PB	100 gm	28500010	18
Lithium Bromide (Anhydrous) (Cas No. 7550-35-8) Assay : Min. 99% LiBr M.W. 86.85 d.3.46	01549 00500	PB	500 gm	28275990	18
Lithium Carbonate Extra pure (Cas No. 554-13-2) Assay : Min. 98.5% Li_2CO_3 M.W. 73.89 d.2.11	01550 00250	PB	250 gm	28369100	18
	01550 00500	PB	500 gm	28369100	18
Lithium Carbonate AR (Cas No. 554-13-2) Assay : Min. 99.5% Li_2CO_3 M.W. 73.89 d.2.11	01550A 00100	PB	100 gm	28369100	18
	01550 00250	PB	250 gm	28369100	18
Lithium Chloride (anhydrous) (Cas No. 7447-41-8) Assay : Min. 98% LiCl M.W. 42.39 d.2.07	01551 00250	GB	250 gm	28273990	18
	01551 00500	GB	500 gm	28273990	18
Lithium Chloride AR (anhydrous) (CAS No. 7447-41-8) Assay : Min. 99% LiCl M.W. 42.39 d.2.07	01552 00100	GB	100 gm	28273990	18
	01552 00250	GB	250 gm	28273990	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Tri Lithium Citrate AR (tetrahydrate) (CAS No.6080-58-6) Assay : Min. 99% $C_6H_5Li_3O_7 \cdot 4H_2O$ M.W. 281.99 d.1.12	01553 00250	PB	250 gm	29181590	18
Lithium Fluoride (CAS No.7789-29-4) Assay : Min. 98% LiF M.W. 25.94 d.2.64	01554 00500	PB	500 gm	28261990	18
Lithium Hydroxide (monohydrate) (Cas No.1310-66-3) Assay : Min. 99% $LiOH \cdot H_2O$ M.W. 41.96 d.1.46	01555 00250	PB	250 gm	28252000	18
	01555 00500	PB	500 gm	28252000	18
Lithium Hydroxide AR (monohydrate) (Cas No.1310-66-3) Assay : Min. 99.5% $LiOH \cdot H_2O$ M.W. 41.96 d.1.46	01556 00100	PB	100 gm	28252000	18
	01556 00500	PB	500 gm	28252000	18
Lithium Iodide (For Synthesis) (Cas No. 10377-51-2) Assay : Min. 99% LiI M.W. 133.85 d.4.08	01557 00100	PB	100 gm	28276090	18
	01557 00500	PB	500 gm	28276090	18
Lithium Lactate (CAS No.867-55-0) (lactic acid lithium salt) Assay : Min. 98% $C_3H_5LiO_3$ M.W. 96.01 d.1.26	01558 00100	PB	100 gm	29181190	18
	01558 00500	PB	500 gm	29181190	18
Lithium Nitrate (anhydrous) (CAS No.7790-69-4) Assay : Min. 98% $LiNO_3$ M.W. 68.95 d.2.38	01559 00500	PB	500 gm	28342990	18
Lithium Oxalate (CAS No.553-91-3) Assay : Min. 99% $C_2O_4Li_2$ M.W. 101.90 d. 2.12	01560 00100	PB	100 gm	29171190	18
Lithium Perchlorate AR (trihydrate) (CAS No.13453-78-6) Assay: Min. 99% $LiClO_4 \cdot 3H_2O$ M.W. 160.44 d. 2.42	01561 00025	GB	25 gm	28291990	18
	01561 00100	PB	100 gm	28291990	18
Lithium Sulphate (monohydrate) (CAS No.10102-25-7) Assay : Min. 98% $Li_2SO_4 \cdot H_2O$ M.W. 127.96 d.2.22	01562 00250	PB	250 gm	28332990	18
	01562 00500	PB	500 gm	28332990	18
Lithium Sulphate AR (monohydrate) (CAS No.10102-25-7) Assay : Min. 99% $Li_2SO_4 \cdot H_2O$ M.W. 127.96 d.2.22	01563 00100	PB	100 gm	28332990	18
	01563 00250	PB	250 gm	28332990	18
Litmus Blue indicator papers (one pkt contains 100 leaves)	01564 001PK	CB	Pkt	38220090	12
	01564 024PK	CB	24 Pkt	38220090	12
Litmus Red indicator papers (one pkt contains 100 leaves)	01565 001PK	CB	Pkt	38220090	12
	01565 024PK	CB	24 Pkt	38220090	12
Litmus Blue Indicator Solution	01565A 00125	PB	125 ml	38220090	12
	01565A 00500	PB	500 ml	38220090	12
Litmus Red Indicator Solution	01565B 00125	PB	125 ml	38220090	12
	01565B 00500	PB	500 ml	38220090	12
Liver Extract Powder (for bacteriology)	01566 00500	PB	500 gm	30012020	12
Lucas Reagent solution	01568 00100	PB	100 ml	38220990	12
	01568 00500	PB	500 ml	38220990	12
Lugol's Iodine indicator solution	01569 00125	GB	125 ml	38220990	12
	01569 00500	GB	500 ml	38220990	12
Luminol (for synthesis) (CAS No.521-31-3) Assay : Min. 97% $C_8H_7N_3O_2$ M.W. 177.16 d.1.433	01570 00005	GB	5 gm	29339900	18
	01570 00025	GB	25 gm	29339900	18
2,3-lutidine (for synthesis) (CAS No.583-61-9) Assay : Min. 99% C_7H_9N M.W. 107.15, Liquid, d. 0.945	01571 00250	GB	250 ml	29333918	18
2,6-lutidine (CAS No.108-48-5) (2,6-dimethylpyridine) Assay : Min. 98% C_7H_9N M.W.107.15, Liquid, d. 0.92	01572 00100	GB	100 ml	29333918	18
	01572 00500	GB	500 ml	29333918	18
3,4-lutidine (for synthesis) (CAS No.583-58-4) Assay : Min. 97.5% C_7H_9N M.W. 107.15, Liquid, d. 0.954	01573 00250	GB	250 ml	29333918	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
3,5-lutidine (CAS No.591-22-0) (3,5-dimethylpyridine)	01574 00100	GB	100 ml	29333918	18
Assay : Min. 99% C ₇ H ₉ N M.W.107.15, Liquid, d. 0.939	01574 00500	GB	500 ml	29333918	18
L-Lysine (Base) Monohydrate Extra Pure (Cas No. 39665-12-8)	01575 00010	PB	10 gm	29224100	18
Assay : Min. 99% C ₆ H ₁₄ N ₂ O ₂ .H ₂ O M.W. 164.21	01575 00025	PB	25 gm	29224100	18
(Store at 2-8°C) d.1.125	01575 00100	PB	100 gm	29224100	18
L-lysine Monohydrochloride (CAS No. 657-27-2)	01576 00100	PB	100 gm	29224100	18
(for biochemistry)	01576 00500	PB	500gm	29224100	18
Assay : Min. 99% C ₆ H ₁₄ N ₂ O ₂ . HCL M.W. 182.65 d.1.28					
Lysol (cresol soap solution) (CAS No. 12772-68-8),	01577 00500	PB	500 ml	38089990	18
Liquid d. 0.748	01577 05000	PB	5 Lt	38089990	18

M

Mace Oil (Cas No. 8007-12-3) Liquid.d.0.88	01577A 00500	GB	500 ml	3350	18
Magnesium AAS Standard Solution	01578 00125	GB	125 ml	38220090	12
1000mg/L in Nitric Acid	01578 00500	GB	500 ml	38220090	12
Magnesium ICP Standard Solution 1000mg/L in Nitric Acid 1.016	01578A 00125	GB	125 ml	38220090	12
Magnesium ICP Standard Solution 1000mg/L in Nitric Acid 1.058	01578B 00125	GB	125 ml	38220090	12
Magnesium (metal) Powder (Cas No. 7439-95-4)	01579 00100	PB	100 gm	81041100	18
Assay : Min. 99% Mg M.W. 24.31 d.4.43	01579 00500	PB	500 gm	81041100	18
Magnesium (metal) Ribbion (Cas No. 7439-95-4)	01580 00025	PB	25 gm	81049090	18
Assay : Min. 99.5%Mg M.W. 24.31 d.1.74	01580 00625	PG	25 gm x 25	81049090	18
Magnesium Acetate (tetrahydrate) (CAS No.16674-78-5)	01581 00500	PB	500 gm	29152920	18
Assay : Min. 98% C ₄ H ₆ MgO ₄ .4H ₂ O M.W. 214.45 d.1.45	01581 05000	PG	5 kg	29152920	18
Magnesium Acetate AR (tetrahydrate) (CAS No.16674-78-5)	01582 00250	PB	250 gm	29152920	18
Assay : Min. 99.5% C ₄ H ₆ MgO ₄ .4H ₂ O M.W. 214.45 d.1.45	01582 00500	PB	500 gm	29152920	18
Magnesium Acetate (tetrahydrate)	01583 00100	PB	100 gm	29152920	18
(For Molecure Biology) (CAS No. 16674-78-5)	01583 00500	PB	500 gm	29152920	18
Assay : Min. 99% C ₄ H ₆ MgO ₄ .4H ₂ O M.W. 214.45 d.1.45					
Magnesium Bromide (CAS No.13446-53-2)	01584 00500	PB	500 gm	28275910	18
Assay: Min. 99% MgBr ₂ .6H ₂ O M.W. 292.20 d.3.72					
Magnesium Bromide AR (CAS No.13446-53-2)	01585 00500	PB	500 gm	28275910	18
Assay: Min. 99.5% MgBr ₂ .6H ₂ O M.W. 292.20 d.3.72					
Magnesium Carbonate (light) (CAS No.39409-82-0)	01586 00250	PB	250 gm	28369920	18
(magnesium hydroxide carbonate)	01586 00500	PB	500 gm	28369920	18
Assay : Min. 40-50% MgCO ₃ M.W. 84.31 d.2.96	01586 02500	PC	2.5 kg	28369920	18
Magnesium Carbonate AR (light) (CAS No.39409-82-0)	01587 00250	PB	250 gm	28369920	18
(magnesium hydroxide carbonate)	01587 00500	PB	500 gm	28369920	18
Assay : Min. 24% MgCO ₃ M.W. 84.31 d.2.958					
Magnesium Carbonate purified (heavy) (CAS No.39409-82-0)	01588 00500	PB	500 gm	28369920	18
(magnesium hydroxide carbonate)					
Assay (as MgO) : Min. 40-50% MgCO ₃ M.W 84.31 d.2.96					
Magnesium Chloride (Crystals) (hexahydrate) (CAS No.7791-18-6)	01589 00500	PB	500 gm	28273100	18
Assay: Min. 98% MgCl ₂ . 6H ₂ O M.W. 203.30 d.2.32	01589 05000	PC	5 kg	28273100	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Magnesium Chloride AR (Crystals)	01590 00500	PB	500 gm	28273100	18
(hexahydrate) (CAS No.7791-18-6)	01590 05000	PC	5 kg	28273100	18
Assay: Min. 99% $MgCl_2 \cdot 6H_2O$ M.W. 203.30 d.2.32					
Magnesium Chloride (hexahydrate)	01591 00100	PB	100 gm	28273100	18
(for molecular biology) (CAS No.7791-18-6)	01591 00500	PB	500 gm	28273100	18
Assay: Min. 99.5% $MgCl_2 \cdot 6H_2O$ M.W. 203.30 d.2.32					
Magnesium Chloride 0.01M(0.02N) Standard Solution	01592 00500	PB	500 ml	38220090	12
Magnesium Citrate (14-hydrate) (CAS No. 3344-18-1)	01593 00500	PB	500 gm	29181590	18
Assay (Mg): Min. 14.5-16.4% $C_{12}H_{10}Mg_3O_{14}$ M.W. 451.11					
Magnesium Fluoride (CAS NO.7783-40-6)	01594 00500	PB	500 gm	28261910	18
Assay : Min. 97% MgF_2 M.W. 62.30 d.3.15					
Magnesium Hydroxide Extra Pure (CAS No.1309-42-8))	01595 00500	PB	500 gm	28161010	18
Assay : Min. 95% $Mg(OH)_2$ M.W. 58.32 d.2.34					
Magnesium Nitrate (hexahydrate) (CAS No.13446-18-9)	01596 00500	PB	500 gm	28342920	18
Assay: Min. 98% $Mg(NO_3)_2 \cdot 6H_2O$ M.W. 256.41 d.2.3					
Magnesium Nitrate AR (hexahydrate) (CAS No.13446-18-9)	01597 00500	PB	500 gm	28342920	18
Assay: Min. 99% $Mg(NO_3)_2 \cdot 6H_2O$ M.W. 256.41 d.2.3					
Magnesium Oxide (light) (CAS No.1309-48-4)	01598 00500	PB	500 gm	25199010	5
Assay : Min. 97% MgO M.W. 40.30 d.3.58	01598 02500	PC	2.5 kg	25199010	5
Magnesium Oxide AR (light) (CAS No.1309-48-4)	01599 00500	PB	500 gm	25199010	5
Assay : Min. 98% MgO M.W. 40.30 d.3.58					
Magnesium Oxide (heavy) Extra pure (CAS No.1309-48-4)	01600 00500	PB	500 gm	25199010	5
Assay: Min. 98% MgO M.W. 40.30 d.3.58					
Magnesium Phosphate (dibasic, trihydrate) (CAS No.7782-75-4)	01601 00500	PB	500 gm	28352920	18
Assay: Min. 98-102% $MgHPO_4 \cdot 3H_2O$ M.W. 174.33 d.2.123					
Magnesium Stearate (CAS No.557-04-0)	01602 00500	PB	500 gm	29157090	18
(precipitated)					
Assay: Min. 4-5% $C_{36}H_{70}MgO_4$ M.W. 591.24 d.1.026					
Magnesium Sulphate (heptahydrate) (CAS No.10034-99-8)	01603 00500	PB	500 gm	28332100	18
Assay: Min. 99% $MgSO_4 \cdot 7H_2O$ M.W. 246.47 d.2.66	01603 05000	PC	5 kg	28332100	18
Magnesium Sulphate AR (heptahydrate) (CAS No.10034-99-8)	01604 00500	PB	500 gm	28332100	18
Assay: Min. 99.5% $MgSO_4 \cdot 7H_2O$ M.W. 246.47 d.2.66	01604 05000	PC	5 kg	28332100	18
Magnesium Sulphate (dried) (CAS No.7487-88-9)	01606 00500	PB	500 gm	28332100	18
Assay: Min. 99.5% $MgSO_4$ M.W. 120.37 d.2.66					
Magnesium Trisilicate (Hydrate) (Powder) (Cas No. 14987-04-3)	01607 00500	PB	500 gm	28399010	18
Assay : Min. 20% (MgO), 45% (SiO ₂) $2MgO \cdot 3SiO_2 \cdot aq$					
M.W. 260.86 (Anhy Basis)					
Magneson I AR (CAS No.74-39-5)	01608 00025	GB	25 gm	29270090	18
[4-(4-nitrophenylazo) resorcinol]	01608 00100	PB	100 gm	29270090	18
Dye Content: Min. 90% $C_{12}H_9N_3O_4$ M.W. 259.22					
Magneson II AR (CAS No. 5290-62-0)	01609 00025	PB	25 gm	29270090	18
(reagent for magnesium) [4-(4-Nitrophenylazo)-1-naphthol]	01609 00100	PB	100 gm	29270090	18
$C_{16}H_{11}N_3O_3$ M.W. 293.28 d.1.4-0.1					
Malachite Green (M.S.) (C.I.NO. 42000)	01610 00025	PB	25 gm	32041361	18
(CAS NO. 2437-29-8)	01610 00100	PB	100 gm	32041361	18
(malachite green oxalate) $C_{52}H_{54}N_4O_{12}$ M.W. 927.02	01610 00500	PB	500 gm	32041361	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Malachite Green indicator solution	01611 00125	PB	125 ml	38220090	12
	01611 00500	PB	500 ml	38220090	12
Maleic Acid (for synthesis) (CAS NO. 110-16-7) Assay : Min.99% C ₄ H ₄ O ₄ M.W. 116.07 d.1.59	01612 00500	PB	500 gm	29171910	18
	01612 05000	PC	5 kg	29171910	18
Maleic Acid AR (CAS NO. 110-16-7) Assay : Min.99.5% C ₄ H ₄ O ₄ M.W. 116.07 d.1.59	01613 00100	PB	100 gm	29171910	18
	01613 00500	PB	500 gm	29171910	18
Maleic Anhydride (CAS NO. 108-31-6) Assay : Min. 99% C ₄ H ₂ O ₃ M.W. 98.06 d.1.48	01614 00500	PB	500 gm	29171400	18
	01614 05000	PB	5 kg	29171400	18
Maleic Hydrazide (CAS NO. 123-33-1) Assay : Min. 98% C ₄ H ₄ N ₂ O ₂ M.W. 112.09	02919 00100	PB	100 gm	29339900	18
	02919 01000	PB	1 kg	29339900	18
Malonic Acid AR (CAS NO. 141-82-2) Assay : Min. 99% C ₃ H ₄ O ₄ M.W. 104.06 d.1.62	02920 00250	PB	250 gm	29171920	18
Malononitrile (for synthesis) (CAS NO.109-77-3) (dicyanomethane) Assay : Min. 98% C ₃ H ₂ N ₂ M.W. 66.06	02921 00100	GB	100 gm	29269000	18
	02921 00500	GB	500 gm	29269000	18
Malt Extract Powder (For Bacteriology) (Cas No. 8002-48-0)	01615 00500	PB	500 gm	19019010	18
Malto Dextrine Powder (CAS NO.9050-36-6) d.1.14–1.44	01616 00500	PB	500 gm	35051010	18
Maltose (monohydrate) (CAS NO.6363-53-7) (for bacteriology & biochemistry) Assay : Min. 95% C ₁₂ H ₂₂ O ₁₁ .H ₂ O M.W. 360.32 d.1.54	01617 00100	PB	100 gm	17029020	18
	01617 00500	PB	500 gm	17029020	18
Maltose AR (monohydrate) (CAS NO.6363-53-7) (NRC grade for Vaccine production) C ₁₂ H ₂₂ O ₁₁ .H ₂ O M.W. 360.32 d.1.54	01618 00100	PB	100 gm	17029020	18
	01618 00250	PB	250 gm	17029020	18
	01618 00500	PB	500 gm	17029020	18
DL-mandelic Acid (for synthesis) (CAS NO.90-64-2) Assay : Min. 99% C ₈ H ₈ O ₃ M.W. 152.15 d.1.3	01619 00100	PB	100 gm	29181990	18
	01619 00500	PB	500 gm	29181990	18
R(-) Mandelic Acid (CAS NO.611-71-2) Assay : Min. 99% C ₈ H ₈ O ₃ M.W. 152.15	01620 00100	PB	100 gm	29181990	18
S (+) Mandelic Acid (CAS NO.17199-29-0) Assay: Min. 99% C ₈ H ₈ O ₃ M.W. 152.15 d.1.3	01621 00100	PB	100 gm	29181990	18
Manganese AAS Standard Solution 1000mg/L in nitric Acid (Liquid, d.1.014)	01622 00125	GB	125 ml	38220090	12
	01622 00500	GB	500 ml	38220090	12
Manganese ICP Standard Solution 1000mg/L in Nitric acid Liquid, d. 1.014	01622A 00125	GB	125 ml	38220090	12
Manganese ICP Standard Solution 10000mg/L in Nitric acid Liquid, d. 1.036	01622B 00125	GB	125 ml	38220090	12
Manganese (metal) FLAKES (CAS No.7439-96-5) Assay: Min. 99% Mn M.W. 54.94 d.7.21-7.44	01623 00500	GB	500 gm	81110090	18
Manganese (metal) Powder (CAS No.7439-96-5) Assay: Min. 99% Mn M.W. 54.94 d.7.21-7.44	01624 00250	PB	250 gm	81110090	18
Manganese (II) Acetate (tetrahydrate) (CAS No.6156-78-1) (manganous acetate) Assay : Min. 98.5% (CH ₃ COO) ₂ Mn.4H ₂ O M.W. 245.09 d.1.74	01625 00500	PB	500 gm	29152930	18
Manganese (II) Acetate AR (tetrahydrate) (CAS No.6156-78-1) (manganous acetate) Assay : Min. 99% (CH ₃ COO) ₂ Mn.4H ₂ O M.W. 245.09 d.1.74	01626 00500	PB	500 gm	29152930	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Manganese (II) Carbonate (hydrate) (CAS No.34156-69-9) Assay (Mn) : Min. 43-46% $\text{MnCO}_3 \cdot x\text{H}_2\text{O}$ M.W. 114.95 d.3.7	01627 00500	PB	500 gm	28369990	18
Manganese (II) Chloride (tetrahydrate) (CAS No.13446-34-9) (manganous chloride) Assay: Min. 97% $\text{MnCl}_2 \cdot 4\text{H}_2\text{O}$ M.W. 197.90 d.2.98	01628 00500 01628 05000	PB PC	500 gm 5 kg	28273990 28273990	18 18
Manganese (II) Chloride AR (tetrahydrate) (CAS No.13446-34-9) (manganous chloride) Assay: Min. 98% $\text{MnCl}_2 \cdot 4\text{H}_2\text{O}$ M.W. 197.90 d.2.98	01629 00500	PB	500 gm	28273990	18
Manganese Dioxide extra pure (precipitated) (CAS No.1313-13-9) [manganese(IV) oxide] Assay: Min. 70% MnO_2 M.W. 86.94 d.5.03	01630 00500 01630 05000	PB PC	500 gm 5 kg	28201000 28201000	18 18
Manganese Dioxide AR (CAS No.1313-13-9) [manganese(IV) oxide] Assay: Min. 80% MnO_2 M.W. 86.94 d.5.03	01631 00500	PB	500 gm	28201000	18
Manganese (II) Nitrate Solution (45-50%) (Solution in dilute Nitric Acid) (Cas No. 10377-66-9) $\text{Mn}(\text{NO}_3)_2$ M.W. 178.95, Liquid, d. 1.536	01632 00500	GB	500 gm	28276090	18
Manganese (II) Sulphate (monohydrate) (CAS No.10034-96-5) (manganous sulphate) Assay: Min. 98% $\text{MnSO}_4 \cdot \text{H}_2\text{O}$ M.W. 169.02 d.3.25	01633 00500 01633 05000	PB PC	500 gm 5 kg	28332940 28332940	18 18
Manganese (II) Sulphate AR (monohydrate) (CAS No.10034-96-5) (manganous sulphate) Assay: Min. 99% $\text{MnSO}_4 \cdot \text{H}_2\text{O}$ M.W. 169.02 d.3.25	01634 00500	PB	500 gm	28332940	18
D (-) Mannitol (CAS No.69-65-8) (for biochemistry) Assay: Min. 99% $\text{C}_6\text{H}_{14}\text{O}_6$ M.W. 182.17 d.1.52	01635 00250 01635 00500 01635 01000	PB PB PB	250 gm 500 gm 1 kg	29054300 29054300 29054300	18 18 18
D (-) Mannitol AR (for Molecular Biology) (CAS No.69-65-8) Assay: Min. 99.5% $\text{C}_6\text{H}_{14}\text{O}_6$ M.W. 182.17 d.1.52	01636 00250 01636 05000	PB PC	250 gm 5 kg	29054300 29054300	18 18
D (+) Mannose AR (for Molecular Biology) (CAS No.3458-28-4) (for biochemistry) Assay: Min. 99% $\text{C}_6\text{H}_{12}\text{O}_6$ M.W. 180.16	01637 00010 01637 00025 01637 00100	GB PB PB	10 gm 25 gm 100 gm	29400000 29400000 29400000	18 18 18
Manoxol OT see Dioctyl Sodium Sulphosuccinate Page No. 61					
Martius Yellow (M.S) (C.I.No.10315) (CAS No.605-69-6) Dye Content: Min. 85% $\text{C}_{10}\text{H}_6\text{N}_2\text{O}_5$ M.W. 234.17 d.1.4886	01638 00025 01638 00100	GB PB	25 gm 100 gm	32049000 32049000	18 18
Mayer's Reagent Indicator solution	01639 00125 01639 00500	PB PB	125 ml 500 ml	38220090 38220090	12 12
May And Grunwald's Stain (CAS No.68988-92-1) (for microscopy)	01640 00025 01640 00100 01640 00500	PB PB PB	25 gm 100 gm 500 gm	32129090 32129090 32129090	18 18 18
May And Grunwald's Solution (microscopical Solution) Liquid, d. 0.79	01640A 00125 01640A 00500	PB PB	125 ml 500 ml	32129090 32129090	18 18
Meat Extract powder (for bacteriology) (Store at 2-8°C)	01641 00500	PB	500 gm	16030010	12
Meat Extract Paste (for bacteriology) (Store at 2-8°C)	01642 00500	PB	500 gm	16030010	12
Melamine (CAS No.108-78-1) Assay: Min. 99% $\text{C}_3\text{H}_6\text{N}_6$ M.W. 126.12 d.1.57	01643 00500	PB	500 gm	29336100	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
D (+) Melibiose (for bacteriology) (CAS No.66009-10-7) Assay: Min. 98% $C_{12}H_{22}O_{11}$ M.W. 342.30	01644 00005	GB	5 gm	29400000	18
	01644 00025	GB	25 gm	29400000	18
Menadione Sodium Bisulphite (trihydrate) (CAS No.130-37-0) Assay: Min. 95% $C_{11}H_9NaO_5S$ M.W. 276.24 (vitamin K3 sodium bisulphite)	01646 00025	PB	25 gm	29147090	18
	01646 00100	PB	100 gm	29147090	18
Mentha Citrata Oil Extra Pure (Cas No. 68917-15-7), Liquid, d.0.916	01646A 00500	GB	500 ml	33012540	18
Mentha Pepprita Oil Extra Pure (CAS No.8006-90-4), Liquid,d.0898	01646B 00500	GB	500 ml	33012400	18
Menthol (crystals) (CAS NO.2216-51-5) (natural white) Assay: Min. 99% $C_{10}H_{20}O$ M.W. 156.27	01648 00100	PB	100 gm	29061100	18
	01648 00500	PB	500 gm	29061100	18
2-mercaptobenzimidazole (for synthesis) (CAS No.583-39-1) (benzimidazole-2-thiol) Min. 98% $C_7H_6N_2S$ M.W 150.20 d.1.42	01649 00250	PB	250 gm	29339900	18
	01649 01000	PB	1 kg	29339900	18
2-mercaptobenzoic Acid AR (CAS No.147-93-3) (thiosalicylic acid) Assay: Min. 99% $C_7H_6O_2S$ M.W 154.19	01650 00100	PB	100 gm	29309099	18
	01650 00500	PB	500 gm	29309099	18
2-mercaptobenzothiazole AR (CAS No.149-30-4) Assay: Min. 99% $C_7H_5NS_2$ M.W 167.125	01651 00100	PB	100 gm	29342000	18
2-mercapto Ethanol (CAS No.60-24-2) Assay: Min. 98% $HS.CH_2CH_2OH$ M.W 78.13, Liquid.d.1.114	01652 00100	GB	100 ml	29309099	18
	01652 00500	GB	500 ml	29309099	18
2-mercapto Ethanol AR (for molecular biology)(CAS No.60-24-2) Assay: Min. 99% $HS.CH_2CH_2OH$ M.W 78.13, Liquid.d.1.114	01653 00100	GB	100 ml	29309099	18
	01653 00500	GB	500 ml	29309099	18
Mercury AAS Standard Solution 1000mg/L in Nitric Acid, Liquid, d.1.054	01654 00125	GB	125 ml	38220090	12
	01654 00500	GB	500 ml	38220090	12
Mercury ICP Standard Solution 1000mg/L in Nitric Acid, Liquid, d. 1.054	01664A 00125	GB	125 ml	38220090	12
Mercury (metal) Extra Pure (CAS No.7439-97-6) Assay: Min. 99% Hg A.W. 200.59, Liquid, d. 13.55	01655 00100	PB	100 gm	28054000	18
	01655 00250	PB	250 gm	28054000	18
	01655 00500	PB	500 gm	28054000	18
Mercury (metal) AR (CAS No.7439-97-6) (triple distilled) (for polarography) Assay: Min. 99.5% Hg A.W. 200.59, Liquid.d.13.55	01656 00100	PB	100 gm	28054000	18
	01656 00250	PB	250 gm	28054000	18
	01656 00500	PB	500 gm	28054000	18
Mercury Acetate (CAS No.1600-27-7) ([MERCURY (II) acetate] Assay: Min. 98.5% $(CH_3COO)_2Hg$ M.W. 318.68	01657 00050	PB	50 gm	28521000	18
	01657 00100	PB	100 gm	28521000	18
	01657 00250	PB	250 gm	28521000	18
Mercury Acetate AR (CAS No.1600-27-7) ([MERCURY (II) acetate] Assay: Min. 99% $(CH_3COO)_2Hg$ M.W. 318.68	01658 00050	PB	50 gm	28521000	18
	01658 00100	PB	100 gm	28521000	18
	01658 00250	PB	250 gm	28521000	18
Mercuric Ammonium Chloride (CAS No.10124-48-8) (ammoniated mercury) (ammonium mercuric chloride) (mercury (II) amido chloride) Assay: Min. 98.3-100% $HgNH_2Cl$ M.W. 252.07	01659 00025	PB	25 gm	28529000	18
	01659 00100	PB	100 gm	28529000	18
	01659 00500	PB	500 gm	28529000	18
Mercuric Ammonium Thiocyanate [mercury (II) ammonium thiocyanate] (ammonium mercury thiocyanate solution)	01659A 00025	PB	25 gm	28529000	18
	01659A 00100	PB	100 gm	28529000	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Mercuric Ammonium Thiocyanate solution	01660 00500	PB	500 ml	38220090	12
Mercuric Bromide Extra Pure (Cas No. 7789-47-1) [mercury (II) bromide]	01660A 00025	GB	25 gm	28521000	18
Assay : Min. 98% HgBr ₂ M.W. 360.40 d.6.03	01660A 00100	GB	100 gm	28521000	18
Mercuric Bromide AR (CAS No.7789-47-1) [mercury (II) bromide]	01661 00025	PB	25 gm	28521000	18
Assay: Min. 99% HgBr ₂ M.W. 360.40 d.6.03	01661 00100	PB	100 gm	28521000	18
Mercuric Chloride (CAS No.7487-94-7) [mercury (II) Chloride]	01662 00025	PB	25 gm	28520000	18
Assay: Min. 98% HgCl ₂ M.W. 271.50 d.5.43	01662 00100	PB	100 gm	28520000	18
	01662 00250	PB	250 gm	28520000	18
	01662 00500	PB	500 gm	28520000	18
Mercuric Chloride AR (CAS No.7487-94-7) (reagent for zinc)[mercury (II) chloride]	01663 00025	GB	25 gm	28520000	18
Assay: Min. 99.5% HgCl ₂ M.W. 271.50 d.5.43	01663 00100	GB	100 gm	28520000	18
	01663 00250	GB	250 gm	28520000	18
Mercuric Chloride 5% Solution Liquid,d.5.43	01663A 00125	PB	125 ml	38220090	12
	01663A 00500	PB	500 ml	38220090	12
Mercuric Iodide Red (CAS No.7774-29-0) [mercury (II) iodide red]	01664 00025	PB	25 gm	28521000	18
Assay: Min. 98.5% HgI ₂ M.W. 454.40 d.6.36	01664 00100	PB	100 gm	28521000	18
	01664 00250	PB	250 gm	28521000	18
Mercuric Iodide Red AR (CAS No.7774-29-0) [mercury (II) iodide red]	01665 00025	PB	25 gm	28521000	18
Assay: Min. 99% HgI ₂ M.W. 454.40 d.6.36	01665 00100	PB	100 gm	28521000	18
	01665 00250	PB	250 gm	28521000	18
Mercuric Nitrate (monohydrate) (CAS No.7783-34-8) [mercury (II) nitrate]	01666 00025	PB	25 gm	28521000	18
Assay: Min. 98 % Hg(NO ₃) ₂ .H ₂ O M.W. 342.62 d.4.3	01666 00100	PB	100 gm	28521000	18
	01666 00250	PB	250 gm	28521000	18
	01666 00500	PB	500 gm	28521000	18
Mercuric Nitrate AR (monohydrate) (CAS No.7783-34-8) [mercury (II) nitrate]	01667 00025	PB	25 gm	28521000	18
Assay: Min. 98.5 % Hg(NO ₃) ₂ .H ₂ O M.W. 342.62 d.4.3	01667 00100	PB	100 gm	28521000	18
	01667 00250	PB	250 gm	28521000	18
Mercuric Nitrate 0.01M (0.02N) Standardized Solution- Liqued,d.4.3	01668 00500	PB	500 ml	38220090	12
Mercuric Nitrate 0.05M (0.1N) Standardized Solution	01669 00500	PB	500 ml	38220090	12
Mercuric Oxide Red (CAS No.21908-53-2) mercury (II)oxide red]	01670 00025	PB	25 gm	28521000	18
Assay: Min. 99 % HgO M.W. 216.59 d.11.14	01670 00100	PB	100 gm	28521000	18
	01670 00500	PB	500 gm	28521000	18
Mercuric Oxide Red AR (CAS No.21908-53-2) [mercury (II)oxide red]	01671 00025	PB	25 gm	28521000	18
Assay: Min. 99% HgO M.W. 216.59 d.11.14	01671 00100	PB	100 gm	28521000	18
	01671 00500	PB	500 gm	28521000	18
Mercuric Oxide Yellow (CAS No.21908-53-2) [mercury (II)oxide yellow]	01672 00025	PB	25 gm	28521000	18
Assay: Min. 99 % HgO M.W. 216.59 d.11.14	01672 00100	PB	100 gm	28521000	18
	01672 00500	PB	500 gm	28521000	18
Mercuric Oxide Yellow AR (CAS No.21908-53-2) [mercury (II)oxide yellow]	01673 00025	PB	25 gm	28521000	18
Assay: Min. 99.3 % HgO M.W. 216.59 d.11.14	01673 00100	PB	100 gm	28521000	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Mercuric Potassium Iodide Extra Pure (Cas No. 7783-33-7)	01673A 00025	GB	25 gm	28520000	18
(Potassium mercuric iodide) (Potassium tetraiodo mercurate)	01673A 00100	GB	100 gm	28520000	18
HgI ₄ K ₂ M.W. 786.40 d.1.16					
Mercuric Potassium Iodide Solution	01673B 00125	PB	125 ml	38220090	12
(potassium mercuric iodide solution) Liquid,d.1.16	01673B 00500	PB	500 ml	38220090	12
Mercuric Phenyl Acetate (for synthesis) (CAS No.62-38-4)	01674 00025	GB	25 gm	28521000	18
(Phenyl Mercuric Acetate)	01674 00100	GB	100 gm	28521000	18
Assay: Min. 98 % C ₈ H ₈ HgO ₂ M.W. 336.74					
Mercuric Sulphate Extra pure	01675 00025	PB	25 gm	28521000	18
(CAS No.7783-35-9)	01675 00100	PB	100 gm	28521000	18
[mercury (II) sulphate]	01675 00250	PB	250 gm	28521000	18
Assay: Min. 98% HgSO ₄ M.W. 296.65 d.6.47	01675 00500	PB	500 gm	28521000	18
Mercuric Sulphate AR (CAS No.7783-35-9)	01676 00025	PB	25 gm	28521000	18
[mercury (II) sulphate]	01676 00100	PB	100 gm	28521000	18
Assay: Min. 99-100% HgSO ₄ M.W. 296.65 d.6.47	01676 00250	PB	250 gm	28521000	18
Mercuric Thiocyanate (Cas No. 592-85-8)	01677 00025	PB	25 gm	28521000	18
[Mercury (II) thiocyanate]	01677 00100	PB	100 gm	28521000	18
Assay : Min. 97% Hg(SCN) ₂ M.W. 316.75 d.3.71	01677 00500	PB	500 gm	28521000	18
Mercuric Thiocyanate AR (CAS No.592-85-8)	01677A 00025	PB	25 gm	28521000	18
[mercury (II) thiocyanate]	01677A 00100	PB	100 gm	28521000	18
Assay: Min. 99% Hg(SCN) ₂ M.W. 316.75 d.3.71	01677A 00500	PB	500 gm	28521000	18
Mercurochrome (granular)	01678 00025	GB	25 gm	28521000	18
(CAS No.129-16-8) (mercury dibromofluorescein)	01678 00100	GB	100 gm	28521000	18
Assay: Min. 97.5% C ₂₀ H ₈ Br ₂ HgNa ₂ O ₆ .3H ₂ O M.W. 804.75					
Mercurous Chloride (anhydrous) (CAS No.10112-91-1)	01679 00025	PB	25 gm	28521000	18
[mercury (I)chloride] (calomel)	01679 00100	PB	100 gm	28521000	18
Assay: Min. 99% Hg ₂ Cl ₂ M.W. 472.09 d.7.15	01679 00500	PB	500 gm	28521000	18
Mercurous Chloride AR (anhydrous) (CAS No.10112-91-1)	01680 00025	PB	25 gm	28521000	18
[mercury (I)chloride] (calomel)	01680 00100	PB	100 gm	28521000	18
Assay: Min. 99.5% Hg ₂ Cl ₂ M.W. 472.09 d.5.4					
Mercurous Nitrate (dihydrate) (CAS No.14836-60-3)	01681 00025	PB	25 gm	28521000	18
[mercury (I) nitrate]	01681 00100	PB	100 gm	28521000	18
Assay: Min. 95% Hg ₂ (NO ₃) ₂ .2H ₂ O M.W. 561.22 d.4.78	01681 00250	PB	250 gm	28521000	18
Mercuric Nitrate AR (dihydrate) (CAS No.14836-60-3)	01682 00025	PB	25 gm	28521000	18
[mercury (I) nitrate]	01682 00100	PB	100 gm	28521000	18
Assay: Min. 98% Hg ₂ (NO ₃) ₂ .2H ₂ O M.W. 561.22 d.4.78	01682 00250	PB	250 gm	28521000	18
Mercurous Nitrate 0.1M (0.1N) Standardized Solution	01683 00500	PB	500 ml	38220090	12
Mesitylene (for synthesis) (CAS No.108-67-8)	01684 00500	GB	500 ml	29029090	18
(1,3,5-trimethyl benzene)	01684 02500	GB	2.5 lt	29029090	18
Assay: Min. 98% C ₉ H ₁₂ M.W. 120.20, Liquid,d.0.864					
Meso-inositol see meso- Inositol Page No. 83					
Metanilic Acid (CAS No. 121-47-1)	01685 00250	PB	250 gm	29214290	18
Assay: Min. 97% C ₆ H ₇ NO ₃ S M.W. 173.19 d.1.69					

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Metanil Yellow AR (CAS No.587-98-4) (C.I.No.13065) Dye Content: Min. 70% $C_{18}H_{14}N_3NaO_3S$ M.W. 375.38	01686 00025	PB	25 gm	32049000	18
	01686 00100	PB	100 gm	32049000	18
	01686 00500	PB	500 gm	32049000	18
Metanil Yellow solution Indicator solution	01687 00125	PB	125 ml	38220090	12
	01687 00500	PB	500 ml	38220090	12
Metaphosphoric Acid see meta-phosphoric Acid Page No. 118					
Methacrylic Acid (for synthesis) (CAS No.79-41-4) (2-methyl propanoic acid) Assay: Min.99% $C_4H_6O_2$ M.W. 86.09, liquid,d.1.015	01688 00500	GB	500 ml	29161310	18
	01688 02500	GB	2.5 lt	29161310	18
Methane Sulphonic Acid (CAS No.75-75-2) Assay: Min.98% CH_3O_3S M.W. 96.11, liquid,d.1.481	01689 00500	GB	500 ml	29041090	18
	01689 02500	GB	2.5 Lt	29041090	18
Methane Sulphonic Acid Sodium Salt AR & HPLC (CAS No. 2386-57-4) (sodium methane sulphonate) Assay : Min. 98% $CH_3SO_3 Na$ M.W. 118.09	01691 00005	GB	5 gm	29041090	18
	01691 00025	GB	25 gm	29041090	18
	01691 00100	GB	100 gm	29041090	18
Methane Sulphonyl Chloride (CAS No. 124-63-0) (mesyl chloride) Assay : Min. 98% $CH_3ClO_2 S$ M.W.114.55, Liquid, d. 1.48	01692 00500	PB	500 ml	29049990	18
	01692 02500	PB	2.5 Lt	29049990	18
DL-Methionine (For Biochemistry) (Cas No. 59-51-8) Assay : Min. 99% $C_5H_{11}NO_2S$ M.W. 149.21 d.1.34	01697 00100	PB	100 gm	29304000	18
	01697 00500	PB	500 gm	29304000	18
L-methionine (for biochemistry) (CAS No. 63-68-3) Assay Min 98% $C_5H_{11}NO_2S$ M.W. 149.21	01698 00025	PB	25 gm	29304000	18
	01698 00100	PB	100 gm	29304000	18
	01698 00500	PB	500 gm	29304000	18
3-methoxyaniline 2-methoxyaniline See o-Anisidine Page No. 16					
4-methoxyaniline See p-Anisidine Page No. 16					
4-methoxy Benzaldehyde See p-Anisaldehyde Page No. 16					
2-Methoxyethanol (Cas No. 109-86-4) (Ethylene Glycol Monomethyl Ether) (Methyl Cellosolve) Assay : Min. 99% $C_3H_8O_2$ M.W. 76.09, Liquid, d. 0.965	01699 00500	GB	500 ml	29094400	18
	01699 02500	GB	2.5 lt	29094400	18
2-Methoxyethanol AR (Cas No. 109-86-4)] (Ethylene Glycol Monomethyl Ether) (Methyl Cellosolve) Assay : Min. 99.9% $C_3H_8O_2$ M.W. 76.09, Liquid, d. 0.965	01700 00500	GB	500 ml	29094400	18
	01700 02500	GB	2.5 lt	29094400	18
o-Methoxy Phenol See Guaiacol (Liquid) Page No. 75					
Methyl Acetate (For Synthesis) (Cas No. 79-20-9) (Acetic Acid Methyl Ester) Assay : Min. 99% $C_3H_6O_2$ M.W. 74.08, Liquid, d. 0.93	01701 00500	GB	500 ml	29153940	18
	01701 02500	GB	2.5 Lt	29153940	18
Methyl Acetate AR (For Synthesis) (cas No. 79-20-9) (Acetic Acid Methyl Ester) Assay : Min. 99.9% $C_3H_6O_2$ M.W. 74.08, Liquid, d. 0.93	01702 00500	GB	500 ml	29153940	18
	01702 02500	GB	2.5 lt	29153940	18
Methyl Acetoacetate (Cas No. 105-45-3) (Acetoacetic Ester Methyl) Assay : Min. 98% $C_5H_8O_3$ M.W. 116.12, Liquid, d. 1.076	01703 00500	GB	500 ml	29183040	18
	01703 02500	GB	2.5 lt	29183040	18
Methyl Acrylate (For Synthesis) (Cas No. 96-33-3) Assay : Min. 99% $C_4H_6O_2$ M.W. 86.09, Liquid, d. 0.956	01704 00500	GB	500 ml	29161400	18
	01704 02500	GB	2.5 lt	29161400	18
Methyl Alcohol See Methanol Page No. 98					

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Methylamine Solution (di) 40% (Cas No. 124-40-3) (Dimethylamine)	01705 00500	GB	500 ml	29211990	18
Assay : Min. 40% C ₂ H ₇ N M.W. 45.08, Liquid, d. 0.89	01705 02500	GB	2.5 lt	29211990	18
Methylamine Solution (Mono) 40% (Cas No. 74-89-5) (Monomethylamine)	01706 00500	GB	500 ml	29211990	18
Assay : Min. 40% CH ₅ N M.W. 31.06, Liquid, d. 0.897	01706 02500	GB	2.5 lt	29211990	18
Methylamine Solution (Tri) 30% (Cas No. 75-50-3) (Trimethylamine)	01707 00500	GB	500 ml	29211990	18
Assay : Min. 30% C ₃ H ₉ N M.W. 59.11 Liquid, d. 0.932					
Methylamine Hydrochloride (Cas No. 593-51-1) (Methylammonium Chloride)	01708 00250	PB	250 gm	29211990	18
Assay : 99% CH ₆ ClN M.W. 67.52	01708 01000	GB	1 kg	29211990	18
2-(Methylamino) Ethanol (For Synthesis) (Cas No. 109-83-1) (N-Methylethanolamine)	01709 00500	GB	500 ml	29221990	18
Assay : Min. 98% C ₃ H ₉ NO M.W. 75.11, Liquid, d. 0.935	01709 02500	GB	2.5 lt	29221990	18
4-(Methylamino) Phenol Sulphate See Metol Page No. 102					
Methylammonium Chloride See Methylamine Hydrochloride Page No. 100					
Methyl Aniline (Mono) (Cas No. 100-61-8) (N-Methyl Aniline)	01710 00500	GB	500 ml	29214290	18
Assay : Min. 98% C ₇ H ₉ N M.W. 107.16, Liquid, d. 0.989	01710 02500	GB	2.5 lt	29214290	18
Methyl Anthranilate (For Synthesis) (Cas No. 134-20-3)	01711 00500	GB	500 gm	29225012	18
Assay : Min. 98% C ₈ H ₉ NO ₂ M.W. 151.16, Liquid, d. 1.168					
Methyl Benzoate (Cas No. 93-58-3)	01712 00250	GB	250 ml	29163130	18
Assay : Min. 98% C ₈ H ₈ O ₂ M.W. 136.15, Liquid, d. 1.088	01712 00500	GB	500 ml	29163130	18
3-Methylbenzoic Acid See m-Toluic Acid Page No. 159					
2-methylbenzoic Acid See o-Toluic Acid Page No. 159					
4-methylbenzoic Acid See p-Toluic Acid Page No. 159					
4-methyl Benzyl Amine 97% (Cas No. 104-84-7)	01713 00005	GB	5 gm	29214990	18
Assay : Min. 97% C ₈ H ₁₁ N M.W. 121.18 Liquid, d. 0.952	01713 00025	PB	25 gm	29214990	18
Methyl Blue (Cas No. 28983-56-4) (C.L.No. 42780) C ₃₇ H ₂₇ N ₃ O ₉ S ₃ Na ₂ M.W. 799.80	01714 00025	PB	25 gm	32041990	18
	01714 00100	PB	100 gm	32041990	18
Methyl Blue (Aqueous) stain solution	01715 00125	PB	125 ml	32049000	18
	01715 00500	PB	500 ml	32049000	18
Methyl Tert-butyl Ether see tert-Butyl Methyl Ether Page No. 33					
Methyl Carbitol See Diethylene Glycol Mono Methyl Ether Page No. 56					
Methyyl Cellosolve See 2-Methoxyethanol Page No. 99					
Methyl Cellulose (CAS No. 9004-67-5) (methoxy contents 28.32%) d.1.31	01716 00250	PB	250 gm	39123922	18
	01716 00500	PB	500 gm	39123922	18
Methyl Chloro Formate (CAS No. 79-22-1)	01717 00500	GB	500 ml	29154010	18
Assay : Min. 99% C ₂ H ₃ ClO ₂ M.W. 94.50, Liquid, d. 1.223	01717 02500	GB	2.5 lt	29154010	18
Methyl Cyclohexane (for synthesis) (CAS No. 108-87-2)	01718 00500	GB	500 ml	29061200	18
Assay : Min. 99% C ₇ H ₁₄ M.W. 98.19, Liquid, d. 0.77	01718 02500	GB	2.5 Lt	29061200	18
Methyl Digol See Diethylene Glycol Mono Methyl Ether Page No. 56					
N, N-methylene Bisacrylamide AR (CAS No. 110-26-9) (for electrophoresis) (For Molecular biology) (Store at 2 - 8°C)	01719 00025	PB	25 gm	29241900	18
Assay : Min. 99% C ₇ H ₁₀ N ₂ O ₂ M.W. 154.17	01719 00100	PB	100 gm	29241900	18
	01719 00250	PB	250 gm	29241900	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Methylene Blue (M.S.) (Cas No. 61-73-4) (C.I. No. 52015)	01720 00025	PB	25 gm	32041351	18
Dye Content : Min. 82% $C_{16}H_{18}ClN_3S \cdot xH_2O$ M.W. 319.85	01720 00100	PB	100 gm	32041351	18
(Anhydr. basis)	01720 00500	PB	500 gm	32041351	18
Methylene Blue AR (M.S.) (Cas No. 61-73-4) (C.I. No. 52015)	01721 00025	PB	25 gm	32041351	18
Dye Content : Min. 95 - 101% $C_{16}H_{18}ClN_3S \cdot xH_2O$ M.W. 319.85	01721 00100	PB	100 gm	32041351	18
(Anhydr. basis)	01721 00500	PB	500 gm	32041351	18
Methylene Blue (Alkaline)	01722 00125	PB	125 ml	38220090	12
(Loeffler's Staing Solution) Liquid, d. 0.930	01722 00500	PB	500 ml	38220090	12
Methylene Blue (Aqueous)	01723 00125	PB	125 ml	38220090	12
(Staining Solution) Liquid, d. 0.970	01723 00500	PB	500 ml	38220090	12
Methylene Blue Solution 0.5% (For Microscopy)	01724 00125	PB	125 ml	38220090	12
	01724 00500	PB	500 ml	38220090	12
Methylene Blue Polychrome (For Microscopy)	01725 00025	GB	25 gm	32041351	18
Methylene Blue Tablets (For Milk Testing)	01726 050TB	PB	50 tab	38220090	12
Methylene Chloride See Dichloro Methane Page No. 55					
Methyle Iodide See Diiodomethane Page No. 57					
Methyl Ethyl Ketone See Ethyl Methyl Ketone Page No. 68					
Methyl Eugenol (For Synthesis) (Cas No. 93-15-2)	01727 00100	PB	100 gm	29093090	18
Assay : Min. 98% $C_{11}H_{14}O_2$ M.W. 178.23	01727 00500	PB	500 gm	29093090	18
Methyl Formate (Cas No. 107-31-3)	01728 00500	GB	500 ml	29151300	18
Assay : Min. 97% $C_2H_4O_2$ M.W. 60.05, Liquid, d. 0.974	01728 02500	GB	2.5 Lt	29151300	18
Methyl Green (M.S.) (Cas No. 7114-03-6) (C.I. No. 42590)	01729 00005	GB	5 gm	32049000	18
Dye Content : Min. 65% $C_{27}H_{35}BrClN_3 \cdot ZnCl_2$ M.W. 653.24	01729 00025	PB	25 gm	32049000	18
Methyl Green Stain Solution	01730 00125	PB	125 ml	38220090	12
	01730 00500	PB	500 ml	38220090	12
Methyl-P-Hydroxy Benzoate See Methyl Paraben Page No. 101					
2-Methylimidazole (Cas No. 693-98-1)	01731 00100	PB	100gm	29332990	18
Assay : Min. 98% $C_4H_6N_2$ M.W. 82.10	01731 00500	PB	500gm	29332990	18
Methyl Iodide (Cas No. 74-88-4) (For Synthesis) (Iodomethane)	01732 00100	GB	100 ml	29039990	18
Assay : Min. 99% CH_3I M.W. 141.94, Liquid, d. 2.28	01732 00250	GB	250 ml	29039990	18
Methyl Methacrylate (monomer) (CAS No. 80-62-6)	01733 00500	GB	500 ml	29161400	18
Assay : Min.99% $C_5H_8O_2$ M.W.100.12, Liquid, d. 0.944					
N-methyl Morpholine Extra Pure (CAS No. 109-02-4)	01734 00500	GB	500 ml	29343000	18
Assay : Min.98% $C_5H_{11}NO$ M.W.101.15, Liquid, d. 0.92	01734 02500	GB	2.5 lt	29343000	18
Methyl Orange pH indicator (CAS No. 547-58-0)	01735 00025	PB	25 gm	29270090	18
(C.I. No. 13025)	01735 00100	PB	100 gm	29270090	18
Dye Content : Min. 95% $C_{14}H_{14}N_3NaO_3S$ M.W. 327.33	01735 00500	PB	500 gm	29270090	18
Methyl Orange indicator solution Liquid, d.1.000	01736 00125	PB	125 ml	38220090	12
	01736 00500	PB	500 ml	38220090	12
Methyl Paraben (CAS No. 99-76-3)	01737 00500	PB	500 gm	29182990	18
(methyl-p-hydroxy benzoate) (nipagin)	01737 05000	PC	5 kg	29182990	18
Assay : Min. 99% $C_8H_8O_3$ M.W. 152.15					

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Methyl Paraben Sodium Salt (CAS No. 5026-62-0) (methyl-p-hydroxy benzoate sodium salt) Assay : Min. 97.5% $C_8H_7NaO_3$ M.W. 174.13	02905 00500	PB	500 gm	29183090	18
N-Methylphenazonium Methosulphate (CAS No. 299-11-6) (For Molecular Biology) (PMS) (phenazine methosulphate) Assay : Min. 90% $C_{14}H_{14}N_2O_4S$ M.W. 306.34	01738 00001	GB	1 gm	29339900	18
	01738 00005	GB	5 gm	29339900	18
1-methyl Piperazine (for synthesis) (CAS No. 109-01-3) Assay :Min. 99% $C_5H_{12}N_2$ M.W. 100.16, Liquid, d.0.903	01739 00100	GB	100 ml	29339900	18
	01739 00500	GB	500 ml	29339900	18
Methyl Purple pH indicator (purple green) (CAS No. 1340-02-9) $C_{67}H_{62}N_8Na_4O_{14}S_3$ M.W. 1391.41	01740 00005	GB	5 gm	32041341	18
	01740 00025	GB	25 gm	32041341	18
Methyl Purple pH indicator solution (0.1% indicator solution) Liquid,d.1.001	01741 00125	PB	125 ml	38220090	12
	01741 00250	PB	250 ml	38220090	12
2- Methyl Pyridine See 2-Picoline Page No. 119					
4- Methyl Pyridine See 4-Picoline Page No. 119					
N-methyl-2-pyrrolidone (CAS No. 872-50-4) (N-methyl pyrrolidone) Assay : Min, 99% C_5H_9NO M.W. 99.13, Liquid, d. 1.028	01742 00500	GB	500 ml	29337900	18
	01742 02500	GB	2.5 lt	29337900	18
Methyl Red indicator AR (acid base indicator) (CAS No. 493-52-7) (C.I. No. 13020) $C_{15}H_{15}N_3O_2$ M.W. 269.31	01743 00025	PB	25 gm	29270090	18
	01743 00100	PB	100 gm	29270090	18
Methyl Red indicator solution	01744 00125	PB	125 ml	38220090	12
	01744 00500	PB	500 ml	38220090	12
Methyl Red Sodium Salt (Water Soluble) (CAS. No. 845-10-3) Dye Content : Min. 95% $C_{15}H_{14}N_3NaO_2$ M.W. 291.29	01745 00025	PB	25 gm	29270090	18
	01745 01000	PB	1 kg	29270090	18
Methyl Salicylate (for synthesis) (CAS No. 119-36-8) (wintergreen oil) Assay : Min. 99% $C_8H_8O_3$ M.W. 152.15, Liquid, d. 1.174	01746 00500	GB	500 ml	29182310	18
	01746 02500	GB	2.5 lt	29182310	18
2-Methyltetrahydrofuran (for synthesis) (Cas No. 96-47-99) Assay : Mi. 99% $C_5H_{10}O$ M.W. 86.13, Liquid, d. 0.86	01747 00100	PB	100 ml	29321990	18
	01747 00500	PB	500 ml	29321990	18
Methyl Thymol Blue Complexone (Cas No.1945-77-3) (methyl thymol blue sodium salt) (indicator for metal titration) Dye Content : Min. 70% $C_{37}H_{40}N_2Na_4O_{13}S$ M.W. 844.76	01748 00001	GB	1 gm	32049000	18
	01748 00005	GB	5 gm	32049000	18
Methyl Violet (M.S.) (Cas No. 8004-87-3) (C.I. No. 42535) Dye Content : Min. 75% $C_{24}H_{27}N_3HCl$ M.W. 393.96	01749 00025	PB	25 gm	32041341	18
	01749 00100	PB	100 gm	32041341	18
Methyl Violet Indicator Solution	01750 00125	PB	125 ml	38220090	12
	01750 00500	PB	500 ml	38220090	12
Metol (photographic grade) (p-methylaminophenol sulphate) (CAS No. 55-55-0) Assay: Min. 99% $C_{14}H_{20}N_2O_6S$ M.W.344.39 d.1.577	01751 00100	PB	100 gm	29222931	18
	01751 00500	PB	500 gm	29222931	18
Miller's Reagent (For Fluorine)	01753 00125	PB	125 ml	38220090	12
	01753 00500	PB	500 ml	38220090	12
Million's Reagent (reagent for protein test)	01754 00125	GB	125 ml	38220090	12
	01754 00500	GB	500 ml	38220090	12
Mineral Oil See Paraffin Liquid Page No. 113					

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Molecular Sieves 3Ax1.5 mm (Cas No. 1327-44-2) (Potassium Alumino Silicate)	01755 00250	PB	250 gm	38249015	18
Molecular Sieves 5Ax1.5 mm (Cas No. 1327-39-5) (Calcium Alumino Silicate)	01757 00250	PB	250 gm	38249015	18
Molecular Sieves 13X x 1.5 mm (Cas No. 63231-69-6) (Sodium Alumino Silicate)	01758 00250	PB	250 gm	38249015	18
Molish Reagent	01759 00125	GB	125 ml	38220090	12
	01759 00500	GB	500 ml	38220090	12
Molybdenum AAS Standard Solution 1000 mg/L in Nitric Acid, Liquid, d.1.000	01760 00125	GB	125 ml	38220090	12
	01760 00500	GB	500 ml	38220090	12
Molybdenum ICP Standard Solution 1000mg/L in Nitric Acid Liquid, d. 1.000	01760A 00125	GB	125 ml	38220090	12
Molybdenum Disulphide Extra Pure (powder) (CAS No. 1317-33-5)	01761 00100	PB	100 gm	28309010	18
Assay : Min. 98% MoS ₂ M.W. 160.06 d.5.06	01761 00500	PB	500 gm	28309010	18
Molybdenum Trioxide (CAS No. 1313-27-5) (molybdic anhydride)	01762 00100	PB	100 gm	28257010	18
Assay : Min. 99% MoO ₃ M.W.143.94 d.4.69	01762 00500	PB	500 gm	28257010	18
Molybdenum Trioxide AR (CAS No. 1313-27-5) (molybdic anhydride) (HSN Code. 2825 7010)	01763 00100	PB	100 gm	28257010	18
Assay : Min. 99.5% MoO ₃ M.W. 143.94 d.4.69	01763 00500	PB	500 gm	28257010	18
Molybdic Acid Extra Pure (CAS No. 7782-91-4) Assay : Min. 85% MoH ₂ O ₄ M.W. 161.95 d.3.1	01764 00100	PB	100 gm	28257020	18
	01764 00500	PB	500 gm	28257020	18
	01764 02500	PB	2.5 kg	28257020	18
Molybdic Acid AR (CAS No. 7782-91-4) Assay : Min. 85% MoH ₂ O ₄ M.W. 161.95 d.3.1	01765 00100	PB	100 gm	28257020	18
	01765 00500	PB	500 gm	28257020	18
Molybdic Anhydride See Molybdenum Trioxide Page No. 103					
Monochloro Acetic Acid See Chloro Acetic Acid (mono) Page No. 41					
Monochlorobenzene See Chlorobenzene (mono) Page No. 42					
Monoethanolamine See Ethanolamine (mono) Page No. 64					
Monoethylamine See Ethylamine solution 70% page No. 65					
Monomethylamine See Methylamine solution (mono) 40% Page No. 99					
Monothioglycerol (CAS No. 96-27-5) (1-thioglycerol) (3- mercapto-1,2-propanediol)	01766 00100	GB	100 ml	29055900	18
Assay : Min. 98% C ₃ H ₈ O ₂ S M.W. 108.16, Liquid, d, 1.25	01766 00250	GB	250 ml	29055900	18
Montan Wax (Cas No. 8002-53-7)	01766A 00500	PB	500 gm	34049090	28
Mopso Buffer (For Molecular Biology) (CAS No. 68399-77-9) 3-Morpholino-2-hydroxypropane sulphonic acid)	01767 00025	GB	25 gm	29349900	18
Assay: Min. 99% C ₇ H ₁₅ NO ₅ S M.W. 225.26	01767 00050	GB	50 gm	29349900	18
Mordant Black 11 See Eriochrome Black T Page No. 64					
Morin (Hydrate) AR (Cas No. 654055-01-3) Assay : Min. 85% C ₁₅ H ₁₀ O ₇ .xH ₂ O M.W. 302.24 (Anhydr. Basis)	01768 00001	GB	1 gm	29329900	18
	01768 00005	GB	5 gm	29329900	18
Mormer's Reagent Solution	01768A 00500	GB	500 ml	38220090	12
Morpholine (For synthesis) (CAS No. 110-91-8) Assay : Min. 98.5% C ₄ H ₉ NO M.W. 87.12, Liquid, d. 1.01	01769 00500	GB	500 ml	29333917	18
	01769 02500	GB	2.5 lt	29333917	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Morpholinoethane Sulphonic Acid (MES) (For Molecular Biology) (monohydrate) (CAS No. 145224-94-8) Assay : Min. 99% $C_6H_{13}NO_4S \cdot H_2O$ M.W. 213.25	01770 00025	GB	25 gm	29349900	18
	01770 00100	GB	100 gm	29349900	18
Morpholinoethane Sulphonic Acid (MOPS) (For Molecular Biology) (CAS No.1132-61-2) Assay : Min. 99% $C_7H_{15}NO_3S$ M.W.209.26	01771 00025	PB	25 gm	29349900	18
	01771 00100	PB	100 gm	29349900	18
	01771 00500	PB	500 gm	29349900	18
M.t.t Tetrazolium AR (FOR Molecular Biology) (CAS No. 298-93-1) Assay : Min. 99% $C_{18}H_{16}BrN_5S$ M.W.414.32 (Store at 2-8°C)	01772 0100M	GB	100 mg	29339900	18
	01772 0250M	GB	250 mg	29339900	18
	01772 00001	GB	1 gm	29339900	18
Mucicarmine (Mayer) Staining Solution	01773 00125	PB	125 ml	32049000	18
	01773 00500	PB	500 ml	32049000	18
Mustard Oil (Cas No. 8007-40-7) Liquid, d. 1.013	01773A 00250	GB	250 ml	15149120	18
	01773A 00500	GB	500 ml	15149120	18
Murexide See Ammonium Purpurate Page No. 14					
Myristic Acid (for synthesis) (tetra decanoic acid) (Cas No. 544-63-8) Assay : Min. 98% $C_{14}H_{28}O_2$ M.W. 228.37	01774 00500	PB	500 gm	29159090	18
***** N					
Nad, Dpn See Nicotinamide Adenine Dinucleotide Page No. 107					
Nadh, Dpnh See Nicotinamide Adenine Dinucleotide Disodium Salt Page No. 107					
Nadp, Tpn See Nicotinamide Adenine Dinucleotide Phosphate Sodium Salt Page No. 107					
Nagarmotha Oil (Cas No. 91771-62-9) Liquid d.1.013	01774A 00500	GB	500 ml	33011990	18
Naphthalene Balls (For Synthesis) (Cas No. 91-20-3) Assay : Min. 99% $C_{10}H_8$ M.W. 128.17 d.1.145	01775 00500	PB	500 gm	29029040	18
Naphthalene Flakes (For Synthesis) (Cas No. 91-20-3) Assay : Min. 99.7% $C_{10}H_8$ M.W. 128.17 d.1.145	01776 00500	PB	500 gm	29029040	18
Naphthalene Acetic Acid See a-Naphthyl Acetic Acid Page No. 105					
Naphthalene Black 12B See Amido Black 10B Page No. 8					
α-Naphthol (for synthesis) (CAS No. 90-15-3) (1-naphthol) Assay : Min. 98% $C_{10}H_8O$ M.W. 144.17 d.1.1	01777 00100	PB	100 gm	29071510	18
	01777 00500	PB	500 gm	29071510	18
α-Naphthol AR (CAS No. 90-15-3) (1-naphthol) Assay : Min. 99% $C_{10}H_8O$ M.W. 144.17 d.1.1	01778 00100	PB	100 gm	29071510	18
	01778 00500	PB	500 gm	29071510	18
β-Naphthol (for synthesis) (CAS No. 135-19-3) (2-naphthol) Assay : Min. 98% $C_{10}H_8O$ M.W. 144.17 d.1.22	01779 00500	PB	500 gm	29071520	18
β-Naphthol AR (CAS No. 135-19-3) (2-naphthol) Assay : Min. 99% $C_{10}H_8O$ M.W.144.17 d.1.22	01780 00100	PB	100 gm	29071520	18
	01780 00500	PB	500 gm	29071520	18
α-Naphtholbenzein (pH indicator) (CAS No. 145-50-6) $C_{27}H_{18}O_2$ M.W. 374.43	01781 00005	GB	5 gm	29145000	18
	01781 00025	GB	25 gm	29145000	18
α-Naphtholbenzein Indicator Solution	01781A 00125	GB	125 ml	38220090	12
	01781A 00500	GB	500 ml	38220090	12
Naphthol Blue Black See Amido Black 10B Page No. 8					

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Naphthol Green B (M.S) (CAS No. 19381-50-1) C.I. No. 10020) (water soluble) $C_{30}H_{15}FeN_3Na_3O_{15}S_3$ M.W. 878.46 d.7.87	01782 00025	PB	25 gm	32049000	18
	01782 00100	PB	100 gm	32049000	18
	01782 00500	PB	500 gm	32049000	18
α-Naphtholphthalein (Cas No. 596-01-0) (1-naphtholphthalein) $C_{28}H_{18}O_4$ M.W. 418.45 d.1.1532	01782A 00001	GB	1 gm	32041979	18
	01782A 00005	GB	5 gm	32041979	18
α-Naphtholphthalein Reagent solution (1-naphtholphthalein reagent solution)	01783 00125	PB	125 ml	38220090	12
	01783 00500	PB	500 ml	38220090	12
1,2-Naphthoquinone-4-sulphon-ic Acid Sodium Salt AR (CAS No. 521-24-4) Assay : Min. 97% $C_{10}H_5NaO_5S$ M.W. 260.20	01784 00005	GB	5 gm	29147990	18
	01784 00025	GB	25 gm	29147990	18
Naphthoresorcinol AR (CAS No. 132-86-5) (1, 3-dihydroxy naphthalene) Assay : Min. 98% $C_{10}H_8O_2$ M.W. 160.17 d.1.28	01785 00001	GB	1 gm	29072990	18
	01785 00005	GB	5 gm	29072990	18
2-Naphthoxyacetic Acid (for synthesis) (CAS No. 120-23-0) (b-naphthoxyacetic acid) Assay : Min. 97% $C_{12}H_{10}O_3$ M.W. 202.21	01786 00025	GB	25 gm	29189900	18
	01786 00100	GB	100 gm	29189900	18
1-Naphthylacetate AR (CAS No. 830-81-9) Assay : Min. 99.5% $C_{12}H_{10}O_3$ M.W. 186.21	01787 00010	PB	10 gm	29153990	18
	01787 00025	PB	25 gm	29153990	18
a-Naphthyl Acetic Acid (CAS No. 86-87-3) (Naphthalene acetic acid) Assay : Min. 95% $C_{12}H_{10}O_2$ M.W.186.21 d.1.1032	01788 00025	PB	25 gm	29163990	18
	01788 00100	PB	100 gm	29163990	18
	01788 00500	PB	500 gm	29163990	18
α-Naphthylamine (for synthesis) (CAS No. 134-32-7) (1-naphthylamine) Assay : Min. 98% $C_{10}H_9N$ M.W. 143.19 d.1.11	01789 00500	PB	500 gm	29214511	18
α-Naphthylamine AR (CAS No.134-32-7) (1-naphthylamine) Assay : Min. 99% $C_{10}H_9N$ M.W. 143.19 d.1.11	01790 00100	PB	100 gm	29214590	18
	01790 00500	PB	500 gm	29214590	18
α-Naphthylamine Hydrochloride (CAS No. 552-46-5) (1-naphthylamine hydrochloride) Assay : Min. 98% $C_{10}H_{10}ClN$ M.W.179.65	01791 00025	GB	25 gm	29215990	18
	01791 00100	GB	100 gm	29215990	18
N-1-Naphthyl Ethylene Diamine Dihydrochloride AR (CAS NO. 1465-25-4) (Reagent for nitrate) Assay : Min. 98% $C_{12}H_{14}N_2 \cdot 2HCl$ M.W. 259.17	01792 00005	GB	5 gm	29215990	18
	01792 00010	GB	10 gm	29215990	18
	01792 00025	GB	25 gm	29215990	18
1-Naphthyl Phosphate Sodium Salt (CAS No. 81012-89-7) (sodium-1-naphthyl phosphate) (monohydrate) Assay : Min. 98% $C_{10}H_8NaO_4P \cdot H_2O$ M.W. 264.15	01793 00005	GB	5 gm	29199090	18
	01793 00025	GB	25 gm	29199090	18
Neem Seed Oil (Cas No. 8002-65-1), Liquid, 0.922 Liquid,d.0.922	01793A 00500	GB	500 ml	15159020	5
Neocuproine AR (2,9-dimethyl-1,10-phenanthroline) (CAS No. 484-11-7) Assay : Min. 99% $C_{14}H_{12}N_2$ M.W. 208.26 d.1.1345	01794 00001	GB	1 gm	29339900	18
	01794 00005	GB	5 gm	29339900	18
Neocuproine Hydrochloride AR (Cas No. 303136-82-5) (2,9-dimethyl-1, 10-Phenanthroline Hydrochloride) Assay : Min. 99% $C_{14}H_{12}N_2 \cdot HCl \cdot H_2O$ M.W. 262.73	01795 00001	GB	1 gm	29339900	18
	01795 00005	GB	5 gm	29339900	18
Neodymium Oxide AR (CAS No.1313-97-9) Assay : Min. 99.9% Nd_2O_3 M.W. 336.48 d.7.24	01796 00010	GB	10 gm	28469090	18
	01796 00025	GB	25 gm	28469090	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Neomycin Sulphate (for bacteriology) (CAS No. 1405-10-3)	01797 00005	GB	5 gm	29419050	18
C ₂₃ H ₄₆ N ₆ O ₁₃ .3H ₂ SO ₄ .XH ₂ O M.W. 908.88 (anhydrobasis)	01797 00025	GB	25 gm	29419050	18
(Store at 2-8°C)					
Neopentyl Glycol (for synthesis) (CAS No. 126-30-7)	01798 00500	PB	500 gm	29053990	18
Assay : Min. 98% C ₅ H ₁₂ O ₂ M.W. 104.15					
Neotetrazolium Chloride AR (CAS No. 298-95-3)	01799 00001	GB	1 gm	29339900	18
3,3' [4,4'-biphenyl bis (2,5-diphenyl tetrazolium chloride)]	01799 00005	GB	5 gm	29339900	18
Assay : Min. 97% C ₃₈ H ₂₈ N ₈ Cl ₂ M.W. 667.60					
Neothorine AR See Arsenazo Page No. 18					
Neroli Oil Extra Pure (Cas No. 8016-38-4)	01799A 00100	GB	100 ml	3390	18
Liquid, d. 0.868	01799A 00500	GB	500 ml	3390	18
Nessler's Reagent (for ammonia)	01800 00125	GB	125 ml	38220090	12
(Solution for testing ammonium salts) Liquid, d. 1.097	01800 00500	GB	500 ml	38220090	12
Nessler's Reagent (King's)	01801 00100	GB	100 ml	38220090	12
(For testing serum urea nitrogen) Liquid, d 1.16	01801 00500	GB	500 ml	38220090	12
Neutral Red indicator AR	01802 00010	GB	10 gm	32049000	18
(CAS No. 553-24-2)	01802 00025	PB	25 gm	32049000	18
(Neutral red chloride) (C.I .No. 50040)	01802 00100	PB	100 gm	32049000	18
Dye content : Min. 90% C ₁₅ H ₁₇ ClN ₄ M.W. 288.78	01802 00500	PB	500 gm	32049000	18
Neutral Red indicator solution	01803 00125	GB	125 ml	38220090	12
	01803 00500	GB	500 ml	38220090	12
New Fuchsin (M.S) (C.I. No. 42520) (CAS No. 3248-91-7)	01804 00025	PB	25 gm	32049000	18
C ₂₂ H ₂₄ ClN M.W.365.91 d.0.999	01804 00100	PB	100 gm	32049000	18
Newman's Stain Solution Liquid, d.1.15	01805 00100	PB	100 ml	32041349	18
(For bacteria and bovine cell in milk)	01805 00500	PB	500 ml	32041349	18
Niacin See Nicotinic Acid Page No. 107					
Niacinamide See Nicotinamide Page No. 107					
Nickel AAS Standard Solution	01806 00125	GB	125 ml	38220090	12
1000mg/L in Nitric Acid, Liquid d. 1.04	01806 00500	GB	500 ml	38220090	12
Nickel ICP Standard Solution 1000mg/L in Nitric Acid	01806A 00125	GB	125 ml	38220090	12
Liquid, d. 1.014					
Nickel (Metal) Powder (150-200 mesh) (Cas No. 7440-02-0)	01807 00100	PB	100 gm	75040000	18
Assay : Min. 99.5% Ni M.W. 58.69 d.8.902	01807 00500	PB	500 gm	75040000	18
Nickel (Metal) Foil (Cas No. 7440-02-0)	01808 00250	PB	250 gm	75040000	18
Assay : Min. 99.9% Ni M.W. 58.71 d.8.9					
Nickel Acetate (Tetrahydrate) (Cas No. 6018-89-9)	01809 00500	PB	500 gm	29152990	18
Assay : Min. 98% C ₄ H ₆ NiO ₄ .4H ₂ O M.W. 248.84 d.1.798					
Nickel Aluminium Alloy Powder (Cas No. 12635-27-7)	01810 00500	PB	500 gm	75022030	18
(Raney Nickel Catalyst alloy) (Aluminium Nickel alloy Powder)					
Assay : 50% (Ex Ni), 50% (Ex Al)					
Nickel Ammonium Sulphate See Ammonium Nickel Sulphate Page No. 13					
Nickel Carbonate (Basic) (Hydrate) (Cas No. 39430-27-8)	01811 00500	PB	500 gm	28369990	18
(Nickel Hydroxide Carbonate)					
Assay : Min. 41-49% NiCO ₃ .2Ni(OH) ₂ .xH ₂ O M.W. 304.12 d.4.39					

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Nickel Carbonate AR (Basic) (Hydrate) (Cas No. 39430-27-8)	01812 00250	PB	250 gm	28369990	18
(Nickel Hydroxide Carbonate)	01812 00500	PB	500 gm	28369990	18
Assay : Min. 99.9% $\text{NiCO}_3 \cdot 2\text{Ni}(\text{OH})_2 \cdot x\text{H}_2\text{O}$ M.W. 304.12 d.4.39					
Nickel Chloride (Hexahydrate) (Cas No. 7791-20-0)	01813 00500	PB	500 gm	28273500	18
Assay : Min. 97% $\text{NiCl}_2 \cdot 6\text{H}_2\text{O}$ M.W. 237.69 d.3.55	01813 05000	PC	5 kg	28273500	18
Nickel Chloride AR (Hexahydrate) (Cas No. 7791-20-0)	01814 00500	PB	500 gm	28273500	18
Assay : Min. 98% $\text{NiCl}_2 \cdot 6\text{H}_2\text{O}$ M.W. 237.69 d.3.55					
Nickel Hydroxide Carbonate See Nickel Carbonate Page No. 106					
Nickel Nitrate (Hexahydrate) (Cas No. 13478-00-7)	01815 00500	PB	500 gm	28342990	18
Assay : Min. 98% $\text{Ni}(\text{NO}_3)_2 \cdot 6\text{H}_2\text{O}$ M.W. 290.80 d.2.05					
Nickel Nitrate AR (Hexahydrate) (Cas No. 13478-00-7)	01816 00250	GB	250 gm	28342990	18
Assay : Min. 99% $\text{Ni}(\text{NO}_3)_2 \cdot 6\text{H}_2\text{O}$ M.W. 290.80 d.2.05	01816 00500	GB	500 gm	28342990	18
Nickel Oxide Black (Cas No. 1314-06-3)	01817 00250	PB	250 gm	28254000	18
Assay : Min. 70% NiO M.W. 74.69 d.4.80	01817 00500	PC	500 gm	28254000	18
Nickel Oxide Green (Cas No. 1313-99-1)	01818 00250	PB	250 gm	28254000	18
Assay : Min. 75% NiO M.W. 74.69 d.6.6- 7.5	01818 00500	PB	500 gm	28254000	18
Nickel Sulphamate Solution (Cas No. 13770-89-3)	01819 00500	GB	500 ml	28429090	18
Assay: Min. 10-11.0% $\text{Ni}(\text{SO}_3\text{NH}_2)_2$ M.W. 250.87, Liquid, d. 1.55	01819 02500	GB	2.5 lit	28429090	18
Nickel Sulphate (Hexahydrate) (Cas No. 10101-97-0)	01820 00500	PB	500 gm	28332400	18
Assay : Min. 98% $\text{NiSO}_4 \cdot 6\text{H}_2\text{O}$ M.W. 262.85 d.3.68	01820 05000	PC	5 kg	28332400	18
Nickel Sulphate AR (Hexahydrate) (Cas No. 10101-97-0)	01821 00500	PB	500 gm	28332400	18
Assay : Min. 99% $\text{NiSO}_4 \cdot 6\text{H}_2\text{O}$ M.W. 262.85 d.3.68					
Nicotinamide (for Biochemistry) (Cas No. 98-92-0) (Niacinamide)	02906 00100	PB	100 gm	29362920	18
Assay : Min. 99.5% $\text{C}_6\text{H}_6\text{N}_2\text{O}$ M.W. 122.12 d.1.40	02906 00500	PB	500 gm	29362920	18
Nicotinamide Adenine Dinucleotide (Trihydrate)	01822 0100M	GB	100 mg	29349900	18
(Cas No. 53-84-9) (For Biochemistry) (NAD, DPN)	01822 00001	GB	1 gm	29349900	18
Assay : Min. 95% $\text{C}_{21}\text{H}_{27}\text{N}_7\text{O}_{14}\text{P}_2$ M.W. 663.43 (Store at - 20°C)	01822 00005	GB	5 gm	29349900	18
Nicotinamide Adenine Dinucleotide Disodium Salt	01823 00100	GB	100 gm	29349900	18
(Cas No. 606-68-8) (NADH, DPNH) (Reduced)	01823 00001	GB	1 gm	29349900	18
Assay : Min. 97% $\text{C}_{21}\text{H}_{27}\text{N}_7\text{O}_{14}\text{P}_2\text{Na}_2 \cdot x\text{H}_2\text{O}$ M.W. 709.40	01823 00005	GB	5 gm	29349900	18
(Store at - 20°C)					
Nicotinamide Adenine Dinucleotide Phosphate Sodium Salt	01824 0025M	GB	25 mg	29349900	18
(Cas No. 24292-60-2) (For Biochemistry) (Store at 0 - 8°C)	01824 0100M	GB	100 mg	29349900	18
Assay : Min. 95% $\text{C}_{21}\text{H}_{26}\text{N}_7\text{Na}_2\text{O}_{17}\text{P}_3$ M.W. 787.37 (NADP, TPN)	01824 00001	GB	1 gm	29349900	18
Nicotinic Acid	01825 00025	PB	25 gm	29362920	18
(Cas No. 59-67-6)	01825 00100	PB	100 gm	29362920	18
(Niacin)	01825 00500	PB	500 gm	29362920	18
Assay : Min. 99.5% $\text{C}_6\text{H}_5\text{NO}_2$ M.W. 123.11 d.1.47	01825 01000	PB	1 kg	29362920	18
Nigrosine (C.I. No. 50415)	01826 00025	PB	25 gm	32041990	18
(Cas No. 11099-03-9)	01826 00100	PB	100 gm	32041990	18
(Spirit Soluble) (Solvent Black 5)	01826 00500	PB	500 gm	32041990	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Nigrosine (C.I. No. 50420) (Cas No. 8005-03-6) (Water Soluble)	01827 00025	PB	25 gm	32041231	18
	01827 00100	PB	100 gm	32041231	18
	01827 00500	PB	500 gm	32041231	18
Nigrosine Stain 10% w/v (Solution for Negative Staining)	01828 00500	PB	500 ml	32041231	18
Nile Blue Chloride (C.I. No. 51180) (Cas No. 2381-85-3) Dye Content : Min. 90% $C_{20}H_{20}ClN_3O$ M.W. 353.85	01829 00025	GB	25 gm	32041359	18
Nile Blue Sulphate (M.S.) (C.I. No. 51180) (Cas No. 3625-57-8) (Nile Blue A) Dye Content : Min. 90% $C_{40}H_{40}N_6O_6S$ M.W. 732.85	01830 00010	GB	10 gm	32049000	18
	01830 00025	GB	25 gm	32049000	18
Ninhydrin AR (CAS No. 485-47-2) (indanetrione hydrate) Assay : Min. 99% $C_9H_6O_4$ M.W.178.14 d.0.862	01831 00010	PB	10 gm	29143990	18
	01831 00025	PB	25 gm	29143990	18
	01831 00100	PB	100 gm	29143990	18
	01831 00250	PB	250 gm	29143990	18
Ninhydrin solution Liquid d.79	01832 00125	GB	125 ml	38220090	12
	01832 00500	GB	500 ml	38220090	12
Niobium ICP Standard Solution 1000 mg/L in Water, Liquid, d. 1.00	01832A 00125	GB	125 ml	38220090	12
Niobium Pentoxide AR (CAS No. 1313-96-8) Niobium (V) oxide] Assay : Min. 99.9% Nb_2O_5 M.W. 265.81 d.4.6	01833 00010	PB	10 gm	28259090	18
	01833 00025	PB	25 gm	28259090	18
	01833 00100	PB	100 gm	28259090	18
	01833 00500	PB	500 gm	28259090	18
Nitrazine Yellow used as indicator (C.I No. 14890) (CAS No. 5423-07-4) $C_{16}H_8N_4Na_2O_{11}S_2$ M.W. 542.36	01834 00005	GB	5 gm	32041329	18
	01834 00025	GB	25 gm	32041329	18
Nitric Acid 69-72% (CAS NO. 7697-37-2) (Sp. gr. 1.41-1.42) Assay : Min. 69-72% HNO_3 M.W. 63.01, Liquid, d. 1.41	01835 00500	GB	500 ml	28080010	18
	01835 02500	GB	2.5 lt	28080010	18
Nitric Acid 69-72% AR (sp.gr. 1.41) (CAS NO. 7697-37-2) Assay : Min. 69-72% HNO_3 M.W. 63.01, Liquid, d. 1.41	01836 00500	GB	500 ml	28080010	18
	01836 02500	GB	2.5 lt	28080010	18
Nitric Acid N/10 solution (0.1 Mol/L) (0.1N) Liquid d. 1.004	01837 00500	PB	500 ml	38220090	12
Nitric Acid 0.01M (0.01N) Standardized Solution to MIST Liquid d. 1.38 (HSN Code. 3822 0090)	01838 00500	PB	500 ml	38220090	12
Nitric Acid 1M (1N) Standardized Solution	01839 00500	PB	500 ml	38220090	12
Nitric Acid 2M (2N) Standardized Solution	01840 00500	PB	500 ml	38220090	12
Nitric Acid 4M (4N) Standardized Solution	01841 00500	PB	500 ml	38220090	12
Nitric Acid 8M (8N) Standardized Solution	01842 00500	PB	500 ml	38220090	12
Nitrilo Triacetic Acid (CAS NO. 139-13-9) (NTA) (Complexometric indicator and reagent) Assay : Min. 99% $C_6H_5NO_6$ M.W. 191.14 d.1.5784	01843 00100	PB	100 gm	29181190	18
	01843 00500	PB	500 gm	29181190	18
m-Nitro Acetophenone (for synthesis) (CAS No.121-89-1) (3-nitro acetophenone) Assay : Min. 98% $C_8H_7NO_3$ M.W.165.15 d.1.243	01844 00100	PB	100 gm	29147990	18
	01844 00500	PB	500 gm	29147990	18
p-Nitro Acetophenone (for synthesis) (CAS No.100-19-6) (4-nitro acetophenone) Assay : Min. 98% $C_8H_7NO_3$ M.W.165.15	01845 00250	PB	250 gm	29147990	18
	01845 00500	PB	500 gm	29147990	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
m-Nitro Aniline (CAS No. 99-09-2) (3-nitro aniline) Assay : Min. 98% C ₆ H ₅ N ₂ O ₂ M.W. 138.12 d.0.901	01846 00250	GB	250 gm	29214200	18
	01846 00500	GB	500 gm	29214200	18
o-Nitro Aniline (CAS No. 88-74-4) (2-nitro aniline) Assay : Min. 98% C ₆ H ₅ N ₂ O ₂ M.W. 138.12 d.1.442	01847 00250	GB	250 gm	29214225	18
	01847 00500	GB	500 gm	29214225	18
p-Nitro Aniline (CAS No. 100-01-6) (4-nitro aniline) Assay : Min. 98.5% C ₆ H ₅ N ₂ O ₂ M.W. 138.12 d.1.44	01848 00250	GB	250 gm	29214226	18
	01848 00500	GB	500 gm	29214226	18
p-Nitro Aniline AR (CAS No. 100-01-6) (4-nitro aniline) Assay : Min. 99% C ₆ H ₅ N ₂ O ₂ M.W. 138.12 d.1.44	01849 00025	GB	25 gm	29214226	18
	01849 00100	GB	100 gm	29214226	18
	01849 00500	GB	500 gm	29214226	18
2-Nitroanisole (For Synthesis) (Cas No. 91-23-6) (2-Methoxynitrobenzene) Assay : Min. 98% C ₇ H ₇ NO ₃ M.W. 153.14, Liquid, d.1.254	01850 00500	GB	500 ml	29093012	18
	01850 02500	GB	2.5 lt	29093012	18
m-Nitro Benzaldehyde (Cas No. 99-61-6) (3-Nitro Benzaldehyde) Assay : Min. 99% C ₇ H ₅ NO ₃ M.W. 151.12 d.1.3-0.1	01851 00100	PB	100 gm	29130090	18
	01851 00500	PB	500 gm	29130090	18
o-Nitro Benzaldehyde (Cas No. 552-89-6) (2-Nitro Benzaldehyde) Assay : Min. 99% C ₇ H ₅ NO ₃ M.W. 151.12 d.1.35	01852 00010	GB	10 gm	29130090	18
	01852 00025	GB	25 gm	29130090	18
p-Nitro Benzaldehyde (for Synthesis) (Cas No. 555-16-8) (4-Nitro Benzaldehyde) Assay : Min. 99% C ₇ H ₅ NO ₃ M.W. 151.12 d.1.546	01853 00025	GB	25 gm	29130090	18
	01853 00100	GB	100 gm	29130090	18
Nitrobenzene (For Synthesis) (Cas No. 98-95-3) Assay : Min. 98% C ₆ H ₅ NO ₂ M.W. 123.11, Liquid, d. 1.196	01854 00500	GB	500 ml	29042010	18
	01854 02500	GB	2.5 lt	29042010	18
Nitrobenzene AR (Cas No. 98-95-3) Assay : Min. 99% C ₆ H ₅ NO ₂ M.W. 123.11, Liquid, d. 1.196	01855 00500	GB	500 ml	29042010	18
	01855 02500	GB	2.5 lt	29042010	18
m-Nitro Benzoic Acid (For Synthesis) (Cas No. 121-92-6) (3-Nitrobenzoic Acid) Assay : Min. 98% C ₇ H ₅ NO ₄ M.W. 167.12 d.1.49	01856 00100	PB	100 gm	29163990	18
	01856 00250	PB	250 gm	29163990	18
p-Nitro Benzoic Acid (For Synthesis) (Cas No. 62-23-7) (4-Nitrobenzoic Acid) Assay : Min. 99% C ₇ H ₅ NO ₄ M.W. 167.12 d.1.58	01857 00500	PB	500 gm	29163990	18
4-(4-Nitrobenzyl) Pyridine AR (Cas No. 1083-48-3) Assay : Min. 98% C ₁₂ H ₁₀ N ₂ O ₂ M.W. 214.22 d.1.2042	01858 00005	GB	5 gm	29333990	18
	01858 00025	GB	25 gm	29333990	18
Nitro B.T. AR (M.S.) (For Molecular Biology) (Cas No. 298-83-9) (Nitro Blue Tetrazolium Chloride) Assay : Min. 98% C ₄₀ H ₃₀ N ₁₀ O ₆ Cl ₂ M.W. 817.65	01859 0100M	GB	100 mg	32041990	18
	01859 0250M	GB	250 mg	32041990	18
	01859 00001	GB	1 gm	32041990	18
4-Nitrocatechol AR (Cas No. 3316-09-4) (3,4-dihydroxynitrobenzene) Assay : Min. 97% C ₆ H ₅ NO ₄ M.W. 155.11 d.1.5553	01860 00005	GB	5 gm	29089990	18
o-Nitro Chlorobenzene See 1-Chloro-2-Nitrobenzene Page No. 43					
p-Nitro Chlorobenzene See 1-Chloro-4-Nitrobenzene Page No. 43					
Nitromethane (Cas No. 75-52-5) Assay : Min. 98% CH ₃ NO ₂ M.W. 61.04, Liquid, d.1.130	01861 00500	GB	500 ml	29181190	18
	01861 02500	GB	2.5 lt	29181190	18
m-Nitrophenol AR (pH indicator) (Cas No. 554-84-7) (3-nitrophenol) Assay : Min. 99% C ₆ H ₅ NO ₃ M.W. 139.11 d.1.49	01862 00005	GB	5 gm	29089990	18
	01862 00025	GB	25 gm	29089990	18
	01862 00100	GB	100 gm	29089990	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
o-Nitrophenol (Cas No. 88-75-5) (2-nitrophenol) Assay : Min. 99% C ₆ H ₅ NO ₃ M.W. 139.11	01863 00500	GB	500 gm	29089990	18
p-Nitrophenol (Cas No. 100-02-7)(4-nitrophenol) Assay : Min. 98% C ₆ H ₅ NO ₃ M.W. 139.11	01864 00500	GB	500 gm	29089990	18
p-Nitrophenol AR (pH indicator) (Cas No. 100-02-7) (4-nitrophenol) Assay : Min. 99.5% C ₆ H ₅ NO ₃ M.W. 139.11	01865 00025	GB	25 gm	29089990	18
	01865 00100	GB	100 gm	29089990	18
	01865 00500	GB	500 gm	29089990	18
4-(4-Nitrophenylazo)1-Naphthol See Magneson II Page No. 93					
4-(4-Nitrophenylazo)Resorcinol See Magneson I Page No. 93					
p-Nitro Phenyl Hydrazine (Cas No. 100-16-3) (4-nitro phenyl hydrazine) Assay : Min. 96% C ₆ H ₇ N ₃ O ₂ M.W. 153.14	01866 00025	PB	25 gm	29280090	18
	01866 00100	PB	100 gm	29280090	18
p-Nitro Phenyl Hydrazine AR (Cas No. 100-16-3) (4-nitro phenyl hydrazine) Assay : Min. 98.5% C ₆ H ₇ N ₃ O ₂ M.W. 153.14	01867 00010	GB	10 gm	29280090	18
	01867 00025	GB	25 gm	29280090	18
3-Nitrophthalic Acid (for synthesis) (Cas No. 603-11-2) Assay : Min. 98% C ₈ H ₅ NO ₆ M.W. 211.13	01868 00100	PB	100 gm	29173990	18
	01868 00500	PB	500 gm	29173990	18
4-Nitrophthalic Acid (for synthesis) (Cas No. 610-27-5) Assay : Min. 80% C ₈ H ₅ NO ₆ M.W. 211.13	01869 00100	PB	100 gm	29173990	18
	01869 00500	PB	500 gm	29173990	18
1-Nitroso-2-Naphthol (Cas No. 131-91-9) (α-nitroso-β-naphthol) Assay : Min. 97% C ₁₀ H ₇ NO ₂ M.W. 173.17	01870 00100	PB	100 gm	29089990	18
1-Nitroso-2-Naphthol AR (Cas No. 131-91-9) (α-nitroso-β-naphthol) Assay : Min. 98% C ₁₀ H ₇ NO ₂ M.W. 173.17	01871 00100	PB	100 gm	29089990	18
2-Nitroso-1-Naphthol AR (Cas No. 132-53-6) (β-nitroso-α-naphthol) Assay : Min. 98% C ₁₀ H ₇ NO ₂ M.W. 173.17	01872 00005	PB	5 gm	29089990	18
	01872 00025	PB	25 gm	29089990	18
Nitroso-R-Salt AR (Cas No. 525-05-3) (2-hydroxy-1-nitroso-3, 6-naphthalene disulphonic acid disodium salt) Assay : Min. 90% C ₁₀ H ₅ O ₈ NS ₂ Na ₂ M.W. 377.26	01873 00025	PB	25 gm	29089990	18
	01873 00100	PB	100 gm	29089990	18
	01873 00500	PB	500 gm	29089990	18
m-Nitro Toluene (for synthesis) (Cas No. 99-08-1) (3-nitro toluene) Assay : Min 99% C ₇ H ₇ NO ₂ M.W. 137.14, Liquid, d. 1.157	01874 00500	GB	500 ml	29042040	18
o-Nitro Toluene (for synthesis)(Cas No. 88-72-2) (2-nitro toluene) Assay : Min 99% C ₇ H ₇ NO ₂ M.W. 137.14, Liquid, d. 1.163	01875 00500	GB	500 ml	29042030	18
p-Nitro Toluene (for synthesis)(Cas No. 99-99-0) (4-nitro toluene) Assay : Min 98% C ₇ H ₇ NO ₂ M.W. 137.14 Liquid d, d.1.286	01876 00500	GB	500 gm	29042040	18
Nonidet P40 (Cas No. 9002-93-1) (Nonyl Phenyl Polyethylene Glycol) Liquid, d. 1.06	01877 00500	GB	500 ml	34021300	18
	01877 02500	GB	2.5 Lit	34021300	18
Nonyl Phenol Ethoxylate (9.5 moles) (Cas No. 104-40-5)	01878 00500	GB	500 ml	29094900	18
	01878 02500	GB	2.5 lt	29094900	18
Nutmeg Oil Extra Pure (Cas No. 8008-45-5) Liquid, d. 0.89	01878A 00500	GB	500 ml	3332	18
Nylendeis Reagent Liquid,d.1.14	01878B 00125	PB	125 ml	38220090	12
	01878B 00500	PB	500 ml	38220090	12

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
iso-Octane (Cas No. 540-84-1) (2,2,4-trimethylpentane)	01879 00500	GB	500 ml	29011000	18
Assay : Min. 99.5% C ₈ H ₁₈ M.W. 114.23 Liquid, d.0.692	01879 02500	GB	2.5 Lt	29011000	18
n-Octane (for synthesis) (Cas No. 111-65-9)	01880 00100	GB	100 ml	29011000	18
Assay : Min. 98% C ₈ H ₁₈ M.W. 114.23, Liquid, d. 0.703	01880 00500	GB	500 ml	29011000	18
n-Octane AR (Cas No. 111-65-9)	01881 00100	GB	100 ml	29011000	18
Assay : Min. 98% C ₈ H ₁₈ M.W. 114.23, Liquid, d. 0.703					
1-Octanesulphonic Acid Sodium Salt AR & HPLC (anhydrous)	01882 00005	GB	5 gm	29041090	18
(Cas No. 5324-84-5) (Sodium-1-octanesulphonate)	01882 00025	PB	25 gm	29041090	18
Assay : Min. 99% C ₈ H ₁₇ NaO ₃ S M.W. 216.28	01882 00100	PB	100 gm	29041090	18
1-Octanesulphonic Acid Sodium Salt AR & HPLC	01883 00005	GB	5 gm	29041090	18
(Cas No. 207596-29-0) (monohydrate)	01883 00025	PB	25 gm	29041090	18
(Sodium-1-octane sulphate)	01883 00100	PB	100 gm	29041090	18
Assay : Min. 99% C ₈ H ₁₇ NaO ₃ S.H ₂ O M.W. 234.29					
iso-Octanol (Cas No. 104-76-7) (2-ethyl hexanol)	01884 00500	GB	500 ml	29181190	18
Assay : Min. 97% C ₈ H ₁₈ O M.W. 130.23, Liquid, d. 0.819	01884 02500	GB	2.5 Lt	29181190	18
n-Octyl Alcohol (Cas No. 111-87-5) (n-octanol)	01885 00500	GB	500 ml	29051690	18
(Octan-1-OL, capryl alcohol)	01885 02500	GB	2.5 Lt	29051690	18
Assay : Min. 99% C ₈ H ₁₈ O M.W. 130.23, Liquid, d. 0.827					
n-Octyl Bromide (for synthesis) (Cas No. 111-83-1)	01886 00100	GB	100 ml	29033990	18
(1-bromo octane)	01886 00500	GB	500 ml	29033990	18
Assay : Min. 99% C ₈ H ₁₇ Br M.W. 193.12, Liquid, d. 1.118					
4-Tert-Octylphenol (for synthesis) (Cas No. 140-66-9)	01887 00500	PB	500 gm	29071300	18
Assay : Min. 97% C ₁₄ H ₂₂ O M.W. 206.33					
Oil Red O (for electrophoresis)(C.I.No. 26125)	01888 00010	GB	10 gm	32049000	18
(Cas No. 1320-06-5)	01888 00025	GB	25 gm	32049000	18
Dye Content: Min. 75% C ₂₆ H ₂₄ N ₄ O M.W. 408.49 Liquid, d. 2.07					
Oleic Acid (Cas No. 112-80-1)	01890 00250	GB	250 ml	38231200	18
Assay : Min. 99% C ₁₇ H ₃₃ .COOH M.W. 282.46 Liquid, d. 0.897	01889 02500	PC	2.5 lt	38231200	18
Olive Oil Extra Pure	01890 00100	GB	100 ml	15091000	5
(Cas No. 8001-25-0) Liquid, d. 0.91	01890 00500	GB	250 ml	15091000	5
Oracet Blue 2R (C.I. 61110) (Cas No. 4395-65-7)	01891 00005	GB	5 gm	32041975	18
C ₂₀ H ₁₄ CN ₂ O ₂ M.W. 314.34					
(Indicator for titration in Non-Aqueous Solvent)					
Orange G (M.S.)	01892 00025	PB	25 gm	32049000	18
(Cas No. 1936-15-8) (C.I.No. 16230)	01892 00100	PB	100 gm	32049000	18
Dye Content : Min. 80% C ₁₆ H ₁₀ .N ₂ Na ₂ O ₇ S ₂ M.W. 452.37	01892 00500	PB	500 gm	32049000	18
Orange G (For Molecular Biology) (C.I. No. 16230)	01893 00010	GB	10 gm	32049000	18
(Cas No. 1936-15-8)	01893 00050	GB	50 gm	32049000	18
Dye Content : Min : 80% C ₁₆ H ₁₀ .N ₂ Na ₂ O ₇ S ₂ N.W. 452.37					
Orange G (OG 6 Solution) aqueous solution	01894 00125	PB	125 ml	32049000	18
Liquid, d. 0.83	01894 00500	PB	500 ml	32049000	18
Orange Oil Extra Pure (Cas No. 8008-57-9), Liquid, d. 0.843	01894A 00500	GB	500 ml	33011200	18
Orcein (for microscopy) (Cas No. 1400-62-0)	01895 00005	GB	5 gm	32030090	18
	01895 00010	GB	10 gm	32030090	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Orcinol (monohydrate)	01896 00010	GB	10 gm	29071190	18
(Cas No. 6153-39-5) (3,5-dihydroxytoluene)	01896 00025	PB	25 gm	29071190	18
Assay : Min. 99% C ₇ H ₈ O ₂ .H ₂ O M.W. 142.16	01896 00100	PB	100 gm	29071190	18
L-Ornithine Monohydrochloride (Cas No. 3184-13-2)	01897 00005	GB	5 gm	29224990	18
(for biochemistry)	01897 00025	PB	25 gm	29224990	18
Assay : Min. 99% C ₅ H ₁₃ ClN ₂ O ₂ M.W. 168.62	01897 00100	PB	100 gm	29224990	18
Orthophosphoric Acid See Phosphoric Acid (ortho) Page No. 118					
Osmic Acid AR (Cas No. 20816-12-0) (osmium tetroxide)	01898 00001	GB	1 gm	28439019	18
Assay : Min. 99.9% OsO ₄ M.W. 254.23 (Store at 2-8°C)	01898 00010	GB	10 gm	28439019	18
Osmic Acid Solution 2% w/v	01899 00005	GB	5 ml	28439020	18
(for microscopy) Liquid , d. 1.01	01899 00010	GB	10 ml	28439020	18
Oxalic Acid (Cas No. 6153-56-6) (ethanedioic acid)	01900 00500	PB	500 gm	29171110	18
Assay : Min. 99% C ₂ H ₂ O ₄ .2H ₂ O M.W. 126.07					
Oxalic Acid AR (Cas No. 6153-56-6) (ethanedioic acid)	01901 00500	PB	500 gm	29171110	18
Assay : Min. 99.5% C ₂ H ₂ O ₄ .2H ₂ O M.W. 126.07					
Oxalic Acid dihydrate (For Molecular Biology) (Cas No. 6153-56-6)	01902 01000	PB	1 kg	29171110	18
Assay : Min. 99% C ₂ H ₂ O ₄ .2H ₂ O M.W. 126.07					
Oxalic Acid 0.1N (N/10) Solution, Liquid, d.0.99	01903 00500	PB	500 ml	38220090	12
Oxalic Acid 0.025M (0.05N) Standardized Solution, Liquid d.1.00	01904 00500	PB	500 ml	38220090	12
Oxalic Acid 0.5M (1N) Standardized Solution, Liquid d. 1.00	01905 00500	PB	500 ml	38220090	12
Oxalic Acid Dihydrazide (Cas No. 996-98-5) (oxalyl dihydrazide)	01906 00025	GB	25 gm	29280090	18
Assay : Min. 98% C ₂ H ₄ N ₄ O ₂ M.W. 118.09					
Ox-Bile Dried Powder (for microbiology)	01907 00100	PB	100 gm	5100020	5
Assay : Min. 45% (Store at 4°C)	01907 00500	PB	500 gm	5100020	5
Ox Gall powder (bacteriological grade)	01908 00100	PB	100 gm	5100020	5
(Cas No.8008-63-7) (Store at 4°C)	01908 00500	PB	500 gm	5100020	5
Oxine See 8-Hydroxyquinoline Page No. 82					
Oxone Extra Pure (Cas No. 70693-62-8)	01909 00250	PB	250 gm	28334000	18
(Potassium Peroxy Monosulphate)	01909 01000	PB	1 kg	28334000	18
HKO ₅ .S.0.5HKO ₄ S. 0.5K ₂ O ₄ S M.W. 307.38					
Ozokerite Wax (Cas No. 8021-55-4)	01909A 00100	PB	100 gm	27120000	18
	01909A 00500	PB	500 gm	27120000	18

***** **P**

Palladium AAS Standard Solution , Liquid, d. 1.025	01910 00125	GB	125 ml	38220090	12
1000mg/L in Hydrochloric Acid	01910 00500	GB	500 ml	38220090	12
Palladium ICP Standard Solution , Liquid, d. 1.032	01910A 00125	GB	125 ml	38220090	12
1000mg/L in Hydrochloric Acid					
Palladium (metal) Powder AR (Cas No. 7440-05-3)	01911 00001	GB	1 gm	71101900	3
Assay : Min. 99% Pd M.W. 106.42					
Palladium 5% On Charcoal Assay (as Pd) : 5%	01912 00010	GB	10 gm	38151210	18
Palladium 10% On Charcoal Assay (as Pd) : 10%	02922 00010	GB	10 gm	38151210	18
Palladium 5% On Asbestos Palladium Content :- 5%	02922A 00010	GB	10 gm	38151210	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Palladium 10% On Asbestos Palladium Content :- 5%	02922B 00010	GB	10 gm	38151210	18
Palladium Chloride (purified) (Pd 59-60%) (Cas No. 7647-10-1)	01913 00001	GB	1 gm	28439019	18
Pd content : 59-60% PdCl ₂ M.W. 177.33	01913 00005	GB	5 gm	28439019	18
Palladium Oxide (Cas No. 1314-08-5)	01914 00001	GB	1 gm	28439019	18
Assay : Min. 98% OPd M.W. 122.42					
Palmarosa Oil Extra pure (Cas No. 8014-19-5) Liquid, d. 0.887	01914A 00500	GB	500 ml	3333	18
Palmitic Acid (for synthesis) (Cas No. 57-10-3)	01915 00500	PB	500 gm	29157010	18
(hexa- decanoic acid)					
Assay : Min. 98 C ₁₆ H ₃₂ O ₂ M.W.256.42					
Palmitic Acid (purified) (for biochemistry) (Cas No. 57-10-3)	01916 00025	PB	25 gm	29157010	18
(hexa-decanoic acid)	01916 00100	PB	100 gm	29157010	18
Assay : Min. 99% C ₁₆ H ₃₂ O ₂ M.W. 256.42					
Palm Oil (Cas No. 8002-75-3), Liquid, d. 0.8875	01916A 00500	GB	500 ml	15110000	5
Pancreatin (for Pig pancreas) (Cas No. 8049-47-6)	01917 00100	PB	100 gm	35079020	18
activity equivalent to N.F. (Store at - 20°C)	01917 00500	PB	500 gm	35079020	18
Panday's Reagent Solution	01918 00125	PB	125 ml	38220090	12
(Saturated phenol solution)	01918 00500	PB	500 ml	38220090	12
Pan indicator AR (Cas No. 85-85-8)	01919 00001	GB	1 gm	29333990	18
[1-(2-pyridylazo)-2-naphthol]	01919 00005	GB	5 gm	29333990	18
Assay : Min. 99% C ₁₅ H ₁₁ N ₃ O M.W. 249.27 (Store at - 20°C)	01919 00025	GB	25 gm	29333990	18
Papain (purified powder) (Cas No. 9001-73-4)	01920 00100	PB	100 gm	35079071	18
(from Papaya Latex) (Store at 2- 8°C)	01920 00500	PB	500 gm	35079071	18
Papanicolaous Solution 1a See Hematoxylin (harris) solution Page No. 76					
Papanicolaous Solution 1a Harris Hematoxylin solution	01920A 00125	GB	125ml	32030090	18
Papanicolaous Solution 2b Liquid, d.0.83	01921 00125	PB	125 ml	32030090	18
(orange II solution for cytological cancer and cycle diagnosis)	01921 00500	PB	500 ml	32030090	18
Papanicolaous Solution 3b Liquid, d.0.82 (Polychromatic solution	01922 00125	PB	125 ml	32030090	18
EA 50 for cytological cancer and cycle diagnosis)	01922 00500	PB	500 ml	32030090	18
Par indicator AR (Cas No. 16593-81-0)	01923 00001	GB	1 gm	29333919	18
[4-(2-pyridylazo)-resorcinol monosodium salt]	01923 00005	GB	5 gm	29333919	18
Assay : Min. 99% C ₁₁ H ₈ N ₃ NaO ₂ .H ₂ O M.W. 255.21	01923 00025	GB	25 gm	29333919	18
Paraffin Liquid (heavy) (Cas No. 8012-95-1) (mineral oil white	01924 00500	PB	500 ml	27101990	18
heavy) (Colourless) (liquid paraffin heavy)(mineral oil white	01924 02500	PB	2.5 lt	27101990	18
heavy) Liquid, d.0.860-0.890					
Paraffin Liquid (light) (Cas No. 8012-95-1) (Colourless) (liquid	01925 00500	PB	500 ml	27101990	18
paraffin light) (mineral oil white light) Liquid, d.0.830-0.860	01925 02500	PB	2.5 lt	27101990	18
Paraffin Oil (for IR Spectroscopy) (Cas No. 8012-95-1)	01926 00100	GB	100 ml	27101990	18
Liquid, d.0.88	01926 00500	GB	500 ml	27101990	18
Paraffin Soft See Vaseline Page No. 165					
Paraffin Wax with Ceresin (Cas No. 8002-74-2)	01927 00500	PB	500 gm	27122010	18
(congealing point about 60°C)					
Praffin Wax Hard (Cas No. 8002-74-2)	01928 00500	PB	500 gm	27122010	18
(hard Paraffin (caking type small pieces)	01928 05000	PB	5 kg	27122010	18
Paraffin Wax 56-58°C For Histology (Cas No. 8002-74-2)	01929 00500	PB	500 gm	27122000	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Paraffin Wax 58-60°C (non caking) (Cas No. 8002-74-2)	01930 00500	PB	500 gm	27122000	18
Paraffin Wax 60-62°C (non caking) (Cas No. 8002-74-2)	01931 00500	PB	500 gm	27122000	18
Paraformaldehyde (Cas No. 30525-89-4) Assay : Min. 95% $\text{HO}(\text{CH}_2\text{O})_n\text{H}$ M.W. 30.03 (as monomer) (Store at 2-8°C)	01932 00500	PB	500 gm	29126000	18
Paraldehyde (for synthesis) (Cas no. 123-63-7) Assay : Min. 95% $\text{C}_6\text{H}_{12}\text{O}_3$ M.W. 132.16, Liquid, d.0.994	01933 00500	GB	500 ml	29125000	18
Pararosaniline (base) See p-Rosaniline(base) Page No. 132					
Patchouli Oil (Cas No. 8014-09-3) Liquid, d.0.963	01934 00500	GB	500 ml	3334	18
Patent Blue V (VF) (C.I. No. 42045) (Cas No. 129-17-9) (acid blue 1) Dye Content : Min. 50% $\text{C}_{27}\text{H}_{31}\text{N}_2\text{NaO}_6\text{S}_2$ M.W. 566.66	01935 00010 01935 00025 01935 00100	PB PB PB	10 gm 25 gm 100 gm	3334 32049000 32049000	18 18 18
Patton & Reeder's Reagent AR (Cas No. 3737-95-9) (calcon carboxylic acid) [2-hydroxy-1-(2-hydroxy-4-sulpho-1-naphthylazo)-3naphthoic acid] $\text{C}_{21}\text{H}_{14}\text{N}_2\text{O}_7\text{S}$ M.W. 438.41	01936 00005 01936 00025 01936 00100	GB PB PB	5 gm 25 gm 100 gm	29270090 29270090 29270090	18 18 18
PC Klean (Neutral) Cleaning Solution pH (2-5% Solution) 6.0-8.0 General Purpose	01937 00500 01937 05000	PB PC	500 ml 5 lt	34029099 34029099	28 28
PC Klean (Alkaline) Cleaning Solution pH (2-5% Solution) 11.0-12.0	01938 00500 01938 05000	PB PC	500 ml 5 lt	34029099 34029099	28 28
PC Klean (Alkaline Phosphate Free) Cleaning Solution pH (2-5% Solution) 11.0-12.0	01939 00500 01939 05000	PB PC	500 ml 5 lt	34029099 34029099	28 28
Pectin Extra Pure (Cas No. 9000-69-5)	01940 00100 01940 00500	PB PB	100 gm 500 gm	13022000 13022000	18 18
Pentaerythritol (for synthesis) (Cas no. 115-77-5) [2,2-bis(hydroxymethyl)-1,3-propane diol] Assay : Min. 98% $\text{C}_5\text{H}_{12}\text{O}_4$ M.W. 136.15	01941 00500	PB	500 gm	29054210	18
iso-Pentane (Cas No. 78-78-4) (2-methyl butane) Assay : Min. 99% C_5H_{12} M.W. 72.15, Liquid, d. 0.62	01942 00500 01942 02500	GB GB	500 ml 2.5 lt	29011000 29011000	18 18
n-Pentane (for synthesis) (Cas No. 109-66-0) Assay : Min. 99% C_5H_{12} M.W. 72.15, Liquid, d. 0.626	01943 00500 01943 02500	GB GB	500 ml 2.5 lt	2990 2990	18 18
n-Pentane AR (Cas No. 109-66-0) Assay : Min. 99% C_5H_{12} M.W. 72.15, Liquid, d. 0.626	01944 00500 01944 02500	GB GB	500 ml 2.5 lt	2990 2990	18 18
n-Pentane Sulphonic Acid Sodium Salt AR & HPLC (anhydrous) (Cas No. 22767-49-3)(sodium-1-pentane sulphonate) Assay : Min. 99% $\text{C}_5\text{H}_{11}\text{O}_3\text{SNa}$ M.W. 174.19	01945 00025 01945 00100	PB PB	25 gm 100 gm	29041090 29041090	18 18
n-Pentane Sulphonic Acid Sodium Salt AR & HPLC (Cas No. 207605-40-1) (monohydrate) (sodium-1-pentane sulphonate) Assay : Min. 99% $\text{CH}_3(\text{CH}_2)_4\text{SO}_3\text{Na} \cdot \text{H}_2\text{O}$ M.W. 192.21	01946 00005 01946 00025 01946 00100	GB PB PB	5 gm 25 gm 100 gm	29041090 29041090 29041090	18 18 18
n-Pentanol See n-amyl Alcohol Page No. 15					
3-Pentanone (Cas No. 96-22-0) (diethyl ketone) Assay : Min. 99% $\text{C}_5\text{H}_{10}\text{O}$ M.W. 86.13, Liquid, d. 0.817	01947 00100 01947 00500	GB GB	100 ml 500 ml	29141990 29141990	18 18
n-Pentyl Bromide See 1-Bromo Pentane Page No. 29					

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Pentylene tetrazole (for lab use) (Cas No. 54-95-5)	01948 00005	GB	5 gm	29339900	18
(pentetrazole, penta methylene tetrazole)	01948 00025	GB	25 gm	29339900	18
Assay : Min 99% C ₆ H ₁₀ N ₄ M.W. 138.17					
Peppermint Oil Extra Pure (Cas No. 8006-90-4), Liquid, d. 0.898	01949 00500	GB	500 ml	33012400	18
Pepsin 1:3000 (from hog stomach)	01950 00100	PB	100 gm	35079030	18
(Cas No. 9001-75-6)	01950 00500	PB	500 gm	35079030	18
Pepsin 1:10000 (for vaccine production)	01951 00025	PB	25 gm	35079030	18
(Cas No. 9001-75-6)	01951 00100	PB	100 gm	35079030	18
Peptone (bacteriological)	01952 00500	PB	500 gm	35040010	18
(obtained from enzymatic digestion of meat)	01952 05000	PC	5 kg	35040010	18
Peptone (for microbiology) (Granular) (Cas No. 73049-73-7)	01953 00500	PB	500 gm	35040010	18
Perchloric Acid 20% AR (Cas No. 7601-90-3)	01953A 00500	GB	500 ml	28112990	18
Assay : Min. 20% HClO ₄ M.W. 100.46, Liquid, d. 1.664	01953A 02500	GB	2.5 Lt	28112990	18
Perchloric Acid 60% AR (Cas No. 7601-90-3)	01954 00500	GB	500 ml	28112990	18
Assay : Min. 60-62% HClO ₄ M.W. 100.46, Liquid, d 1.664	01954 02500	GB	2.5 lt	28112990	18
Perchloric Acid 60% (Cas No. 7601-90-3) (For Molecular Biology)	01955 00500	GB	500 ml	28112990	18
Assay : Min. 60% HClO ₄ M.W. 100.46, Liquid, d 1.664					
Perchloric Acid 70% AR (Cas No. 7601-90-3)	01956 00500	GB	500 ml	28112990	18
Assay : Min. 69-70% HClO ₄ M.W. 100.46, Liquid, d 1.664	01956 02500	GB	2.5 lt	28112990	18
Perchloric Acid 0.1N solution	01957 00100	GB	100 ml	38220090	12
(in acetic acid glacial)	01957 00500	GB	500 ml	38220090	12
Perchloric Acid 0.1M (0.1N) Standardized Solution	01958 00500	GB	500 ml	38220090	12
Perchloric Acid 1M (1N) Standardized Solution	01959 00500	GB	500 ml	38220090	12
Perchloroethylene (Cas No. 127-18-4) (tetrachloroethylene)	01960 00500	GB	500 ml	29032300	18
Assay : Min. 99% CCl ₂ :CCl ₂ M.W. 165.83, Liquid, d. 1.623	01960 02500	GB	2.5 lt	29032300	18
Perchloroethylene AR (Cas No. 127-18-4) (tetrachloroethylene)	01961 00500	GB	500 ml	38220090	18
Assay : Min. 99.8% CCl ₂ :CCl ₂ M.W. 165.83, Liquid, d. 1.623	01961 02500	GB	2.5 lt	38220090	18
Periodic Acid (Cas No. 10450-60-9)	01962 00025	GB	25 gm	28111990	18
(for synthesis)	01962 00100	GB	100 gm	28111990	18
Assay : Min. 99% H ₅ IO ₆ M.W. 227.94	01962 00500	GB	500 gm	28111990	18
Periodic Acid AR (Cas No. 10450-60-9)	01963 00025	GB	25 gm	28111990	18
Assay : Min. 99.5% H ₅ IO ₆ M.W. 227.94	01963 00100	GB	100 gm	28111990	18
Periodic Acid 1% Solution	01964 00100	PB	100 ml	38220090	12
(for staining of cell polysaccharides schiff's (Pas) method)	01964 00500	PB	500 ml	38220090	12
Petroleum Ether See Ether Petroleum Page No. 65					
Petroleum Jelly See Vaseline Page No. 165					
Phenacyl Bromide (Cas No. 70-11-1)	01965 00100	GB	100 gm	29147090	18
Assy : Min 98% C ₈ H ₇ BrO N.W. 199.04	01965 00250	GB	250 gm	29147090	18
1,10-Phenanthroline (monohydrate) AR (For Molecular Biology)	01966 00005	GB	5 gm	29339900	18
(Cas no. 5144-89-8) (redox indicator) (o-phenanthroline)	01966 00025	PB	25 gm	29339900	18
Assay : Min. 99.5% C ₁₂ H ₈ N ₂ .H ₂ O M.W. 198.23	01966 00100	PB	100 gm	29339900	18
1,10-Phenanthroline Hydrochloride AR (Cas No. 18851-33-7)	01967 00005	GB	5 gm	29339900	18
Assay : Min. 97% C ₁₂ H ₉ ClN ₂ .H ₂ O M.W. 234.69	01967 00025	GB	25 gm	29339900	18
Phenazine Methosulphate See N-Methylphenazonium Methosulphate Page No. 102					

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Phenazone See Antipyrin Page No. 17					
Phenol (crystals) (Cas No. 108-95-2) (Hydroxybenzene) (Carbolic Acid) Assay : Min. 99% C ₆ H ₆ O M.W. 94.11	01968 00500	GB	500 gm	29071110	18
Phenol (crystals) AR (Cas No. 108-95-2) (Hydroxybenzene) (Carbolic Acid) Assay : Min. 99.5% C ₆ H ₆ O M.W. 94.11	01969 00500	GB	500 gm	29071110	18
	01969 02500	GB	2.5 Lt	29071110	18
Phenol (crystals) (For Molecular Biology) (Cas No. 108-95-2) (Hydroxybenzene) Assay : Min. 99% C ₆ H ₆ O M.W. 94.11 (Store at 2 - 8°C)	01970 00100	GB	100 gm	29071110	18
	01970 00500	GB	500 gm	29071110	18
Phenol (liquid) (Cas No. 108-95-2) (Carbolic Acid liquid) Assay : Min. 89% C ₆ H ₆ O M.W. 94.11, Liquid, d. 1.07	01971 00500	GB	500 ml	29071110	18
Phenol Disulphonic Acid (Cas No. 96-77-5) C ₆ H ₆ O ₇ S ₂ M.W. 254.24 (25% solution w/v in sulphuric acid)	01972 00500	GB	500 ml	29089990	18
Phenolphthaleine (indicator) Powder (Cas No. 77-09-8) C ₂₀ H ₁₄ O ₄ M.W. 318.32	01973 00050	PB	50 gm	29322090	18
	01973 00100	PB	100 gm	29322090	18
	01973 00500	PB	500 gm	29322090	18
Phenolphthaleine (indicator) Solution Liquid, d. 0.900	01974 00125	PB	125 ml	38220090	12
	01974 00500	PB	500 ml	38220090	12
Phenolphthaleine (indicator) Papers	01975 001pk	CB	pkt	38220090	12
Phenol Reagent See Folin & Ciocalteu's Phenol Reagent Page No. 71					
Phenol Red (indicator) AR (Cas No. 143-74-8) (phenolsulphonaphthalenein) C ₁₉ H ₁₄ O ₅ S M.W. 354.38	01976 00025	PB	25 gm	29349900	18
	01976 00100	PB	100 gm	29349900	18
	01976 00500	PB	500 gm	29349900	18
Phenol Red indicator solution Liquid, d. 1.0	01977 00125	PB	125 ml	38220090	12
	01977 00500	PB	500 ml	38220090	12
Phenol Red Sodium Salt (Cas No. 34487-61-1) pH 6.4-8.2 yellow to red (phenol red water soluble) Dye content : Min. 90% C ₁₉ H ₁₃ NaO ₅ S M.W. 376.36	01978 00005	GB	5 gm	32049000	18
	01978 00025	GB	25 gm	32049000	18
Phenosafranine AR (C.I. No. 50200) (Cas No. 81-93-6) Dye Content : Min 80% C ₁₈ H ₁₅ CIN ₄ M.W. 322.79	01979 00005	GB	5 gm	32129090	18
	01979 00025	GB	25 gm	32129090	18
Phenoxy Acetic Acid (for synthesis) (Cas No. 122-59-8) Assay : Min. 98% C ₈ H ₈ O ₃ M.W. 152.15	01980 00500	PB	500 gm	29349900	18
2-Phenoxy Ethanol (Cas No. 122-99-6) (Phenyl cellosolve) Assay : Min. 99% C ₈ H ₁₀ O ₂ M.W. 138.16, Liquid, d. 1.107	01981 00500	PB	500 ml	29094900	18
	01981 02500	PB	2.5 lt	29094900	18
Phenyl Acetic Acid (Cas No. 103-82-2) Assay : Min. 99% C ₈ H ₈ O ₂ M.W. 136.15	01982 00500	PB	500 gm	29163400	18
Phenylacetonitrile See Benzyl Cyanide Page No. 23					
L-Phenylalanine (Cas No. 63-91-2) (for biochemistry) Assay : Min. 99% C ₉ H ₁₁ NO ₂ M.W. 165.19	01983 00025	PB	25 gm	29224990	18
	01983 00100	PB	100 gm	29224990	18
	01983 00500	PB	500 gm	29224990	18
DL-Phenylalanine (Cas No. 150-30-1) (for biochemistry) Assay : Min. 99% C ₉ H ₁₁ NO ₂ M.W. 165.19	01984 00025	PB	25 gm	29224990	18
	01984 00100	PB	100 gm	29224990	18
	01984 00500	PB	500 gm	29224990	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
N-Phenyl Anthranilic Acid AR (Cas No. 91-40-7)	01985 00025	PB	25 gm	29224300	18
(redox indicator)	01985 00100	PB	100 gm	29224300	18
Assay : Min. 97% $C_{13}H_{11}NO_2$ M.W. 213.24	01985 00500	PB	500 gm	29224300	18
Phenylarsonic Acid AR (Cas No.98-05-5)	01986 00025	GB	25 gm	29181190	18
Assay : Min. 98.5% $C_6H_5AsO(OH)_2$ M.W. 202.04	01986 00100	GB	100 gm	29181190	18
Phenyl Chloroformate (for synthesis) (Cas No. 1885-14-9)	01987 00100	GB	100 ml	29153990	18
(chloroformic acid phenyl ester)	01987 00500	GB	500 ml	29153990	18
Assay : Min. 98% $C_7H_5ClO_2$ M.W.156.57	01987 02500	GB	2.5 lt	29153990	18
Phenyl Cyanide See Benzonitrile Page No. 22					
m-Phenylenediamine (for synthesis) (Cas No. 108-45-2)	01988 00250	GB	250 gm	29215120	18
Assay : Min. 98% $C_6H_4(NH_2)_2$ M.W. 108.14	01988 00500	GB	500 gm	29215120	18
m-Phenylenediamine Dihydrochloride (Purified)	01989 00100	GB	100 gm	29215120	18
(Cas No. 541-69-5)	01989 00250	GB	250 gm	29215120	18
Assay : Min. 99% $C_6H_8N_2 \cdot 2HCl$ M.W. 181.06					
o- Phenylenediamine (for synthesis)	01990 00100	GB	100 gm	29215110	18
(Cas No. 95-54-5)	01990 00250	GB	250 gm	29215110	18
Assay : Min. 98% $C_6H_4(NH_2)_2$ M.W. 108.14	01990 00500	GB	500 gm	29215110	18
β-Phenylethylamine Extra Pure (Cas No. 64-04-4)	01991 00500	GB	500 ml	29214990	18
(2-Phenylethylamine)	01991 02500	GB	2.5 lt	29214990	18
Assay : Min. 99% $C_6H_5CH_2CH_2NH_2$ M.W. 121.18 Liquid, d. 0.962					
Phenyl Fluorone AR (Cas No. 975-17-7) (reagent for germanium)	01992 00001	GB	1 gm	29329900	18
Assay : Min. 98.5% $C_{19}H_{12}O_5$ M.W. 320.30	01992 00005	GB	5 gm	29329900	18
Phenyl Hydrazine	01993 00250	GB	250 ml	29280090	18
(For synthesis) (Cas No. 100-63-0)	01993 00500	GB	500 ml	29280090	18
Assay : Min. 97% $C_6H_8N_2$ M.W. 108.14	01993 02500	GB	2.5 lt	29280090	18
Phenyl Hydrazine AR (Cas No. 100-63-0)	01994 00100	GB	100 ml	29280090	18
Assay : Min. 98% $C_6H_8N_2$ M.W. 108.14	01994 00500	GB	500 ml	29280090	18
Phenyl Hydrazine Hydrochloride (Cas No. 59-88-1)	01995 00100	PB	100 gm	29280090	18
Assay : Min. 99% $C_6H_8N_2 \cdot HCl$ M.W. 144.60	01995 00500	PB	500 gm	29280090	18
Phenyl Hydrazine Hydrochloride AR (Cas No. 59-88-1)	01996 00100	PB	100 gm	29280090	18
Assay : Min. 99% $C_6H_8N_2 \cdot HCl$ M.W. 144.60	01996 00500	PB	500 gm	29280090	18
Phenyl Mercuric Acetate See Mercuric Phenyl Acetate Page No. 98					
Phenyl Mercuric Nitrate (basic) (for synthesis)	01997 00025	GB	25 gm	28521000	18
(Cas No. 8003-05-2) (mercuric phenyl nitrate)					
Assay : Min. 99% $C_{12}H_{11}Hg_2NO_4$ M.W. 634.41					
Phenyl Phosphate Disodium Salt AR (Dihydrate) (Cas No. 66778-08-3) (Store at 2- 8°C) (Disodium Phenyl Phosphate)	01998 00025	GB	25 gm	29199090	18
Assay : Min. 95% $C_6H_5Na_2O_4P_2 \cdot 2H_2O$ M.W. 254.09	01998 00100	GB	100 gm	29199090	18
Phenyl Trimethyl Ammonium Chloride (for synthesis)	01999 00100	PB	100 gm	29239000	18
(Cas No. 138-24-9)	01999 00500	PB	500 gm	29239000	18
Assay : Min. 99% $C_9H_{14}ClN$ M.W. 171.67					
Phloroglucinol AR (Cas No. 108-73-6)	02000 00025	PB	25 gm	29072990	18
(1,3,5-trihydroxybenzene)	02000 00100	PB	100 gm	29072990	18
Assay : Min. 99% $C_6H_6O_3$ M.W. 126.11					

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Phloroglucinol Solution Liquid, d. 0.801	02001 00125	PB	125 ml	38220090	12
	02001 00500	PB	500 ml	38220090	12
Phloxin-B (M.S.) (C.I.No. 45410) (Cas No. 18472-87-2)	02002 00025	PB	25 gm	32049000	18
Dye Content : Min. 80% $C_{20}H_2Br_4Cl_4Na_2O_5$ M.W. 829.63	02002 00100	PB	100 gm	32049000	18
Phloxin - B Solution , Liquid, d. 0.845	02002A 00500	PB	500 ml	32129090	18
Phosphate Molybdate solution See Folin & Wu's Phosphate Molybdate solution Page No. 71					
Phosphomolybdic Acid AR (Cas No. 51429-74-4)	02003 00025	PB	25 gm	28111990	18
(dodeca-molybdo phosphoric acid)	02003 00100	PB	100 gm	28111990	18
Assay : Min. 99% $H_3[P(Mo_3O_{10})_4].xH_2O$ M.W. 1825.25 (anhydr. basis)					
Phosphomolybdic Acid Solution	02003A 00125	PB	125 ml	38220090	12
(Folin & Wu's) Liquid, d. 0.94	02003A 00500	PB	500 ml	38220090	12
Phosphoric Acid (ortho) 85-88% (Cas No. 7664-38-2)	02004 00500	PB	500 ml	28092010	18
(ortho-phosphoric acid)	02004 02500	PC	2.5 lt	28092010	18
Assay : Min. 85-88% H_3PO_4 M.W. 98.00, Liquid, d. 1.685	02004 05000	PC	5 lt	28092010	18
Phosphoric Acid (ortho) AR 88% (ortho-phosphoric acid)	02006 00500	GB	500 ml	28092010	18
(Cas No. 7664-38-2)	02006 02500	GB	2.5 lt	28092010	18
Assay : Min. 85% H_3PO_4 M.W. 98.00, Liquid, d. 1.685	02006 05000	GB	5 lt	28092010	18
Phosphoric Acid (ortho) AR 85% (For Steel Industry)	02007 00500	PB	500 ml	28092010	18
(Cas No. 7664-38-2)	02007 02500	PB	2.5 lt	28092010	18
Assay : Min. 85% H_3PO_4 M.W. 98.00, Liquid, d. 1.685					
Phosphoric Acid HPLC & Spectroscopy (ortho)	02008 01000	GB	1 lt	28092010	18
(Cas No. 7664-38-2)					
Assay : Min. 85% H_3PO_4 M.W. 98.00, Liquid, d. 1.685					
Phosphoric Acid (ortho) (For Molecular Biology)	02009 00250	GB	250 ml	28092010	18
(Cas No. 7664-38-2)					
Assay : Min. 85% H_3PO_4 M.W. 98.00, Liquid, d. 1.685					
Phosphoric Acid (meta) (Cas No. 37267-86-0) (glacial sticks)	02010 00100	PB	100 gm	28092000	18
Assay (HPO_3) : Min. 40% HO_3P M.W. 79.98	02010 00500	PB	500 gm	28092000	18
Phosphoric Acid (meta) AR (Cas No. 37267-86-0) (glacial sticks)	02011 00100	PB	100 gm	28092000	18
Assay (HPO_3) : Min. 56-60% HO_3P M.W. 79.98	02011 00500	PB	500 gm	28092000	18
Phosphorous AAS Standard Solution	02012 00125	GB	125 ml	38220090	12
1000mg/L in Nitric Acid	02012 00500	GB	500 ml	38220090	12
Phosphorous ICP Standard Solution 1000mg/L in Nitric Acid	02012A 00125	GB	125 ml	38220090	12
Phosphorous (red) Powder (for synthesis)	02013 00025	PB	25 gm	28047020	18
(Cas No. 7723-14-0)	02013 00100	PB	100 gm	28047020	18
Assay : Min. 97% P M.W. 30.97	02013 00500	PB	500 gm	28047020	18
Phosphorous Oxybromide (for synthesis) (Cas No. 7789-59-5)	02014 00025	GB	25 gm	28121090	18
Assay : Min. 98% $POBr_3$ M.W. 286.69 (Store at 2 – 8°C)	02014 00100	GB	100 gm	28121090	18
Phosphorous Oxychloride (Cas No. 10025-87-3)	02015 00500	GB	500 ml	28121030	18
(phosphoryl chloride)	02015 02500	GB	2.5 lt	28121030	18
Assay : Min 99% $POCl_3$ M.W. 153.33, Liquid, d. 1.645					
Phosphorous Pentachloride (Cas No. 10026-13-8)	02016 00500	GB	500 gm	28121022	18
(phosphorous (V) chloride)					
Assay : Min 99% PCl_5 M.W. 208.24					

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Phosphorous Pentasulphide (Cas No. 1314-80-3) Assay : Min 99% P ₂ S ₅ M.W. 222.27	02017 00500	GB	500 gm	28139010	18
Phosphorous Pentoxide (Cas No. 1314-56-3) (di-phosphorous pentoxide) Assay : Min 97% P ₂ O ₅ M.W. 141.94	02018 00500	PB	500 gm	28091000	18
Phosphorous Pentoxide AR (Cas No. 1314-56-3) (di-phosphorous pentoxide) Assay : Min 98% P ₂ O ₅ M.W. 141.94	02019 00500	PB	500 gm	28091000	18
Phosphorous Tribromide (Cas No. 7789-60-8) Assay : Min 98% PBr ₃ M.W. 270.69, Liquid, d. 2.88	02020 00100	GB	100 ml	28275990	18
	02020 00500	GB	500 ml	28275990	18
Phosphotungstic Acid (hydrate) (Cas No. 12501-23-24) (dodeca-tungsto phosphoric acid) H ₃ [P(W ₃ O ₁₀) ₄].xH ₂ O M.W. 2880.05 (anhydr. basis)	02021 00100	GB	100 gm	28111990	18
	02021 00500	GB	500 gm	28111990	18
Phosphotungstic Acid AR (hydrate) (Cas No. 12501-23-24) (dodeca-tungsto phosphoric acid) H ₃ [P(W ₃ O ₁₀) ₄].xH ₂ O M.W. 2880.05 (anhydr. basis)	02022 00025	GB	25 gm	28111990	18
	02022 00100	GB	100 gm	28111990	18
Phosphotungstic Acid Reagent solution	02023 00125	PB	125 ml	38220090	12
	02023 00500	PB	500 ml	38220090	12
o-Phthalaldehyde AR (for fluorometry) (Cas No. 643-79-8) Assay : Min. 99% C ₈ H ₆ O ₂ M.W. 134.14 (Store at 2 – 8°C)	02024 00005	GB	5 gm	29122990	18
	02024 00025	GB	25 gm	29122990	18
Phthalamide (for synthesis) (Cas No. 88-96-0) Assay : Min. 98.5% C ₈ H ₈ N ₂ O ₂ M.W. 164.16	02025 00500	PB	500 gm	29251900	18
Phthalic Acid (for synthesis) (Cas No. 88-99-3) Assay : Min. 99% C ₈ H ₆ O ₄ M.W. 166.13	02026 00500	PB	500 gm	29173930	18
Phthalic Acid AR (Cas No. 88-99-3) Assay : Min. 99.5% C ₈ H ₆ O ₄ M.W. 166.13	02027 00500	PB	500 gm	29173930	18
tere-Phthalic Acid (for synthesis) (Cas No. 100-21-0) Assay : Min. 98% C ₈ H ₆ O ₄ M.W. 166.13	02028 00500	PB	500 gm	29173600	18
Phthalic Anhydride (for synthesis) (Cas No. 85-44-9) Assay : Min. 98% C ₈ H ₆ O ₃ M.W. 148.12	02029 00500	PB	500 gm	29173500	18
	02029 05000	PC	5 kg	29173500	18
Phthalide (for synthesis) (Cas No. 87-41-2) [1(3H)-isobenzofuranone] Assay : Min. 98% C ₈ H ₆ O ₂ M.W. 134.13	02030 00100	PB	100 gm	29321990	18
	02030 00500	PB	500 gm	29321990	18
Phthalimide (for synthesis) (Cas No. 85-41-6) Assay : Min. 98% C ₈ H ₅ NO ₂ M.W. 147.13	02031 00500	PB	500 gm	29251900	18
2-Picoline (Cas No. 109-06-8) (α-Picoline) (2-methyl pyridine) Assay : Min. 98% C ₆ H ₇ N M.W. 93.13, Liquid, d. 0.943	02032 00500	GB	500 ml	29333912	18
3-Picoline (Cas No. 108-99-6) (β-picoline) (3-methyl pyridine) Assay : Min. 99% C ₆ H ₇ N M.W. 93.13, Liquid, d. 0.957	02033 00500	GB	500 ml	29333919	18
4-Picoline (Cas No. 108-89-4) (γ-picoline) (4-methyl pyridine) Assay : Min. 97% C ₆ H ₇ N M.W. 93.13, Liquid, d. 0.957	02034 00500	GB	500 ml	29333913	18
Picric acid (Cas No. 88-89-1) (moistened with water) (2,4,6-trinitrophenol) Assay : Min. 99% C ₆ H ₃ N ₃ O ₇ M.W. 229.10	02035 00500	PB	500 gm	29089990	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Picric acid AR (Cas No. 88-89-1) (moistened with water)	02036 00100	PB	100 gm	29089990	18
(2,4,6-trinitrophenol)	02036 00500	PB	500 gm	29089990	18
Assay : Min. 99.8% $C_6H_3N_3O_7$ M.W. 229.10					
Picric Acid Saturated Solution (2,4,6-trinitrophenol)	02037 00100	PB	100 ml	29089990	18
Liquid, d. 1.0	02037 00500	PB	500 ml	29089990	18
Picric acid Solution 1.2% AR	02038 00125	PB	125 ml	29089990	18
(for determination of creatinine)	02038 00500	PB	500 ml	29089990	18
Pine Oil Extra Pure (Cas No. 8002-09-3)	02038A 00500	GB	500 ml	38052000	18
Liquid, d. 0.86	02038A 05000	GB	5 Lt	38052000	18
Piperazine (anhydrous) (for synthesis)	02039 00250	PB	250 gm	29335990	18
(Cas No. 110-85-0)	02039 00500	PB	500 gm	29335990	18
Assay : Min. 98% $C_4H_{10}N_2$ M.W. 86.14	02039 01000	PB	1kg	29335990	18
Pipes (for Molecular Biology) (Cas No. 5625-37-6)	02042 00005	GB	5 gm	29335990	18
(piperazine-N,N-Bis-2-ethene sulphonic acid)	02042 00025	PB	25 gm	29335990	18
Assay : Min. 99% $C_8H_{18}N_2O_6S_2$ M.W. 302.37	02042 00100	PB	100 gm	29335990	18
Platinum AAS Standard Solution	02042A 00125	GB	125 ml	38220090	12
1000mg/L in Hydrochloric Acid, Liquid, d. 1.034	02042A 00500	GB	500 ml	38220090	12
Platinum ICP Standard Solution	02042B 00125	GB	125 ml	38220090	12
1000mg/L in Hydrochloric Acid, Liquid, d. 1.034					
Platinum Chloride (about 40% Pt) (Cas No. 18497-13-7)	02043 00001	GB	1 gm	28439019	18
(hexachloroplatinic acid) (chloroplatinic acid)					
Assay (of Pt) : Min. 40% $H_2PtCl_6 \cdot 6H_2O$ M.W. 517.90					
Platinum Oxide hydrate (Pt 80%) (Cas No. 52785-06-5)	02044 00001	GB	1 gm	28439019	18
(adam's catalyst) (platinum dioxide)					
Assay (of Pt) : Min. 80% $PtO_2 \cdot xH_2O$ M.W. 227.09					
Polyacrylic Acid (for synthesis) (Cas No. 9003-01-4), Liquid d. 1.2	02045 00100	GB	100 ml	39069090	18
Polyethelene Glycol 200 (for synthesis) (Cas No. 25322-68-3)	02046 00500	PB	500 ml	39072090	18
$H(OCH_2CH_2)_nOH$ M.W. 190-200, Liquid, d. 1.128					
Polyethelene Glycol 300 (for synthesis) (Cas No. 25322-68-3)	02047 00500	GB	500 ml	39072090	18
$H(OCH_2CH_2)_nOH$ M.W. 285-315, Liquid, d. 1.128					
Polyethelene Glycol 400 (for synthesis) (Cas No. 25322-68-3)	02048 00500	GB	500 ml	39072090	18
$H(OCH_2CH_2)_nOH$ M.W. 380-420, Liquid, d. 1.128					
Polyethelene Glycol 600 (for synthesis) (Cas No. 25322-68-3)	02049 00500	GB	500 ml	39072090	18
$H(OCH_2CH_2)_nOH$ M.W. 570-630, Liquid, d. 1.128					
Polyethelene Glycol 1500 (for synthesis)	02050 00500	PB	500 gm	39072090	18
(carbowax 1500) (Cas No. 25322-68-3)					
$H(OCH_2CH_2)_nOH$ M.W. 1400-1600					
Polyphosphoric Acid (for synthesis) (Cas No. 8017-16-1)	02053 00500	PB	500 gm	28092020	18
(tetraphosphoric acid)	02053 02500	PB	2.5 kg	28092020	18
Assay (by acidimetry, as P_2O_5) : ~85.0% $H_{n+2}P_nO_{3n+1}$					
Polysorbate See Tween Page No. 164					
Polyvinyl Alcohol (hot) (Cas No. 9002-89-5)	02054 00500	PB	500 gm	39053000	18
(M.W. 14,000)	02054 05000	PC	5 kg	39053000	18
Polyvinyl Pyrrolidone K-25 (Cas No. 9003-39-8) (PVPK-25)	02055 00100	PB	100 gm	39059910	18
	02055 00500	PB	500 gm	39059910	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Polyvinyl Pyrrolidone K-30 (Cas No. 9003-39-8) (PVPK-30)	02056 00100	PB	100 gm	39059910	18
	02056 00500	PB	500 gm	39059910	18
Polyvinyl Pyrrolidone K-90 (Cas No. 9003-39-8) (PVPK-90)	02057 00100	PB	100 gm	39059910	18
	02057 00500	PB	500 gm	39059910	18
Ponceau S sodium salt, Certified (C.I. No. 27195) (Cas No. 6226-79-5) Electrophoretic stain (For Molecular Biology) Dye Content : Min. 80% $C_{22}H_{12}N_4Na_4O_{13}S_4$ M.W. 760.56	02058 00025	PB	25 gm	32049000	18
	02058 00100	PB	100 gm	32049000	18
POPOP (scintillation grade) (Cas No. 1806-34-4) (1,4-Di(5-phenyl-2-oxazolyl)benzene) Assay : Min. 99% $C_{24}H_{16}N_2O_2$ M.W. 364.41	02059 00005	GB	5 gm	29349900	18
	02059 00025	GB	25 gm	29349900	18
POPSO Buffer (for biochemistry) (Cas No. 68189-43-5) [piperazine-1,4 Bis(2-hydroxypropanae sulphonic acid) Assay : Min. 97% $C_{10}H_{22}N_2O_8S_2 \cdot 2H_2O$ M.W. 398.5	02060 00050	PB	50 gm	29339900	18
	02060 00100	PB	100 gm	29339900	18
Potassium AAS Standard Solution 1000mg/L in Nitric Acid, Liquid, d. 1.013	02061 00125	GB	125 ml	38220090	12
	02061 00500	GB	500 ml	38220090	12
Potassium ICP Standard Solution 1000mg/L in Nitric Acid, Liquid, d. 1.013	02061A 00125	GB	125 ml	38220090	12
Potassium ICP Standard Solution 10000mg/L in Nitric Acid, Liquid, d. 1.013	02061B 00125	GB	125 ml	38220090	12
Potassium Acetate (Cas No. 127-08-2) Assay : Min. 99% $C_2H_3KO_2$ M.W. 98.14	02063 00050	PB	500 gm	29152990	18
Potassium Acetate AR (Cas No. 127-08-2) Assay : Min. 99% $C_2H_3KO_2$ M.W. 98.14	02064 00500	PB	500 gm	29152990	18
Potassium Acetate (For Molecular Biology) (Cas No. 127-08-2) Assay : Min. 99% $C_2H_3KO_2$ M.W. 98.14	02065 00100	PB	100 gm	29152990	18
	02065 00500	PB	500 gm	29152990	18
Potassium Aluminium Sulphate See Aluminium Potassium, Sulphate Page No. 8					
Potassium Antimonate See Potassium Pyroantimonate Page No. 126					
Potassium Antimony Tartrate See Antimony Potassium Tartrate Page No. 17					
Potassium Bicarbonate (Cas No. 298-14-6) (potassium hydrogen carbonate) Assay : Min. 99.5% $KHCO_3$ M.W. 100.12	02066 00500	PB	500 gm	28364000	18
	02066 01000	PB	1 kg	28364000	18
Potassium Bicarbonate AR (Cas No. 298-14-6) (potassium hydrogen carbonate) Assay Min. : 99.7% $KHCO_3$ M.W. 100.12	02067 00500	PB	500 gm	28364000	18
Potassium Bichromate See Potassium Dichromate See Page No. 121					
Potassium Bisulphate (Cas No. 7646-93-7) (Potassium hydrogen sulphate) Assay : Min. 98% $KHSO_4$ M.W. 136.17	02068 00500	PB	500 gm	28332990	18
Potassium Bisulphate AR (Cas No. 7646-93-7) (Potassium hydrogen sulphate) Assay : Min. 99% $KHSO_4$ M.W. 136.19	02069 00500	PC	500 gm	28332990	18
Potassium Bitartrate (cream of tartar) (Cas No. 868-14-4) (Potassium hydrogen (+) tartrate) Assay : Min. 99.5% $C_4H_5KO_6$ M.W. 188.18	02070 00500	PB	500 gm	29181390	18
Potassium Bromate (Cas No. 7758-01-2) Assay : Min. 99.6% $KBrO_3$ M.W. 167.00	02071 00500	PB	500 gm	28299020	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Potassium Bromate AR (Cas No. 7758-01-2) Assay : Min. 99.8% KBrO ₃ M.W. 167.00	02072 00500	PC	500 gm	28299020	18
Potassium Bromate 0.01667M (0.1N) Standardized, d Solution Liquid, d. 1.049	02073 00500	PB	500 ml	38220090	12
Potassium Bromide (Cas No. 7758-02-3) Assay : Min. 98% KBr M.W. 119.01	02074 00500	PB	500 gm	28275120	18
Potassium Bromide AR (Cas No. 7758-02-3) Assay : Min. 99.5% KBr M.W. 119.01	02075 00500	PB	500 gm	28275120	18
Potassium Bromide (for IR Spectroscopy) (Cas No. 7758-02-3) Assay : Min. 99.8% KBr M.W. 119.01	02076 00100	GB	100 gm	28275120	18
Potassium Bromide 0.5M (0.5N) Standardized Solution	02077 00500	PB	500 ml	38220090	12
Potassium Bromide 1M (1N) Standardized Solution	02078 00500	PB	500 ml	38220090	12
Potassium tert-Butoxide See Potassium Tert-Butoxide Page No. 127					
Potassium Carbonate (anhydrous) (Cas No. 584-08-7) Assay : Min. 99.9% K ₂ CO ₃ M.W. 138.21	02079 00500	PB	500 gm	28364000	18
	02079 05000	PC	5 Kg	28364000	18
Potassium Carbonate (anhydrous) AR (Cas No. 584-08-7) Assay : Min. 99% K ₂ CO ₃ M.W. 138.21	02081 00500	PB	500 gm	28364000	18
Potassium Chloroplatinate AR (Cas No. 16921-30-5) [Potassium hexachloroplatinate (IV)] Assay : Min. 98% K ₂ PtCl ₆ M.W. 486.00	02082 00001	GB	1 gm	28439019	18
Potassium Chloride (Cas No. 7447-40-7) Assay : Min. 99% KCl M.W. 74.55	02083 00500	PB	500 gm	31042000	18
Potassium Chloride AR (Cas No. 7447-40-7) Assay : Min. 99.5% KCl M.W. 74.55	02084 00500	PB	500 gm	31042000	18
Potassium Chloride (For molecular Biology) (Cas No. 7447-40-7) Assay : Min. 99.5% KCl M.W. 74.55	02085 00500	PB	500 gm	31042000	18
Potassium Chloride 3 M Solution (for potentiometer electrode) Liquid d. 1.13	02086 00100	PB	100 ml	38220090	12
Potassium Chloride 0.5M (0.5N) Standardized Solution, Liquid d. 1.040	02087 00500	PB	500 ml	38220090	12
Potassium Chloride 1M (1N) Standardized Solution, Liquid d. 1.040	02088 00500	PB	500 ml	38220090	12
Potassium Chromate (Cas No. 7789-00-6) Assay : Min. 99% K ₂ CrO ₄ M.W. 194.19	02089 00500	PB	500 gm	28415090	18
Potassium Chromate AR (Cas No. 7789-00-6) Assay : Min. 99.5% K ₂ CrO ₄ M.W. 194.19	02090 00500	PB	500 gm	28415090	18
Potassium Chromate 0.0333M (0.1N) Standardized Solution	02091 00500	PB	500 ml	38220090	12
tri-Potassium Citrate (monohydrate) (Cas No. 6100-05-6) Assay : Min. 99% K ₃ C ₆ H ₅ O ₇ ·H ₂ O M.W. 324.41	02092 00500	PB	500 gm	29181510	18
tri-Potassium Citrate AR (monohydrate) (Cas No. 6100-05-06) Assay : Min. 99% K ₃ C ₆ H ₅ O ₇ ·H ₂ O M.W. 324.41	02093 00500	PB	500 gm	29181510	18
Potassium Dichromate Extra (purified small crystals) (Cas No. 7778-50-9) (potassium bichromate) Assay : Min. 99.5% K ₂ Cr ₂ O ₇ M.W. 294.18	02094 00500	PB	500 gm	28415090	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Potassium Dichromate AR (Cas No. 7778-50-9) (potassium bichromate) Assay : Min. 99.9% $K_2Cr_2O_7$ M.W. 294.18	02095 00500	PB	500 gm	28415090	18
Potassium Dichromate 0.02M/L Soution (for determination of Cod)	02096 00500	PB	500 ml	38220090	12
Potassium Dichromate (0.25 N) Liquid, d. 1.01	02097 00500	PB	500 ml	38220090	12
Potassium Dichromate 0.0167M (0.1N) Standardized Solution	02098 00500	PB	500 ml	38220090	12
Potassium Dichromate 0.0417M (0.25N) Standardized Solution	02099 00500	PB	500 ml	38220090	12
Potassium Dichromate 0.167M (1N) Standardized Solution	02100 00500	PB	500 ml	38220090	12
Potassium Ethyl Xanthate (Cas No. 140-89-6) (Ethyl potassium xanthate) Assay : Min 98% $C_3H_5KOS_2$ M.W. 160.30	02102 00100 02102 00500	PB PB	100 gm 500 gm	29309099 29309099	18 18
Potassium Ferricyanide (Cas No. 13746-66-2) (Potassium hexacyanoferrate (III)) Assay : Min 98% $K_3Fe(CN)_6$ M.W. 329.24	02103 00100 02103 00500	PB PB	100 gm 500 gm	28372020 28372020	18 18
Potassium Ferricyanide AR (Cas No. 13746-66-2) (Potassium hexacyanoferrate (III)) Assay : Min 99% $K_3Fe(CN)_6$ M.W. 329.24	02104 00100 02104 00500	PB PB	100 gm 500 gm	28372020 28372020	18 18
Potassium Ferrocyanide (trihydrate) (Cas No. 14459-95-1) [Potassium hexacyanoferrate (II)] Assay : Min. 98% $K_4[Fe(CN)_6].3H_2O$ M.W. 422.39	02105 00500	PB	500 gm	28372030	18
Potassium Ferrocyanide AR (trihydrate) (Cas No. 14459-95-1) [Potassium hexacyanoferrate (II)] Assay : Min 99% $K_4[Fe(CN)_6].3H_2O$ M.W. 422.39	02106 00500	PB	500 gm	28372030	18
Potassium Fluoride (anhydrous) (Cas No. 7789-23-3) Assay : Min 97% KF M.W. 58.10	02107 00500	PB	500 gm	28261990	18
Potassium Fluoride (anhydrous) AR (Cas No. 7789-23-3) Assay : Min 99% KF M.W. 58.10	02108 00500	PB	500 gm	28261990	18
Potassium Formate Extra Pure (Cas No. 590-29-4) (Formic acid potassium salt) Assay : Min 99% $HCOOK$ M.W. 84.12	02109 00100 02109 00500	PB PC	100 gm 500 gm	29151290 29151290	18 18
Potassium Formate AR (Cas No. 590-29-4) (Formic acid potassium salt) Assay : Min 99% $HCOOK$ M.W. 84.12	02110 00500	PB	500 gm	29151290	18
Potassium Hydrogen Phthalate (Cas No. 877-24-7) (Potassium biphthalate) Assay : Min 99.5% $C_8H_5KO_4$ M.W. 204.22	02111 00500	PB	500 gm	29173990	18
Potassium Hydrogen Phthalate AR (Cas No. 877-24-7) (Potassium biphthalate) Assay : Min 99.5% $C_8H_5KO_4$ M.W. 204.22	02112 00500	PB	500 gm	29173990	18
di-Potassium Hydrogen Orthophosphate See Potassium phosphate dibasic Page No. 126					
Potassium Hydrogen Sulphate See Potassium Bisulphate Page No. 121					
Potassium Hydrogen (+) Tartrate See Potassium Bitartrate Page No. 121					
Potassium Hydroxide Flakes (Cas No. 1310-58-3) (Caustic potash) Assay : Min 85% KOH M.W. 56.11	02114 00500 02114 05000	PB PC	500 gm 5 kg	28152000 28152000	18 18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Potassium Hydroxide Pellets (Cas No. 1310-58-3)	02115 00500	PB	500 gm	28152000	18
(Caustic potash)	02115 05000	PC	5 kg	28152000	18
Assay : Min 85% KOH M.W. 56.11					
Potassium Hydroxide Pellets AR (Cas No. 1310-58-3)	02116 00500	PB	500 gm	28152000	18
(Caustic potash)	02116 05000	PC	5 kg	28152000	18
Assay : Min 85% KOH M.W. 56.11					
Potassium Hydroxide N/10 solution (0.1N) (solution in water)	02117 00500	PB	500 ml	38220090	12
Liquid, d. 1.00					
Potassium Hydroxide 0.1M (0.1N) in Ethanol Standardized Solution	02118 00500	PB	500 ml	38220090	12
Potassium Hydroxide 40% Solution (for analysis), Liquid, d. 1.51	02119 00500	PB	500 ml	38220090	12
	02119 02500	PB	2.5 Lit	38220090	12
Potassium Hydroxide 45% (aqueous solution) AR, Liquid, d. 1.51	02120 00500	PB	500 ml	38220090	12
Potassium Hydroxide 0.5N (solution in water), Liquid, d. 1.00	02121 00500	PB	500 ml	38220090	12
Potassium Hydroxide 0.05M (0.05N) Standardized Solution, Liquid, d. 1.00	02122 00500	PB	500 ml	38220090	12
Potassium Hydroxide 0.1M (0.1N) Standardized Solution, Liquid, d. 1.00	02123 00500	PB	500 ml	38220090	12
Potassium Hydroxide 0.5M (0.5N) Standardized Solution, Liquid, d. 0.85	02124 00500	PB	500 ml	38220090	12
Potassium Hydroxide 1M(1N) Standardized Solution	02125 00500	PB	500 ml	38220090	12
Potassium Hydroxide 0.5M (0.5N) in Ethanol Standardized Solution	02126 00500	PB	500 ml	38220090	12
Potassium Hydroxide 1M (1N) in Methanol Standardized Solution	02127 00500	PB	500 ml	38220090	12
Potassium Iodate	02128 00100	PB	100 gm	28299030	18
(Cas No. 7758-05-6)	02128 00250	PB	250 gm	28299030	18
Assay : Min. 99% KIO ₃ M.W. 214.00	02128 00500	PB	500 gm	28299030	18
Potassium Iodate AR	02129 00100	PB	100 gm	28299030	18
(Cas No. 7758-05-6)	02129 00250	PB	250 gm	28299030	18
Assay : Min. 99.5% KIO ₃ M.W. 214.00	02129 00500	PB	500 gm	28299030	18
Potassium Iodate 0.01667M (0.1N) Standardized Solution	02130 00500	PB	500 ml	38220090	12
Liquid, d.1.03					
Potassium Iodate 0.0147M (0.08833N) Standardized Solution	02131 00500	PB	500 ml	38220090	12
Liquid, d.1.03					
Potassium Iodate 0.05M (0.3N) Standardized Solution	02132 00500	PB	500 ml	38220090	12
Liquid, d.1.005					
Potassium Iodide	02133 00025	PB	25 gm	28276010	18
(for chromatography)	02133 00500	PB	500 gm	28276010	18
(Cas No. 7681-11-0)	02133 05000	PB	5 kg	28276010	18
Assay : Min. 99% KI M.W. 166	02133 00100	PB	100 gm	28276010	18
	02133 00250	PB	250 gm	28276010	18
Potassium Iodide AR	02134 00100	PB	100 gm	28276010	18
(Cas No. 7681-11-0)	02134 00250	PB	250 gm	28276010	18
Assay : Min. 99.5% KI M.W. 166	02134 00500	PB	500 gm	28276010	18
Potassium Iodide 0.01M (0.1N) Standardized Solution, Liquid, d.1.00	02135 00500	PB	500 ml	38220000	12

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Potassium Iodide 1M Standardized Solution	02136 00125	PB	125 ml	38220000	12
Potassium Iodide 3M Standardized Solution	02137 00125	PB	125 ml	38220000	12
Potassium Metabisulphite (Cas No. 16731-55-8) Assay : Min. 95% $K_2S_2O_5$ M.W. 222.32	02138 00500	PB	500 gm	28322010	18
	02138 05000	PC	5 kg	28322010	18
Potassium Metabisulphite AR (Cas No. 16731-55-8) Assay : Min. 96% $K_2S_2O_5$ M.W. 222.32	02139 00500	PB	500 gm	28322010	18
Potassium Metaperiodate (Cas No. 7790-21-8) [Potassium periodate (metal)] Assay : Min. 99% KIO_4 M.W. 230.00	02140 00100	PB	100 gm	28299030	18
	02140 00500	PB	500 gm	28299030	18
Potassium Metaperiodate AR (Cas No. 7790-21-8) [Potassium periodate (metal)] Assay : Min. 99.8% KIO_4 M.W. 230.00	02141 00100	PB	100 gm	28299030	18
	02141 00500	PB	500 gm	28299030	18
Potassium Metavanadate Extra Pure (Cas No. 13769-43-2) [Potassium vanadate (metal)] Assay : Min. 98% KVO_3 M.W. 138.04	02142 00100	PB	100 gm	29171190	18
	02142 00500	PB	500 gm	29171190	18
Potassium Nitrate Extra Pure (Cas No. 7757-79-1) Assay : Min. 99% KNO_3 M.W. 101.10	02143 00500	PB	500 gm	28342100	18
	02143 05000	PC	5 kg	28342100	18
Potassium Nitrate AR (Cas No. 7757-79-1) Assay : Min. 99.5% KNO_3 M.W. 101.10	02144 00500	PB	500 gm	28342100	18
Potassium Nitrate (for Molecular Biology) (Cas No. 7757-79-1) Assay : Min. 99% KNO_3 M.W. 101.1	02145 00500	PB	500 gm	28342100	18
Potassium Nitrite Extra pure (Cas No. 7758-09-0) Assay : Min. 96% KNO_2 M.W. 85.10	02146 00500	PB	500 gm	28341090	18
Potassium Nitrite AR (Cas No. 7758-09-0) Assay : Min. 97% KNO_2 M.W. 85.10	02147 00250	PB	250 gm	28341090	18
	02147 00500	PB	500 gm	28341090	18
Potassium Oxalate (monohydrate) (Cas No. 6487-48-5) (di-potassium oxalate) Assay : Min. 99% $(COOK)_2 \cdot H_2O$ M.W. 184.23	02148 00500	PB	500 gm	29171190	18
Potassium Oxalate AR (monohydrate) (Cas No. 6487-48-5) (di-potassium oxalate) Assay : Min. 99.5% $(COOK)_2 \cdot H_2O$ M.W. 184.23	02149 00500	PB	500 gm	29171190	18
Potassium Perchlorate AR (Cas No. 7778-74-7) Assay : Min. 99.5% $KClO_4$ M.W. 138.55	02150 00100	PB	100 gm	28291990	18
	02150 00500	PB	500 gm	28291990	18
Potassium Permanganate (meta) See Potassium Metaperiodate Page No. 125					
Potassium Permanganate (Cas No. 7722-64-7) (purified crystals) Assay : Min. 99% $KMnO_4$ M.W. 158.03	02151 00500	PB	500 gm	28416100	18
	02151 05000	PC	5 kg	28416100	18
Potassium Permanganate AR (Cas No. 7722-64-7) Assay : Min. 99.5% $KMnO_4$ M.W. 158.03	02152 00500	PB	500 gm	28416100	18
Potassium Permanganate 0.01M (0.05N) Standardized Solution, Liquid. d. 1.00	02153 00500	PB	500 ml	38220090	12
Potassium Permanganate 0.02M (0.1N) Standardized Solution, Liquid. d. 1.00	02154 00500	PB	500 ml	38220090	12
Potassium Permanganate 0.05M (0.25N) Standardized Solution, Liquid. d. 1.00	02155 00500	PB	500 ml	38220090	12
Potassium Permanganate 0.2M (1N) Standardized Solution, Liquid. d. 1.00	02156 00500	PB	500 ml	38220090	12

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Potassium Permanganate 0.02mol/L (o.1N) Solution , Liquid. d. 1.00 When Diluted to 500 ml with Water (Concn. Of Solution in each ampoule is 1N) (2x2 amps. Of set in a Box)	02157 AMP04	AMP	4 AMP	38220090	12
Potassium Persulphate (Cas No. 7727-21-1) (Potassium peroxydisulphate) Assay : Min. 98% K ₂ S ₂ O ₈ M.W. 270.32	02158 00500	PB	500 gm	28332990	18
Potassium Persulphate AR (Cas No. 7727-21-1) (Potassium peroxydisulphate) Assay : Min. 99% K ₂ S ₂ O ₈ M.W. 270.32	02159 00500	PB	500 gm	28332990	18
Potassium Phosphate dibasic (anhydrous) (Cas No. 7758-11-4) (di-potassium hydrogen orthophosphate) Assay : Min. 98% K ₂ HPO ₄ M.W. 174.18	02160 00500	PB	500 gm	28352400	18
Potassium Phosphate dibasic AR (anhydrous) (Cas No.7758-11-4) (di-potassium hydrogen orthophosphate) Assay : Min. 99% K ₂ HPO ₄ M.W. 174.18	02161 00500	PB	500 gm	28352400	18
Potassium Phosphate dibasic anhydrous (For Molecular Biology) (Cas No. 7758-11-4) Assay : Min. 99% K ₂ HPO ₄ M.W. 174.18	02162 00100 02162 00500	PB PB	100 gm 500 gm	28352400 28352400	18 18
Potassium Phosphate monobasic (anhydrous) (Cas No. 7778-77-0) (Potassium hydrogen orthophosphate) Assay : Min. 98% KH ₂ PO ₄ M.W. 136.09	02163 00500	PB	500 gm	28352400	18
Potassium Phosphate monobasic AR (anhydrous) (Cas No. 7778-77-0) (Potassium hydrogen orthophosphate) Assay : Min. 99.5% KH ₂ PO ₄ M.W. 136.09	02164 00500	PB	500 gm	28352400	18
Potassium Phosphate monobasic (anhydrous) (For Molecular Biology) (Cas No. 7778-77-0) Assay : Min. 99% KH ₂ PO ₄ M.W. 136.09	02165 00100 02165 00500	PB PB	100 gm 500 gm	28352400 28352400	18 18
Potassium Phthalimide (Cas No. 1074-82-4) (Phthalimide potassium salt) Assay : Min. 98% C ₈ H ₄ KNO ₂ M.W. 185.22	02166 00500	PB	500 gm	29251900	18
Potassium Pyroantimonate (Cas No. 12208-13-8) (Potassium antimonite) Assay : Min. 98% KSb(OH) ₆ M.W. 262.9	02167 00100 02167 00500	PB PB	100 gm 500 gm	29251900 29251900	18 18
Potassium Pyroantimonate AR (Cas No. 12208-13-8) (Potassium antimonite) Assay : Min. 99% KSb(OH) ₆ M.W. 262.9	02168 00100 02168 00500	PB PB	100 gm 500 gm	28419000 28419000	18 18
Potassium Pyroantimonate reagent solution	02169 00100 02169 00500	PB PB	100 ml 500 ml	38220090 38220090	12 12
tetra-Potassium Pyrophosphate (Cas No. 7320-34-5) Assay : Min. 98% K ₄ P ₂ O ₇ M.W. 330.34	02170 00500	PB	500 gm	28353900	18
tetra-Potassium Pyrophosphate AR (Cas No. 7320-34-5) Assay : Min. 99% K ₄ P ₂ O ₇ M.W. 262.9	02171 00500	PB	500 gm	28353900	18
Potassium Pyrosulphate (Cas No. 7790-62-7) (Potassium disulphate) Assay : Min. 97% K ₂ S ₂ O ₇ M.W. 254.33	02172 00250 02172 00500	PB PB	250 gm 500 gm	28332990 28332990	18 18
Potassium Silicate Solution Liquid, d. 1.26	02173 00500	PB	500 ml	28399090	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Potassium Silico Fluoride (Cas No. 16871-90-2) Assay : Min. 98% K_2SiF_6 M.W. 220.27	02174 00500	PB	500 gm	28262020	18
Potassium Sodium Tartrate (tetrahydrate) (Cas No. 6381-59-5) (Rochelle salt) (sodium potassium tartrate) Assay : Min. 98% $C_4H_4KNaO_6 \cdot 4H_2O$ M.W. 282.22	02175 00500 02175 05000	PB PC	500 gm 5 kg	29181390 29181390	18 18
Potassium Sodium Tartrate AR (tetrahydrate) (Cas No. 6381-59-5) (Rochelle salt) (sodium potassium tartrate) Assay : Min. 99% $C_4H_4KNaO_6 \cdot 4H_2O$ M.W. 282.22	02176 00500	PB	500 gm	29181390	18
Potassium Sorbate (Cas No. 24634-61-5) Assay : Min. 99% $C_6H_7KO_2$ M.W. 150.22	02177 00500 02177 01000 02177 10000	PB PB PB	500 gm 1 kg 10 kg	29161990 29161990 29161990	18 18 18
Potassium Sulphate (Cas No. 7778-80-5) Assay : Min. 99% K_2SO_4 M.W. 174.26	02178 00500	PB	500 gm	31043000	18
Potassium Sulphate AR (Cas No. 7778-80-5) Assay : Min. 99.5% K_2SO_4 M.W. 174.26	02179 00500	PB	500 gm	31043000	18
Potassium Sulphocyanide See Potassium Thiocyanate Page No. 127					
Potassium Tellurite (for microbiology) (Cas No. 123333-66-4) Assay (ex Te) : Min. 90% $K_2TeO_3 \cdot xH_2O$ M.W. 253.80 (anhydr. basis)	02180 00025 02180 00100	GB GB	25 gm 100 gm	28429090 28429090	18 18
Potassium Tert-Butoxide (hydrate) (Cas No. 865-47-4) (Potassium tert-butyrate) Assay : Min. 98% C_4H_9KO M.W. 112.21	02181 00250 02181 00500	PB PB	250 gm 500 gm	29181390 29181390	18 18
Potassium Tetraoxalate (dihydrate) (Cas No. 6100-20-5) Assay : Min. 99.5% $C_4H_3KO_8 \cdot 2H_2O$ M.W. 254.20	02182 00500	PB	500 gm	29171190	18
Potassium Thiocyanate (Cas No. 333-20-0) (Potassium sulphocyanide) Assay : Min. 98% $KSCN$ M.W. 97.18	02183 00500	PB	500 gm	28429090	18
Potassium Thiocyanate AR (Cas No. 333-20-0) (Potassium sulphocyanide) Assay : Min. 99% $KSCN$ M.W. 97.18	02184 00500	PB	500 gm	28429090	18
Potassium Thiocyanate 0.1M (0.1N) Standardized Solution, Liquid, d. 1.00	02185 00500	PB	500 ml	38220090	12
Potassium Titanium Oxalate (Cas No. 14402-67-6) Assay : Min. 98% $C_4K_2O_9Ti \cdot 2H_2O$ M.W. 354.13	02186 00100 02186 00500	PB PB	100 gm 500 gm	29171190 29171190	18 18
Potassium Titanium Oxalate AR (Cas No. 14402-67-6) Assay : Min. 98.5% $C_4K_2O_9Ti \cdot 2H_2O$ M.W. 354.13	02187 00100 02187 00250	PB PB	100 gm 250 gm	29171190 29171190	18 18
Potassium Vanadate (meta) See Potassium Metavanadate Page No. 125					
Potato Starch See Starch Soluble Page No. 149					
PPO (Scintillation Grade) (Cas NO. 92-71-7) (2,5-diphenyloxazole) Assay : Min. 99% $C_{15}H_{11}NO$ M.W. 221.25	02188 00025 02188 00100	PB PB	25 gm 100 gm	29349900 29349900	18 18
Praseodymium Oxide AR (Cas No. 12037-29-5) (Praseodymium (III, IV) oxide) Assay : Min. 99.9% Pr_6O_{11} M.W. 1021.44	02189 00010 02189 00100	GB PB	10 gm 100 gm	28469010 28469010	18 18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Proflavin Hemisulphate (Dihydrate) (Cas No. 1811-28-5)	02190 00010	GB	10 gm	29335990	18
(3,6-diaminoacridine hemisulphate) Assay : Min. 99%	02190 00025	GB	25 gm	29335990	18
$C_{13}H_{11}N_3 \cdot 0.5H_2SO_4 \cdot H_2O$ M.W. 258.29					
L-Proline (for biochemistry)	02191 00005	GB	5 gm	29339900	18
(Cas No. 147-85-3)	02191 00025	PB	25 gm	29339900	18
Assay : Min. 99% $C_5H_9NO_2$ M.W.115.13	02191 00500	PB	500 gm	29339900	18
Propane-1, 2-Diol See Propylene Glycol Page No. 129					
1-Propane Sulphonic Acid Sodium Salt AR & HPLC	02192 00005	GB	5 gm	29041090	18
(Cas No. 14533-63-2)	02192 00025	PB	25 gm	29041090	18
Assay : Min. 99% $C_3H_7NaO_3S$ M.W. 146.14	02192 00100	PB	100 gm	29041090	18
Propargyl Alcohol (for synthesis) (Cas No. 107-19-7)	02193 00500	GB	500 ml	29052900	18
(2-propan-1-ol)	02193 02500	GB	2.5 lt	29052900	18
Assay : Min. 99% C_3H_4 M.W. 56.06, Liquid, d. 0.963					
Propionaldehyde (for synthesis) (Cas No. 123-38-6)	02194 00500	GB	500 ml	29121990	18
Assay : Min. 98% C_3H_6O M.W. 58.08, Liquid, d. 0.805					
(Store at 2- 8°C)					
Propionic Acid (for synthesis) (Cas No. 79-09-4)	02195 00500	GB	500 ml	29155000	18
Assay : Min. 99% $C_3H_6O_2$ M.W. 74.08 Liquid, d. 0.99	02195 02500	GB	2.5 lt	29155000	18
Propionic Anhydride (for synthesis) (Cas No. 123-62-6)	02196 00500	GB	500 ml	29159090	18
Assay : Min. 99% $C_6H_{10}O_3$ M.W. 130.14, Liquid, d. 1.015	02196 02500	GB	2.5 lt	29159090	18
Propionitrile (for synthesis) (Cas No. 107-12-0) (ethyl cyanide)	02197 00250	GB	250 ml	29269000	18
Assay : Min. 99% C_3H_5N M.W. 55.08, Liquid, d. 0.772	02197 01000	GB	1 lt	29269000	18
Propiophenone (for synthesis) (Cas No. 93-55-0)	02198 00500	GB	500 ml	29141990	18
Assay : Min. 99% $C_9H_{10}O$ M.W. 134.18, Liquid, d. 1.009	02198 02500	GB	2.5 lt	29141990	18
iso-Propyl Acetate (Cas No. 108-21-4)	02199 00500	GB	500 ml	29153910	18
Assay : Min. 99% $C_5H_{10}O_2$ M.W. 102.13, Liquid, d. 0.872	02199 02500	GB	2.5 lt	29153910	18
n-Propyl Acetate (Cas No. 109-60-4)	02200 00500	GB	500 ml	29153990	18
Assay : Min. 98% $C_5H_{10}O_2$ M.W. 102.13, Liquid, d. 0.888	02200 02500	GB	2.5 lt	29153990	18
iso-Propyl Alcohol (Cas No. 67-63-0)	02201 00500	GB	500 ml	29051220	18
(propan-2-ol) (2-propanol)	02201 02500	GB	2.5 lt	29051220	18
Assay : Min. 99% C_3H_8O M.W. 60.10, Liquid, d. 0.785					
iso-Propyl Alcohol AR (Cas No. 67-63-0)	02202 00500	GB	500 ml	29051220	18
(propane-2-ol) (2-propanol)	02202 02500	GB	2.5 lt	29051220	18
Assay : Min. 99.5% C_3H_8O M.W. 60.10, Liquid, d. 0.785					
iso-Propyl Alcohol HPLC & Spectroscopy	02203 01000	GB	1 lt	29051220	18
(Cas No. 67-63-0) (propan-2-ol) (2-propanol)					
Assay : Min. 99.8% C_3H_8O M.W. 60.10, Liquid, d. 0.786					
n-Propyl Alcohol (Cas No. 71-23-8)	02204 00500	PB	500 ml	29051210	18
(propan-1-ol)	02204 02500	PB	2.5 lt	29051210	18
Assay : Min. 99% $CH_3 \cdot CH_2 \cdot CH_2OH$ M.W. 60.10, Liquid, d. 0.804					
n-Propyl Alcohol AR (Cas No. 71-23-8)	02205 00500	GB	500 ml	29051210	18
(propan-1-ol)	02205 02500	GB	2.5 lt	29051210	18
Assay : Min. 99.5% $CH_3 \cdot CH_2 \cdot CH_2OH$ M.W. 60.10, Liquid, d. 0.804					
iso-Propylamine (Cas No. 75-31-0) (mono-iso-propylamine)	02207 00500	GB	500 ml	29211990	18
(isopropylamine)	02207 02500	GB	2.5 lt	29211990	18
Assay : Min. 99% C_3H_9N M.W. 59.11, Liquid, d. 0.688					

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
n-Propylamine (Cas No. 107-10-8) (1-aminopropane)	02208 00500	GB	500 ml	29211999	18
Assay : Min. 99% C ₃ H ₉ N M.W. 59.11, Liquid, d. 0.719	02208 02500	GB	2.5 lt	29211999	18
iso-Propyl Bromide (for synthesis) (Cas No. 75-26-3) (2-bromopropane)	02209 00500	GB	500 ml	29033990	18
Assay : Min. 99% C ₃ H ₇ Br M.W. 122.99, Liquid, d. 1.31					
n-Propyl Bromide (for synthesis) (Cas No. 106-94-5) (1-bromopropane) A	02210 00500	GB	500 ml	29033919	18
Assay : Min. 99% C ₃ H ₇ Br M.W. 122.99, Liquid, d. 1.354	02210 02500	GB	2.5 lt	29033919	18
Propylene Carbonate (for synthesis) (Cas No. 108-32-7)	02211 00500	PB	500 ml	29209099	18
Assay : Min. 99% C ₄ H ₆ O ₃ M.W. 102.09, Liquid, d. 1.204	02211 02500	PB	2.5 lt	29209099	18
Propylene Glycol (Cas No. 57-55-6) (propane-1, 2-diol)	02212 00500	PB	500 ml	29053200	18
Assay : Min. 99% C ₃ H ₈ O ₂ M.W. 76.09, Liquid, d. 1.036	02212 02500	PB	2.5 lt	29053200	18
Propylene Glycol AR (Cas No. 57-55-6) (propane-1, 2-diol)	02213 00500	GB	500 ml	29053200	18
Assay : Min. 99.5% C ₃ H ₈ O ₂ M.W. 76.09, Liquid, d. 1.036	02213 02500	GB	2.5 lt	29053200	18
Propylene Glycol Monomethyl Ether (for synthesis) (Cas No. 107-98-2)	02214 01000	GB	1 lt	29094900	18
(1-methoxy-2-propanol) Assay : Min. 98% C ₄ H ₁₀ O ₂ M.W. 90.12, Liquid, d. 0.922	02214 02500	GB	2.5 lt	29094900	18
n-Propyl Gallate (Cas No. 121-79-9) (antioxidant) (n-propyl-3,4,5-trihydroxy benzoate)	02215 00100	PB	100 gm	29182930	18
Assay : Min. 98% C ₁₀ H ₁₂ O ₅ M.W. 212.20	02215 00500	PB	500 gm	29182930	18
Propyl-P-Hydroxy Benzoate (Cas No. 94-13-3) (propyl paraben) (nipasol plain)	02216 00500	PB	500 gm	29182990	18
Assay : Min. 99% C ₁₀ H ₁₂ O ₃ M.W. 180.20	02216 05000	PC	5 kg	29182990	18
Propyl-P-Hydroxy Benzoate Sodium Salt (Cas No. 35285-69-9)	02217 00500	PB	500 gm	29182990	18
(propyl paraben sodium salt) (nipasol sodium) Assay : Min. 99% C ₁₀ H ₁₁ NaO ₃ M.W. 202.18	02217 05000	PC	5 kg	29182990	18
iso-Propyl Myristate (Cas No. 110-27-0)	02218 00500	GB	500 ml	29153990	18
Assay : Min. 98% C ₁₇ H ₃₄ O ₂ M.W. 270.45, Liquid, d. 0.85					
Propyl Paraben See Propyl-p-Hydroxy Benzoate Page No. 129					
Proteose Peptone (Cas No. 100209-45-8) (Culture media ingredient)	02219 00100	PB	100 gm	35040010	18
	02219 00500	PB	500 gm	35040010	18
Pudina Oil Liquid, d. 0.898	02219A 00100	GB	100 ml	33011990	18
	02219A 00250	GB	250 ml	33011990	18
Pumice Stone granular (for elementary analysis) (Cas No. 1332-09-8)	02220 00500	PB	500 gm	25131000	5
Pyrazinamide Extra Pure (Cas No. 98-96-4) (for lab use) Assay : Min. 98% C ₅ H ₅ N ₃ O M.W. 123.11	02221 00005	GB	5 gm	29242960	18
	02221 00025	GB	25 gm	29242960	18
Pyridine (Cas No. 110-86-1)	02222 00500	GB	500 ml	29333100	18
Assay : Min. 98% C ₅ H ₅ N M.W. 79.10, Liquid, d. 0.983	02222 02500	GB	2.5 lt	29333100	18
Pyridine AR (Cas No. 110-86-1)	02223 00250	GB	250 ml	29333100	18
Assay : Min. 99.5% C ₅ H ₅ N M.W. 79.10, Liquid, d. 0.983	02223 00500	GB	500 ml	29333100	18
	02223 02500	GB	2.5 lit	29333100	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Pyridine HPLC & Spectroscopy (Cas No. 110-86-1)	02224 00500	GB	500 ml	29333100	18
Assay : Min. 99.5% C ₅ H ₅ N M.W. 79.10, Liquid, d. 0.983	02224 02500	GB	2.5 lt	29333100	18
Pyridinium Chlorochromate Extra Pure (Cas No. 26299-14-9)	02225 00100	PB	100 gm	29333100	18
Assay : Min. 98% C ₅ H ₅ NCrO ₃ H M.W. 215.56	02225 00500	PB	500 gm	29333100	18
Pyridoxine Hydrochloride (for biochemistry)	02226 00025	PB	25 gm	29362500	18
(Cas No. 58-56-0)	02226 00010	PB	10 gm	29362500	18
(Vitamin B6)	02226 00100	PB	100 gm	29362500	18
Assay : Min. 99.5% C ₈ H ₁₂ ClNO ₃ M.W. 205.64	02226 00500	PB	500 gm	29362500	18
1-(2-Pyridylazo)-2-Naphthol See Pan indicator Page No. 113					
4-(2-Pyridylazo) Resorcinol Monosodium Salt Indicator AR See Pan indicator Page No. 113					
3-(2-Pyridyl)-5, 6-Diphenyl 1,2,4-Triazine AR (PDT)	02227 00001	GB	1 gm	29335990	18
(Cas No. 1046-56-6)	02227 00005	GB	5 gm	29335990	18
[5,6-diphenyl-3-(2-pyridyl)-1,2,4-triazine]					
Assay : Min. 99% C ₂₀ H ₁₄ N ₄ M.W. 310.36					
3-(2-Pyridyl)-5, 6-Diphenyl 1,2,4-Triazine-4, 4-Disulphonic Acid Disodium Salt AR (hydrate) (Cas No. 28048-33-1)	02228 00001	GB	1 gm	29333990	18
(PDT sulphonate disodium salt)					
Assay : Min. 99% C ₂₀ H ₁₂ N ₄ Na ₂ O ₆ S ₂ M.W. 514.44					
Pyrocatechol (Cas No. 120-80-9) catechol) (o-dihydroxybenzene)	02229 00500	GB	500 gm	29072990	18
Assay : Min. 98% C ₆ H ₄ (OH) ₂ M.W. 110.11					
Pyrocatechol AR (Cas No. 120-80-9) (catechol)	02230 00100	GB	100 gm	29072990	18
(o-dihydroxybenzene)	02230 00500	GB	500 gm	29072990	18
Assay : Min. 99% C ₆ H ₄ (OH) ₂ M.W. 110.11					
3,5-Pyrocatechol Disulphonic Acid Disodium Salt AR See Tiron Page No. 158					
Pyrocatechol Violet See Catechol Violet Page No. 39					
Pyrogallol (for synthesis) (Cas No. 87-66-1)	02231 00100	PB	100 gm	29072990	18
(pyrogallol acid) Assay : Min. 98% C ₆ H ₆ O ₃ M.W. 126.11	02231 00500	PB	500 gm	29072990	18
Pyrogallol AR (Cas No. 87-66-1) (HSN Code. 2907 2990)	02232 00100	GB	100 gm	29072990	18
Pyrogallol Reagent Solution (pyrogallol acid)	02232 00500	GB	500 gm	29072990	18
Assay : Min. 98.5% C ₆ H ₆ O ₃ M.W. 126.11					
Pyrogallol Reagent Solution , Liquid, d. 1.082	02232A 00500	GB	500 ml	38220090	12
Pyrogallol Red AR (Cas No. 32638-88-3)	02233 00001	GB	1 gm	29349900	18
C ₁₉ H ₁₂ O ₈ M.W. 400.36					
Pyronin B (C.I.No. 45010) (Cas No. 2150-48-3)	02234 00005	GB	5 gm	32049000	18
Dye Content : Min. 30% C ₄₂ H ₅₄ Cl ₈ Fe ₂ N ₄ O ₂ M.W. 1042.22					
Pyronin G (Y) (M.S.) (C.I.No. 45005) (Cas No. 92-32-0)	02235 00005	GB	5 gm	32041900	18
Dye Content : Min. 75% C ₁₇ H ₁₉ ClN ₂ O M.W. 302.80					
Pyrrolidine (for synthesis) (Cas No. 123-75-1)	02236 00250	GB	250 ml	29339900	18
Assay : Min. 99% C ₄ H ₉ N M.W. 71.12, Liquid, d. 0.86	02236 02500	GB	2.5 lit	29339900	18
Pyrrolidine-1-Dithiocarboxylic Acid Ammonium Salt AR See Ammonium Tetramethylene Dithiocarbamate Page No. 15					
2-Pyrrolidone (for synthesis)	02237 00500	GB	500 ml	29337900	18
(Cas No. 616-45-5) (2-pyrrolidone)	02237 02500	GB	2.5 lt	29337900	18
Assay : Min. 98% C ₄ H ₇ NO M.W. 85.10, Liquid, d. 1.12					
Pyruvic Acid Sodium Salt See Sodium Pyruvate Page No. 145					

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Quartz Powder (purified) (Cas No. 14808-60-7) SiO ₂ M.W. 60.08	02238 00500	PB	500 gm	25061020	5
Quinaldine (for synthesis) (Cas NO. 91-63-4) (2-methylquinoline) Assay : Min. 98% C ₁₀ H ₉ N M.W. 143.19, Liquid, d. 1.058	02239 00100 02239 00500	GB GB	100 ml 500 ml	29339900 29339900	18 18
Quinaldine Red indicator (Cas NO. 117-92-0) Assay : Min. 95% C ₂₁ H ₂₃ N ₂ M.W. 430.32	02240 00001 02240 00005	GB GB	1 gm 5 gm	29334990 29334990	18 18
Quinhydrone Extra Pure (Cas No.106-34-3) Assay : Min. 97% C ₁₂ H ₁₀ O ₄ M.W. 218.21	02241 00100 02241 00500	GB GB	100 gm 500 gm	29420090 29420090	18 18
Quinhydrone AR (Cas No. 106-34-3) C ₁₂ H ₁₀ O ₄ M.W. 218.21	02242 00100 02242 00500	GB GB	100 gm 500 gm	29420090 29420090	18 18
Quinizarin (for synthesis) (C.I. No. 58050) (Cas NO. 81-64-1) (1,4-dihydroxy anthraquinone) Assay : Min. 96% C ₁₄ H ₈ O ₄ M.W. 240.21	02243 00025 02243 00100	GB GB	25 gm 100 gm	29146990 29146990	18 18
Quinol See Hydroquinone Page No. 80					
Quinoline (Cas No. 91-22-5) Assay : Min. 98% C ₉ H ₇ N M.W. 129.16, Liquid, d. 1.094	02244 00500 02244 02500	GB GB	500 ml 2.5 lit	29333919 29333919	18 18
Quinoline Yellow (for microscopy) (C.I. No. 47000) (Cas No. 8004-92-0) C ₁₉ H ₉ NNa ₂ O ₈ S ₂ M.W. 477.38	02245 00025	GB	25 gm	29333990	18
***** R					
D-Raffinose (pentahydrate) AR (Melitose) (Cas No. 17629-30) Assay : Min. 99% C ₁₈ H ₃₂ O ₁₆ .5H ₂ O M.W. 594.51	02246 00010 02246 00025	GB GB	10 gm 25 gm	29400000 29400000	18 18
Raney Nickel Catalyst Alloy See Nickel Aluminium Alloy powder Page No. 106					
R.B.C. Diluting fluid See Gower's Solution Page No. 75					
Resazurin AR (Cas No. 62758-13-8) (resazurin sodium salt) Dye Content : Min. 80% C ₁₂ H ₆ NNaO ₄ M.W. 251.17	02247 00001 02247 00005	GB GB	1 gm 5 gm	32041329 32041329	18 18
Resazurin Sodium Salt See Resazurin Page No. 131					
Resazurin Reagent solution	02248 00500	GB	500 ml	38220090	12
Reserpine (Cas No. 50-55-5) Assay : Min. 99% C ₃₃ H ₄₀ N ₂ M.W. 608.68	02249 00001 02249 00005	GB GB	1 gm 5 gm	29362990 29362990	18 18
Resorcinol (flakes) (Cas No. 108-46-3) (for synthesis) Assay : Min. 99% C ₆ H ₆ O ₂ M.W. 110.11	02250 00100 02250 00250 02250 00500	PB PB PB	100 gm 250 gm 500 gm	29072100 29072100 29072100	18 18 18
Resorcinol AR (flakes) (Cas No. 108-46-3) Assay : Min. 99% C ₆ H ₆ O ₂ M.W. 110.11	02251 00100 02251 00500	PB PB	100 gm 500 gm	29072100 29072100	18 18
L (+) Rhamnose AR (monohydrate) (for biochemistry) (Cas no. 10030-85-0) Assay : Min. 99% C ₆ H ₁₂ O ₅ .H ₂ O M.W. 182.17	02252 00005 02252 00025	GB GB	5 gm 25 gm	29400000 29400000	18 18
Rhodamine B AR (M.S.) (Cas No. 81-88-9) (C.I. No. 45170) Dye Content : Min. 85% C ₂₈ H ₃₁ ClN ₂ O ₃ M.W. 479.01	02253 00025 02253 00100 02253 00500	PB PB PB	25 gm 100 gm 500 gm	32041342 32041342 32041342	18 18 18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Rhodamine-6 G (C.I. No. 45160) (Cas No. 989-38-8)	02254 00025	PB	25 gm	32041300	18
Dye Content : Min. 99% $C_{28}H_{30}N_2O_5HCl$ M.W. 479.02	02254 00100	PB	100 gm	32041300	18
Rhodium Trichloride (Rh 40%) (trihydrate) (for synthesis) (Cas No. 13569-65-8) Assay (ex Rh) : Min. 40% $RhCl_3.3H_2O$ M.W. 263.31	02255 00001	GB	1 gm	28439019	18
Rhodizonic Acid Sodium Salt See Sodium Rhodizonate Page No. 146					
Ribitol See Adonitol Page No. 4					
Riboflavin (Cas No. 83-88-5) (C.I. No. 45170) Assay : Min. 99% $C_{17}H_{20}N_4O_6$ M.W. 376.36	02256 00010	GB	10 gm	29362990	18
	02256 00025	GB	25 gm	29362990	18
	02256 00100	GB	100 gm	29362990	18
D (+) Ribose (for biochemistry) (Cas No. 50-69-1) Assay : Min. 99% $C_5H_{10}O_5$ M.W. 150.13	02257 00005	GB	5 gm	29400000	18
	02257 00025	GB	25 gm	29400000	18
Rice Bran Oil (Cas No. 68553-81-1) Liquid, d. 0.919	02257A 00500	GB	500 ml	15159040	5
Rice Starch (starch rice) (Cas No. 9005-25-8) $(C_6H_{10}O_5)_n$	02258 00500	PB	500 gm	11081990	12
Ringer's Solution Liquid, d. 1.00	02258A 00125	PB	125 ml	38220019	12
	02258A 00500	PB	500 ml	38220019	12
Rochelle Salt See Sodium Tartrate Page No. 147					
Robert's Reagent Solution	02258B 00125	PB	125 ml	38220090	12
	02258B 00500	PB	500 ml	38220090	12
p-Rosaniline (base) (M.S.) (C.I. No. 42500) (Cas No. 467-62-9) (pararosaniline) Dye Content : Min. 95% $C_{19}H_{19}N_3O$ M.W. 305.37	02259 00025	PB	25 gm	32041929	18
	02259 00100	PB	100 gm	32041929	18
p-Rosaniline Hydrochloride (M.S.) (C.I. No. 42500) (Cas No. 569-61-9) Dye Content : Min. 88% $C_{19}H_{18}ClN_3$ M.W. 323.82	02260 00025	GB	25 gm	32041929	18
	02260 00100	GB	100 gm	32041929	18
Rosaniline Hydrochloride See Basic Fuchsin Page No. 20					
Rose Bengal AR (C.I. No. 45440) (Cas No. 632-69-9) Dye Content : Min. 95% $C_{20}H_2Cl_4Na_2O_5$ M.W. 1017.64	02261 00025	GB	25 gm	32041299	18
	02261 00100	GB	100 gm	32041299	18
Rosemary Oil Extra Pure (Cas No. 8000-25-7) Liquid, d. 0.908	02261A 00500	GB	500 ml	3390	18
Rose Oil Extra Pure (Cas No. 8007-01-0) Liquid, d. 0.964	02261B 00250	GB	250 ml	3338	18
	02261B 00500	GB	500 ml	3338	18
p-Rosolic Acid See Aurin Page No. 18					
Rubeanic Acid AR (Cas No. 79-40-3) (Dithiooxamide) Assay : Min. 98% $C_2H_4N_2S_2$ M.W. 120.20	02262 00005	GB	5 gm	29309099	18
	02262 00010	GB	10 gm	29309099	18
Rubeanic Acid Solution (Dithiooxamide Solution) Liquid, d. 0.79-0.86	02263 00100	GB	100 ml	38220090	12
Rubidium Chloride AR (Cas No. 7791-11-9) Assay : Min. 99.5% $RbCl$ M.W. 120.92	02264 00005	GB	5 gm	28273990	18
	02264 00025	GB	25 gm	28273990	18
Ruthenium Oxide (Hydrate) (Ru Content 44%, Hygroscopic) (Cas No. 32740-79-7) Assay : Min. 99.5% $RuO_2.xH_2O$ M.W. 133.07 (Anhydr. Basis)	02265 00001	GB	1 gm	28439019	18
Ruthenium Red (Ru 34%) (Cas No. 11103-72-3) Assay : Min. 99% $Cl_6H_{42}N_{14}O_2 Ru_3$ M.W. 786.35	02266 00001	GB	1 gm	28439019	18
	02266 00005	GB	5 GM	28439019	18
Ruthenium Red Solution	02267 00125	GB	125 ml	38220090	12

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Ruthenium Trichloride (Ru Content About 40%) (Cas No. 14898-67-0)	02909 00001	GB	1 gm	28439019	18
Assay : Min. 38.0-42% (Ru Basis) $\text{RuCl}_3 \cdot x\text{H}_2\text{O}$ M.W. 207.43 (Anhydr.basis)	02909 00010	GB	10 gm	28439019	18
Ruthenium Trichloride (Ru Content About 48%) (Cas No. 14898-67-0)	02910 00001	GB	1 gm	28439019	18
Assay : Min. 40-49% (Ru Basis) $\text{RuCl}_3 \cdot x\text{H}_2\text{O}$ M.W. 207.43 (Anhydr.basis)	02910 00010	GB	10 gm	28439019	18
Rutin (trihydrate) (Cas No. 250249-75-3)	02268 00025	GB	25 gm	28439019	18
Assay : Min. 90% $\text{C}_{27}\text{H}_{30}\text{O}_{16} \cdot 3\text{H}_2\text{O}$ M.W. 664.56	02268 00100	GB	100 gm	28439019	18

S

Saccharin Insoluble (Cas No. 81-07-2) Assay : Min. 99% $\text{C}_7\text{H}_5\text{NO}_3\text{S}$ M.W. 183.18	02269 00500	PB	500 gm	29251100	18
Saccharin Sodium Extra Pure (Cas No. 82385-42-0) Assay : Min. 98% $\text{C}_7\text{H}_4\text{NNaO}_3\text{S} \cdot x\text{H}_2\text{O}$ M.W. 205.17 (Anhy Basis)	02270 00100	PB	100 gm	29251100	18
	02270 00500	PB	500 gm	29251100	18
Safranine (Cas No. 477-73-6)(M.S.) (C.I.No. 50240) Dye Content : Min. 85% $\text{C}_{20}\text{H}_{19}\text{ClN}_4$ M.W. 350.84	02271 00025	PB	25 gm	32041310	18
	02271 00100	PB	100 gm	32041310	18
	02271 00500	PB	500 gm	32041310	18
Safranine alcoholic staining solution	02272 00125	PB	125 ml	38220090	12
	02272 00250	PB	250 ml	38220090	12
Safranine Stain (Gram's) staining solution	02273 00125	PB	125 ml	38220090	12
	02273 00500	PB	500 ml	38220090	12
Salicin (for microbiology) (Cas No. 138-52-3) Assay : Min. 99% $\text{C}_{13}\text{H}_{18}\text{O}_7$ M.W. 286.28	02274 00005	GB	5 gm	29389090	18
	02274 00025	GB	25 gm	29389090	18
Salicylaldehyde (for synthesis) (Cas No. 90-02-8) (2-hydroxybenzaldehyde) Assay : Min. 99% $\text{C}_7\text{H}_6\text{O}_2$ M.W. 122.12, Liquid, d. 1.146	02275 00100	GB	100 ml	29122990	18
	02275 00250	GB	250 ml	29122990	18
Salicylaldoxime AR (Cas No. 94-67-7) (salicyladehyde oxime) Assay : Min. 98% $\text{C}_7\text{H}_7\text{NO}_2$ M.W. 137.14	02276 00005	GB	5 gm	29280090	18
	02276 00025	GB	25 gm	29280090	18
Salicylamide Extra Pure (Cas No. 65-45-2) Assay : Min. 99% $\text{C}_7\text{H}_7\text{NO}_2$ M.W. 137.14	02277 00500	PB	500 gm	29242990	18
Salicylic Acid Extra Pure (Cas No. 69-72-7) Assay : Min. 99% $\text{C}_7\text{H}_6\text{O}_3$ M.W. 138.12	02278 00500	PB	500 gm	29182110	18
	02278 05000	PB	5 kg	29182110	18
Salicylic Acid AR (Cas No. 69-72-7) Assay : Min. 99.5% $\text{C}_7\text{H}_6\text{O}_3$ M.W. 138.12	02279 00500	PB	500 gm	29182110	18
Samarium Oxide AR (Cas No. 12060-58-1) Assay : Min. 99.9% Sm_2O_3 M.W.348.72	02280 00010	GB	10 gm	28469090	18
	02280 00025	GB	25 gm	28469090	18
Sandal Wood Oil Extra Pure (Cas No. 8006-87-9) Liquid, d. 0.974	02280A 00005	GB	5 ml	3337	18
	02280A 00025	GB	25 ml	3337	18
	02280A 00100	GB	100 ml	3337	18
Saponin (Cas No. 8047-15-2) (purified)	02281 00025	PB	25 gm	29389090	18
	02281 00100	PB	100 gm	29389090	18
	02281 00500	PB	500 gm	29389090	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Saponin (from Plant) (For molecular Biology) (Cas No. 8047-15-2)	02282 00100	PB	100 gm	29389090	18
Assay : Min. 99.9% Sm_2O_3 M.W.348.72	02282 00500	PB	500 gm	29389090	18
Sassafras Oil Extra Pure (Cas No. 8006-80-2) Liquid,d.1.09	02282A 00500	PB	500 ml	3390	18
Schiff's Reagent solution	02283 00125	GB	125 ml	38220090	18
(feulgen solution)	02283 00500	GB	500 ml	38220090	18
Schultze's Reagent Solution	02283A 00125	GB	125 ml	38220090	18
(Chlor- zinc- iodine solution)	02283A 00500	GB	500 ml	38220090	18
Seasand (Purified) (40-150 Mesh) (Cas No. 14808-60-7)	02284 01000	PB	1 kg	25059000	5
Sebacic Acid (for synthesis) (Cas No. 111-20-6)	02285 00500	PB	500 gm	29171300	18
Assay : Min. 98% $\text{C}_{10}\text{H}_{18}\text{O}_4$ M.W. 202.25					
Selenium AAS Standard Solution	02286 00125	GB	125 ml	38220090	12
1000mg/L in Nitric Acid Liquid, d. 1.0060	02286 00500	GB	500 ml	38220090	12
Selenium ICP Standard Solution	00286A 00125	GB	125 ml	38220090	12
1000mg/L in Nitric Acid Liquid, d. 1.010					
Selenium (metal) Pellets (electronic grade) (Cas No. 7782-49-2)	02287 00025	GB	25 gm	28049000	18
Assay : Min. 99.99% Se M.W. 78.96	02287 00100	GB	100 gm	28049000	18
Selenium (metal) Powder (Cas No. 7782-49-2)	02288 00025	PB	25 gm	28049000	18
Assay : Min. 99% Se M.W. 78.96	02288 00100	PB	100 gm	28049000	18
	02288 00500	PB	500 gm	28049000	18
Selenium Powder Black AR (Cas No. 7782-49-2)	02289 00025	PB	25 gm	28049000	18
Assay : Min. 99.5% Se M.W. 78.96	02289 00100	PB	100 gm	28049000	18
Selenium Dioxide (sublimed) (Cas No. 7446-08-4)	02290 00100	PB	100 gm	28112990	18
Assay : Min. 99% SeO_2 M.W. 110.96	02290 00500	PB	500 gm	28112990	18
Selenous Acid (Cas No. 7783-00-8) (selenious acid)	02291 00100	PB	100 gm	28111990	18
Assay : Min. 98% H_2SeO_3 M.W. 128.97	02291 01000	PB	1 kg	28111990	18
Seliwanoff's Reagent Solution	02292 00125	GB	125 ml	38220090	12
	02292 00500	GB	500 ml	38220090	12
Semens Diluting Fund Solution	02292A 00125	GB	125 ml	38220090	12
Liquid, d. 1.03	02292A 00500	GB	500 ml	38220090	12
Semicarbazide Hydrochloride (for synthesis) (Cas No. 563-41-7)	02293 00100	GB	100 gm	29280090	18
Assay : Min. 98% $\text{CH}_5\text{N}_3\text{O.HCl}$ M.W. 111.53	02293 00500	GB	500 gm	29280090	18
Semicarbazide Hydrochloride AR (Cas No. 563-41-7)	02294 00100	PB	100 gm	29280090	18
Assay : Min. 99.5% $\text{CH}_5\text{N}_3\text{O.HCl}$ M.W. 111.53	02294 00500	PB	500 gm	29280090	18
L-serine (Cas No. 56-45-1)	02295 00005	GB	5 gm	29225090	18
(for biochemistry)	02295 00025	GB	25 gm	29225090	18
Assay : Min. 99% $\text{C}_3\text{H}_7\text{NO}_3$ M.W.105.09	02295 00100	GB	100 gm	29225090	18
DL-Serine (purified) (Cas No. 302-84-1)	02296 00025	PB	25 gm	29225090	18
Assay : Min. 99% $\text{C}_3\text{H}_7\text{NO}_3$ M.W. 105.09	02296 00100	PB	100 gm	29225090	18
Sesame Oil Extra Pure (Cas No. 8008-74-0) Liquid, d. 0.920	02296A 00500	GB	500 ml	15155010	5
Shark Liver Oil	02296B 00250	GB	250 ml	15041010	12
Liquid, d. 0.910- 0.930	02296B 00500	GB	500 ml	15041010	12
Shellac Flakes Extra Pure (Cas No. 9000-59-3)	02297 00500	PB	500 gm	13019099	5
	02297 05000	PC	5 kg	13019099	5

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Shorr's Staining Solution , Liquid, d. 0.935	02298 00125	PB	125 ml	32049000	18
Silica Gel Blue (6-20 mesh) (course, self indicating) (Cas No.112926-00-8)	02932 00500	PB	500 gm	38249025	18
Silica Gel White (6-20 mesh) (Cas No. 112926-00-8) (course, self indicating)	02299 00500	PB	500 gm	38249025	18
Silica Gel (60-120 mesh) (Cas No. 112926-00-8) (for coloumn chromatography)	02300 00500	PB	500 gm	38249025	18
Silica Gel (100-200 mesh) (Cas No. 112926-00-8) (for coloumn chromatography)	02301 00500	PB	500 gm	38249025	18
Silica Gel (200-400 mesh) (Cas No. 112926-00-8) (Special for column chromatography) Partical size (200-400 mesh) : Min. 75%	02302 00500	PB	500 gm	38249025	18
Silica Gel (230-240 mesh) (Cas No. 112926-00-8) (For Column Chromatography)	02303 00500	PB	500 gm	38249025	18
	02303 05000	PC	5 kg	38249025	18
Silica Gel G for TLC (Cas No. 112926-00-8) (With Binder)	02304 00500	PB	500 gm	38249025	18
	02304 05000	PC	5 kg	38249025	18
Silica Gel Gf 254 for TLC (with binder) (Cas No. 112926-00-8)	02305 00500	PB	500 gm	38249025	18
Silica Gel 'H' for TLC (without binder) (Cas No. 112926-00-8)	02306 00500	PB	500 gm	38249025	18
Silica Gel HF 254 for TLC (without binder) (Cas No. 112926-00-8)	02307 00500	PB	500 gm	38249025	18
Silicic Acid (Dried precipitated) (Cas No. 1343-98-2) Assay : Min. 99% SiO ₂ .H ₂ O M.W. 60.08.	02308 00500	PB	500 gm	28112200	12
Silicon AAS Standard Solution 1000mg/L in Water Liquid, d. 1.00	02308A 00125	GB	125 ml	38220090	12
	02308A 00500	GB	500 ml	38220090	12
Silicon ICP Standard Solution , Liquid, d. 1.00	02308B 00125	GB	125 ml	38220090	12
Silicon (metal) Powder Extra Pure (Cas No. 7440-22-3) Assay : Min. 98.5% Si M.W. 28.09	02309 00500	PB	500 gm	28046900	18
Silicon Dioxide (Cas NO. 14808-60-7) Assay : Min. 99% SiO ₂ M.W. 60.08	02310 00500	PB	500 gm	28112200	18
Silicone Grease (High Vaccum Silicone Graase)	02311 00050	PB	50 gm	39100010	18
	02311 01000	PB	1 kg	39100010	18
Silicon Oil (Cas NO. 63148-62-9) (for oil baths upto 2500C [-Si(CH ₃) ₂ O-] _n Liquid, d. 0.967	02312 00100	GB	100 ml	39100020	18
	02312 00250	GB	250 ml	39100020	18
	02312 00500	GB	500 ml	39100020	18
	02312 02500	GB	2.5 Lt	39100020	18
Silicotungstic Acid AR (Cas No. 12027-43-9) (dodeca-tungstosilicic acid) Assay : Min. 99% [H ₄ (Si W ₃ O ₁₀) ₄].xH ₂ O M.W. 2878.29	02313 00025	GB	25 gm	28111990	18
	02313 00100	GB	100 gm	28111990	18
Silver AAS Standard Solution 1000mg/L in Nitric Acid Liquid, d 1.01	02314 00125	GB	125 ml	38220090	12
	02314 00500	GB	500 ml	38220090	12
Silver ICP Standard Solution 1000mg/L-in Nitric Acid Liquid,d.1.013	02314A 00125	GB	125 ml	38220090	12
Silver (metal) Powder (Cas No. 7440-22-4) Assay : Min. 99.9% Ag M.W. 107.87	02315 00005	GB	5 gm	71061000	18
	02315 00025	GB	25 gm	71061000	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Silver (metal) Wire (Cas No. 7440-22-4)	02316 00005	GB	5 gm	71069210	18
Assay : Min. 99.9% Ag M.W. 107.8	02316 00025	GB	25 gm	71069210	18
Silver Acetate (Cas No. 563-63-3)	02317 00010	GB	10 gm	28432900	18
(for synthesis)	02317 00025	GB	25 gm	28432900	18
Assay : Min. 98% CH ₃ COOAg M.W. 166.91	02317 00100	GB	100 gm	28432900	18
Silver Bromide (Cas No. 7785-23-1)	02318 00010	GB	10 gm	28432900	18
(for synthesis)	02318 00025	GB	25 gm	28432900	18
Assay : Min. 99% AgBr M.W. 187.77	02318 00100	GB	100 gm	28432900	18
Silver Carbonate Extra Pure	02319 00010	GB	10 gm	28432900	18
(Cas No. 534-16-7)	02319 00025	GB	25 gm	28432900	18
Assay : Min. 99% Ag ₂ CO ₃ M.W. 275.75	02319 00100	GB	100 gm	28432900	18
Silver Chloride Extra Pure	02320 00010	GB	10 gm	28432900	18
(Cas No. 7783-90-6)	02320 00025	GB	25 gm	28432900	18
Assay : Min. 99% Ag ₂ Cl M.W. 143.32	02320 00100	GB	100 gm	28432900	18
Silver Diethyl Dithiocarbamate AR (Cas No. 1470-61-7)	02320A 00005	GB	5 gm	28432900	18
Assay : Min. 99% Ag ₂ Cr ₂ O ₇ M.W. 431.76	02320A 00025	GB	25 gm	28432900	18
Silver Iodate Extra Pure (Cas No. 7783-97-3)	02320B 00010	GB	10 gm	28432900	18
Assay : Min. 95% AgIO ₃ M.W. 282.77	02320B 00025	GB	25 gm	28432900	18
	02320B 00100	GB	100 gm	28432900	18
Silver Iodide Extra Pure	02321 00010	GB	10 gm	28432900	18
(Cas No. 7783-96-2)	02321 00025	GB	25 gm	28432900	18
Assay : Min. 99% AgI M.W. 234.77	02321 00100	GB	100 gm	28432900	18
Silver Nitrate Extra Pure (Cas No. 7761-88-8)	02322 00010	GB	10 gm	28432100	18
(double crystalised)	02322 00025	GB	25 gm	28432100	18
Assay : Min. 99% AgNO ₃ M.W. 169.87	02322 00100	GB	100 gm	28432100	18
Silver Nitrate AR (Cas No. 7761-88-8)	02323 00010	GB	10 gm	28432100	18
(reagent for arsenic)	02323 00025	GB	25 gm	28432100	18
Assay : Min. 99.9% AgNO ₃ M.W. 169.87	02323 00100	GB	100 gm	28432100	18
Silver Nitrate (For Molecular Biology)	02324 00010	GB	10 gm	28432100	18
(Cas No. 7761-88-8)	02324 00025	GB	25 gm	28432100	18
Assay : Min. 99% AgNO ₃ M.W. 169.87	02324 00100	GB	100 gm	28432100	18
Silver Nitrate N/10 Solution	02325 00100	GB	100 ml	38220090	12
Liquid, d. 1.015	02325 00500	GB	500 ml	38220090	12
Silver Nitrate 0.05N Liquid, d. 1.01	02326 00100	GB	100 ml	38220090	12
Standardized Volumetric Solution	02326 00500	GB	500 ml	38220090	12
Silver Nitrate 1N (1M) Liquid, d. 1.014	02327 00100	GB	100 ml	38220090	12
Standardized Volumetric Solution	02327 00500	GB	500 ml	38220090	12
Silver Nitrate 0.01M (0.01N) Standardized Solution	02328 00100	GB	100 ml	38220090	12
Liquid,d.1.00	02328 00500	GB	500 ml	38220090	12
Silver Nitrate 0.5M (0.5N) Liquid, d. 1.014	02329 00100	GB	100 ml	38220090	12
Standardized Solution	02329 00500	GB	500 ml	38220090	12
Silver Nitrate N/50 Solution , Liquid, d. 1.015	02329A 00100	GB	100 ml	38220090	12
(Silver Nitrate 0.02N Solution)	02329A 00500	GB	500 ml	38220090	12

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Silver Nitrate 0.1 mol/L (0.1N) Solution when diluted to 500 ml with water (Concn. Of solution in each ampoule is 1N) (After diluting with water to 500 ml) (2 x 2 amps. Os set in a box)	02330 Amp04	Amp	4 amp	38220090	12
Silver Oxide Extra Pure (Cas No. 20667-12-3) Assay : Min. 97% Ag ₂ O M.W. 231.74	02331 00010	PB	10 gm	28432900	18
	02331 00025	PB	25 gm	28432900	18
Silver Paste (Cas No. 7440-22-4) Silver Content : NMT 60% Ag M.W. 107.87	02332A 00025	GB	25 gm	32073000	18
Silver Sulphate Extra Pure (purified) (Cas No. 10294-26-5) Assay : Min. 98.5% Ag ₂ SO ₄ M.W. 311.80	02332 00010	GB	10 gm	28432900	18
	02332 00025	PB	25 gm	28432900	18
	02332 00100	PB	100 gm	28432900	18
Silver Sulphate AR (Cas No. 10294-26-5) Assay : Min. 99% Ag ₂ SO ₄ M.W. 311.80	02333 00010	GB	10 gm	28432900	18
	02333 00025	PB	25 gm	28432900	18
	02333 00100	PB	100 gm	28432900	18
Silver Sulphide Extra Pure (purified) (Cas No. 10294-26-5) Assay: Min. 98.5% Ag ₂ S M.W. 247.80	02333A 00010	GB	10 gm	28432900	18
	02333A 00025	GB	25 gm	28432900	18
Silver Thiocyanate (Cas No. 1701-93-5) Assay : Min. 98% AgSCN M.W. 165.95	02333B 00005	GB	5 gm	28432900	18
	02333B 00010	GB	10 gm	28432900	18
	02333B 00025	GB	25 gm	28432900	18
Silver Thiosulphate Solution (Plant Culture Tested) (Store at 2-8°C)	02334 00100	PB	100 ml	38220090	12
Skim Milk Powder (for microbiology)	02335 00500	PB	500 gm	4021090	5
Smith's Reagent	02336 00250	PB	250 ml	38220090	12
Soda Lime (Granulars) (Cas No. 8006-28-8) (For absorbing carbon dioxide)	02337 00500	PB	500 gm	38249090	18
Soda Lime AR (with indicator) (Cas No. 8006-28-8)	02338 00500	PB	500 gm	38249090	18
	02338 01000	PB	1 kg	38249090	18
	02338 05000	PB	5 kg	38249090	18
Sodamide (Cas No. 7782-92-5) Assay : Min. 98.5% NaNH ₂ M.W. 39.01	02339 00100	PB	100 gm	28530099	18
	02339 00500	PB	500 gm	28530099	18
Sodium AAS Standard Solution 1000mg/L in Nitric Acid Liquid, d. 0.11	02340 00125	GB	125 ml	38220090	12
	02340 00500	GB	500 ml	38220090	12
Sodium ICP Standard, Sodium 1000mg/L in Nitric Acid Liquid, d. 1.011	02340A 00125	GB	125 ml	38220090	12
Sodium ICP Standard 10000mg/L in Nitric Acid	02340B 00125	GB	125 ml	38220090	12
Sodium (Metal) Lumps (Cas No. 7440-23-5) (Coated with liquid paraffin) Assay : Min. 98% Na M.W. 22.99	02341 00025	PB	25 gm	28051100	18
	02341 00100	PB	100 gm	28051100	18
	02341 00250	PB	250 gm	28051100	18
Sodium (metal) Lumps AR (coatd with liquid paraffin) (Cas No. 7440-23-5) Assay : Min. 98% Na M.W. 22.29	02342 00100	PB	100 gm	28051100	18
	02342 00250	PB	250 gm	28051100	18
Sodium Acetate (anhydrous) (Cas No. 127-09-3) Assay : Min. 98% CH ₃ O ₂ Na M.W. 82.03	02343 00500	PB	500 gm	29152990	18
	02343 05000	PC	5 kg	29152990	18
Sodium Acetate AR (anhydrous) (Cas No. 127-09-3) Assay : Min. 99% CH ₃ COONa M.W. 82.03	02344 00500	PB	500 gm	29152990	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Sodium Acetate (anhydrous) (for Molecular Biology) (Cas No. 127-09-3)	02345 00100	PB	100 gm	29152990	18
Assay : Min. 99% $\text{CH}_3\text{O}_2\text{Na}$ M.W. 82.03	02345 00500	PB	500 gm	29152990	18
Sodium Acetate (trihydrate) (Cas No.6131-90-4) (Purified crystals) Assay : Min. 99% $\text{CH}_3\text{COONa} \cdot 3\text{H}_2\text{O}$ M.W. 136.08	02347 00500	PB	500 gm	29152990	18
Sodium Acetate AR (For Molecular Biology) (trihydrate) (Cas No. 6131-90-4) Assay : Min. 99% $\text{CH}_3\text{COONa} \cdot 3\text{H}_2\text{O}$ M.W. 136.08	02348 00500	PB	500 gm	29152990	18
Sodium Acid Phosphate See Sodium Phosphate monobasic Page No. 145					
Sodium Alginate Extra Pure (Cas No. 9005-38-3) (sodium polymannuronate) Assay : Min. 91-106% $\text{C}_6\text{H}_7\text{O}_6\text{Na}$	02349 00500	PB	500 gm	39131010	18
	02349 05000	PC	5 kg	39131010	18
Sodium Alginate (For Molecular Biology) (Cas No. 9005-38-3) ($\text{C}_6\text{H}_7\text{O}_6\text{Na}$)	02350 00100	PB	100 gm	39131010	18
	02350 00500	PB	500 gm	39131010	18
Sodium Arsenate AR (heptahydrate) (Cas No. 10048-95-0) (di-sodium hydrogen arsenate) Assay : Min. 98.5% $\text{Na}_2\text{HAsO}_4 \cdot 7\text{H}_2\text{O}$ M.W. 312.01	02351 00100	PB	100 gm	28429010	18
	02351 00250	PB	250 gm	28429010	18
	02351 00500	PB	500 gm	28429010	18
Sodium Arsenite AR (anhydrous) (Cas No. 7784-46-5) Assay : Min. 99% NaAsO_2 M.W. 129.91	02352 00100	PB	100 gm	28429090	18
	02352 00250	PB	250 gm	28429090	18
	02352 00500	PB	500 gm	28429090	18
Sodium Arsenite 0.1 N (N/10) AR Volumetric Solution, Liquid, d. 1.00	02352A 00500	PB	500 ml	38220090	12
Sodium Arsenite 0.05M (0.1N) Standardized Souldution Liquid, d. 1.05	02353 00500	PB	500 ml	38220090	12
Sodium Arsenite 0.005M (0.01N) Standardized Souldution	02354 00500	PB	500 ml	38220090	12
Sodium Arsenite 0.15M (0.3N) Standardized Souldution	02355 00500	PB	500 ml	38220090	12
Sodium L (+) Ascorbate (Cas No. 134-03-2) (ascorbic acid sodium salt) Assay : Min. 99% $\text{C}_6\text{H}_7\text{NaO}_6$ M.W. 198.11	02356 00100	GB	100 gm	29362700	18
	02356 00500	GB	500 gm	29362700	18
Sodium Azide (Cas No. 26628-22-8) Assay : Min. 99% NaN_3 M.W. 65.01	02357 00100	GB	100 gm	28500030	18
	02357 00500	GB	500 gm	28500030	18
Sodium Azide AR Assay : Min. 99.5% NaN_3 M.W. 65.01	02358 00100	PB	100 gm	28500030	18
	02358 00500	PB	500 gm	28500030	18
Sodium Benzoate Extra Pure (Cas No. 532-32-1) Assay : Min. 99% $\text{C}_6\text{H}_5\text{COONa}$ M.W. 144.10	02359 00500	PB	500 gm	29163140	18
	02359 05000	PB	5 kg	29163140	18
Sodium Benzoate AR (Cas No. 532-32-1) Assay : Min. 99.5% $\text{C}_6\text{H}_5\text{COONa}$ M.W. 144.10	02360 00500	PB	500 gm	29163140	18
Sodium Bicarbonate (Cas No. 144-55-8) (sodium hydrogen carbonate) Assay : Min. 99.5-101% NaHCO_3 M.W. 84.01	02361 00500	PB	500 gm	28363000	18
	02361 05000	PB	5 kg	28363000	18
Sodium Bicarbonate AR (Cas No. 144-55-8) (sodium hydrogen carbonate) Assay : Min. 99.5% NaHCO_3 M.W. 84.01	02362 00500	PB	500 gm	28363000	18
Sodium Bicarbonate (For Molecular Biology) (Cas No. 144-55-8) Assay : Min. 99.7% NaHCO_3 M.W. 84.01	02363 00100	PB	100 gm	28363000	18
	02363 00500	PB	500 gm	28363000	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Sodium Biselenite (Cas No. 7782-2-3) (sodium hydrogen selenite) Assay : Min. 98% NaHSeO ₃ M.W. 150.96	02365 00100	GB	100 gm	28419000	18
Sodium Bismuthate (Cas No. 12232-99-4) Assay : Min. 85% NaBiO ₃ M.W. 279.97	02366 00100	PB	100 gm	28419000	18
	02366 00500	PB	500 gm	28419000	18
Sodium Bismuthate AR (Cas No. 12232-99-4) Assay : Min. 85% NaBiO ₃ M.W. 279.97	02367 00100	PB	100 gm	28419000	18
	02367 00500	PB	500 gm	28419000	18
Sodium Bisulphate (monohydrate) (Cas No. 10034-88-5) (sodium hydrogen sulphate) Assay : Min. 98% NaHSO ₄ .H ₂ O M.W. 138.07	02368 00500	PB	500 gm	28331910	18
Sodium Bisulphate AR (monohydrate) (Cas No. 10034-88-5) (sodium hydrogen sulphate) Assay : Min. 99% NaHSO ₄ .H ₂ O M.W. 138.07	02369 00500	PB	500 gm	28331910	18
Sodium Bisulphite (Cas No. 7631-90-5) (sodium acid sulphite) Assay (as SO ₂) : Min. 58% NaHSO ₃ M.W. 104.06	02370 00500	PB	500 gm	28321010	18
Sodium Bisulphite AR (Cas No. 7631-90-5) (sodium acid sulphite) Assay (as SO ₂) : Min. 58.5% NaHSO ₃ M.W. 104.06	02371 00500	PB	500 gm	28321010	18
di-Sodium Borate (tetra) See Borax Page No. 25					
Sodium Borohydride (Cas No. 16940-66-2) Assay : Min. 98% NaBH ₄ M.W. 37.83	02372 00100	PB	100 gm	28500010	18
	02372 00500	PB	500 gm	28500010	18
Sodium Bromate Extra Pure (Cas No. 7789-38-0) Assay : Min. 99% NaBrO ₃ M.W. 150.89	02373 00500	PB	500 gm	28299020	18
Sodium Bromide Extra Pure (Cas No. 7647-15-6) Assay : Min. 99% NaBr M.W. 102.90	02374 00500	PB	500 gm	28275110	18
Sodium Bromide AR (Cas No. 7647-15-6) Assay : Min. 99.5% NaBr M.W. 102.90	02375 00500	PB	500 gm	28275110	18
Sodium 1-Butanesulphonate AR & HPLC See 1-Butane Sulphonic Acid Sodium Salt (anhydrous & monohydrate) Page No. 31					
Sodium Carbonate (anhydrous) Extrapure (Cas No. 497-19-8) (Purified Granulars) Assay : Min. 99.5% Na ₂ CO ₃ M.W. 105.99	02911 00500	PB	500 gm	28362010	18
	02911 05000	PC	5 kg	28362010	18
Sodium Carbonate (anhydrous) AR (granulars) (Cas No. 497-19-8) Assay : Min. 99.9% Na ₂ CO ₃ M.W. 105.99	02376 00500	PB	500 gm	28362010	18
Sodium Carbonate (monohydrate) AR (Cas No. 5968-11-6) Assay : Min. 99.9% Na ₂ CO ₃ .H ₂ O M.W. 124.00	02377 00500	PB	500 gm	28362000	18
Sodium Carbonate 0.05 Mol/L (0.1N) Volumetric Solution, Liquid, d. 1.1	02378 00500	PB	500 ml	38220090	12
Sodium Carbonate 0.05M (0.1N) Standardized Solution, Liquid, d. 1.1	02378A 00500	PB	500 ml	38220090	12
Sodium Carbonate 0.5M (1N) Standardized Solution, Liquid, d.1.1	02379 00500	PB	500 ml	38220090	12
Sodium Carbonate 0.05 mol/L (0.1N) Solution when diluted to 500 ml with water (Concn. Of Solution in each ampoule is 1N) (2x2 amps. Of set in a box)	02380 04Amp	AMP	4 amp	38220090	12
Sodium Chloride Extra Pure (Cas No. 7647-14-5) Assay : Min. 99.5% NaCl M.W. 58.44	02381 00500	PB	500 gm	25010090	Nil
	02381 05000	PC	5 kg	25010090	Nil

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Sodium Chloride AR (Cas No. 7647-14-5) Assay : Min. 99.9% NaCl M.W. 58.44	02382 00500	PB	500 gm	25010090	Nil
	02382 05000	PC	5 kg	25010090	Nil
Sodium Chloride (For Molecular Biology) (Cas No. 7647-14-5) Assay : Min. 99.5% NaCl M.W. 58.44	02383 00500	PB	500 gm	25010090	Nil
	02383 01000	PC	1 kg	25010090	Nil
Sodium Chloride 0.85% (Physiological Saline), Liquid, d. 1.08	02384 01000	PB	1 lt	30049099	12
Sodium Chloride 0.05M (0.05N) Standardized Solution	02385 00500	PB	500 ml	38220090	12
Sodium Chloride 0.1M (0.1N) Standardized Solution Liquid, d.1.8	02386 00500	PB	500 ml	38220090	12
Sodium Chloride 1M (1N) Standardized Solution, Liquid, d. 1.08	02387 00500	PB	500 ml	38220090	12
Sodium Chlorite (flakes) (Cas No. 7758-19-2) Assay : Min. 80% NaClO ₂ M.W. 90.44	02388 00500	PB	500 gm	28289030	18
Sodium Cholate (for biochemistry) (Cas No. 361-09-1) Assay : Min. 98-101% C ₂₄ H ₃₉ NaO ₅ M.W. 430.56	02389 00025	GB	25 gm	29181990	18
	02389 00100	GB	100 gm	29181990	18
Sodium Chromate (tetrahydrate) (Cas No. 10034-82-9) Assay : Min. 99% Na ₂ CrO ₄ .H ₂ O M.W. 234.07	02390 00500	PB	500 gm	28415010	18
Sodium Chromate AR (tetrahydrate) (Cas No. 10034-82-9) Assay : Min. 99% Na ₂ CrO ₄ .H ₂ O M.W. 234.07	02391 00500	PB	500 gm	28415010	18
tri-Sodium Citrate Extra Pure (dihydrate) (Cas No. 6132-04-3) (tri-sodium citrate-2-hydrate) Assay : Min. 98% C ₆ H ₅ Na ₃ O ₇ .2H ₂ O M.W. 294.10	02392 00500	PB	500 gm	29181520	18
	02392 05000	PC	5 Kg	29181520	18
tri-Sodium Citrate AR (dihydrate) (Cas No. 6132-04-3) (tri-sodium citrate-2-hydrate) Assay : Min. 99% C ₆ H ₅ Na ₃ O ₇ .2H ₂ O M.W. 294.10	02393 00500	PB	500 gm	29181520	18
	02393 05000	PC	5 KG	29181520	18
tri-Sodium Citrate (For Molecular Biology) (dihydrate) (Cas No. 6132-04-3) Assay : Min. 99% C ₆ H ₅ Na ₃ O ₇ .2H ₂ O M.W. 294.1	02394 00500	PB	500 gm	29181520	18
	02394 05000	PB	5 kg	29181520	18
Sodium Citrate 3.8% Solution	02394A 00500	PB	500 ml	29181520	18
Sodium Cobaltinitrite (Cas No. 13600-98-1) Na ₃ Co(NO ₂) ₆ M.W. 403.94	02395 00100	PB	100 gm	28429090	18
	02395 00500	PB	500 gm	28429090	18
Sodium Cobaltinitrite AR (Cas No. 13600-98-1) Assay : Min. 95% Na ₃ Co(NO ₂) ₆ M.W. 403.94	02396 00100	PB	100 gm	28429090	18
	02396 00500	PB	500 gm	28429090	18
Sodium Cobaltinitrite Solution	02396A 00500	PB	500 ml	38220090	12
Sodium Cyanate pure (Cas No. 917-61-3) Assay : Min. 97% NaOCN M.W. 65.01	02397 00500	GB	500 gm	28429090	18
Sodium 1-Decanesulphonate AR & HPLC See 1-Decanesulphonic Acid Sodium (anhydrous & monohydrate) Salt Page No. 53					
Sodium Deoxycholate (culture media additive) (Cas No.302-95-4) Assay : Min. 98% C ₂₄ H ₃₉ O ₄ Na M.W. 414.55	02398 00025	GB	25 gm	29231000	18
	02398 00100	GB	100 gm	29231000	18
Sodium Dichromate (dihydrate) (Cas No. 7789-12-0) (sodium bichromate) Assay : Min. 98% Na ₂ Cr ₂ O ₇ .2H ₂ O M.W. 298.00	02399 00500	GB	500 gm	28413000	18
Sodium Dichromate AR (dihydrate) (Cas No. 7789-12-0) (sodium bichromate) Assay : Min. 98.5% Na ₂ Cr ₂ O ₇ .2H ₂ O M.W. 298.00	02400 00500	PB	500 gm	28413000	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Sodium Diethyl Dithiocarbamate (trihydrate) (Cas No. 20624-25-3)	02401 00100	PB	100 gm	29302000	18
Assay : Min. 97% $C_5H_{10}NNaS_2 \cdot 3H_2O$ M.W. 225.30	02401 00500	PB	500 gm	29302000	18
Sodium Diethyl Dithiocarbamate AR (trihydrate) (Cas No. 20624-25-3)	02402 00100	PB	100 gm	29302000	18
Assay : Min. 99% $C_5H_{10}NNaS_2 \cdot 3H_2O$ M.W. 225.30	02402 00500	PB	500 gm	29302000	18
Sodium Dihydrogen Orthophosphate See Sodium Phosphate monobasic Page No. 145					
Sodium Diphenylamine Sulphonate AR (Cas No. 6152-67-6) (diphenylamine-4-sulphonic acid sodium salt)	02403 00025	GB	25 gm	29214490	18
$C_{12}H_{10}NNaO_3S$ M.W. 271.26	02403 00100	GB	100 gm	29214490	18
Sodium Disulphite See Sodium Metabisulphite Page No. 141					
Sodium Dithionite (Cas No. 7775-14-6) (Sodium Hydrosulphite) (Sodium Hypodisulphite) (Hydro)	02404 00500	PB	500 gm	28311010	18
Assay : Min. 85% $Na_2S_2O_4$ M.W. 174.11					
Sodium Dodecyl Sulphate See Sodium Lauryl Sulphate Page No. 143					
Sodium Ethane Sulphonate See Ethane Sulphonic Acid Sodium Salt Page No. 98					
Sodium Ferrocyanide (Dodecahydrate) (Cas No. 14434-22-1)	02406 00500	PB	500 gm	28372040	18
Assay : Min. 99% $Na_2Fe(CN)_6 \cdot 10H_2O$ M.W. 484.06					
Sodium Fluoride Extra Pure (purified) (Cas No. 7681-49-4)	02407 00500	PB	500 gm	28261990	18
Assay : Min. 98.5% NaF M.W. 41.99					
Sodium Fluoride AR (Cas No. 7681-49-4)	02408 00500	PB	500 gm	28261990	18
Assay : Min. 99% NaF M.W. 41.99					
Sodium Fluoroborate (Cas No. 13755-29-8)	02409 00500	PB	500 gm	28269000	18
Assay : Min. 97% $NaBF_4$ M.W. 109.79					
Sodium Formaldehyde Sulfoxylate (Dihydrate) (Cas No. 6035-47-8)	02410 00500	PB	500 gm	28311020	18
Assay : (as Na): Min. 16.0-20.0% $CH_3NaO_3S \cdot 2H_2O$ M.W. 154.12	02410 02500	PB	2.5 kg	28311020	18
Sodium Formate Extra Pure (purified) (Cas No. 141-53-7)	02411 00500	PB	500 gm	29151210	18
Assay : Min. 99% $HCOONa$ M.W. 68.01					
Sodium Formate AR (Cas No. 141-53-7)	02412 00500	PB	500 gm	29151210	18
Assay : Min. 99.5% $HCOONa$ M.W. 68.01					
Sodium Gluconate (for synthesis) (Cas No. 527-07-1)	02413 00500	PB	500 gm	29181690	18
Assay : Min. 98% $C_6H_{11}NaO_7$ M.W. 218.14					
Sodium-L-Glutamate (monohydrate) (L-glutamic acid mono sodium salt) Cas No. 6106-04-3)	02414 00100	PB	100 gm	29224200	18
Assay : Min. 98% $C_5H_8NNaO_4 \cdot H_2O$ M.W. 187.14	02414 00500	PB	500 gm	29224200	18
	02414 05000	PB	5 kg	29224200	18
Sodium-B-Glycerohosphate AR (Cas No. 13408-09-8)	02415 00025	PB	25 gm	29199040	18
Assay : Min. 98.5% $C_3H_7NaO_2 \cdot 5H_2O$ M.W. 306.11	02415 00100	PB	100 gm	29199040	18
Sodium 1-Heptane Sulphonate AR & HPLC See 1-Heptanesulphonic Acid Sodium AR & HPLC Salt Page No. No. 77					
Sodium 1-Hexadecane Sulphonate AR & HPLC See 1-Hexadecane sulphonic Acid Sodium Salt AR & HPLC Page No. No. 77					
Sodium Hexafluoroaluminate See Cryolite Page No. 51					

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Sodium Hexametaphosphate Extra Pure (Cas No. 10124-56-8) (sodium polyphosphate) (graham's salt) Assay : Min. 66.5-68.5% (NaPO ₃) ₆ M.W. 611.77	02416 00500	PB	500 gm	28352940	18
Sodium 1-Hexanesulphonate See 1-Hexanesulphonic Acid Sodium Salt Page No. 78					
Sodium Hippurate See Hippuric Acid Sodium Salt Page No. 78					
Sodium Hydride Suspension (Cas No. 7646-69-7) (moistened with 60% in paraffin oil) NaH M.W. 24.00	02417 00100	ST	100 gm	28500010	18
	02417 00500	ST	500 gm	28500010	18
Sodium Hydrogen Carbonate See Sodium Bicarbonate Page No. 138					
di-Sodium Hydrogen Citrate Extra Pure (Cas No. 144-33-2) Assay : Min. 99-101% Na ₂ H ₆ C ₆ O ₇ M.W. 263.11	02418 00500	PB	500 gm	29181540	18
Sodium Hydrogen Selenite See Sodium Biselenite Page No. 138					
Sodium Hydrogen Sulphate See Sodium Bisulphate Page No. 138					
Sodium Hydrosulphite See Sodium Dithionite Page No. 140					
Sodium Hydroxide flakes (Cas No.1310-73-2) (caustic soda flakes) Assay : Min. 98-100.5% NaOH M.W. 40.00	02419 00500	PB	500 gm	28151110	18
	02419 05000	PC	5 kg	28151110	18
Sodium Hydroxide pellets Extra Pure (Cas No. 1310-73-2) (purified) Assay : Min. 98% NaOH M.W. 40.00	02420 00500	PB	500 gm	28151190	18
	02420 05000	PC	5 kg	28151190	18
Sodium Hydroxide pellets AR (Cas No. 1310-73-2) Assay : Min. 98-100.5% NaOH M.W. 40.00	02421 00500	PB	500 gm	28151190	18
	02421 05000	PC	5 kg	28151190	18
Sodium Hydroxide pellets (For Molecular Biology) (Cas No. 1310-73-2) Assay : Min. 98% NaOH M.W. 40.00	02422 00100	PB	100 gm	28151190	18
	02422 00500	PB	500 gm	28151190	18
Sodium Hydroxide N/10 (0.01N) Solution (for volumetric analysis) Liquid d. 1.1.0	02423 00500	PB	500 ml	38220090	12
Sodium Hydroxide 50% Solution AR (In water for analysis) Liquid d. 1.53	02424 00500	PB	500 ml	38220090	12
Sodium Hydroxide 0.33 Mol/L (0.33N) Liquid d. 1.01	02425 00500	PB	500 ml	38220090	12
Sodium Hydroxide 0.02M (0.02N) Standardized Solution - Liquid d. 1.0	02426 00500	PB	500 ml	38220090	12
Sodium Hydroxide 0.25M (0.25N) Standardized Solution - Liquid d. 1.01	02427 00500	PB	500 ml	38220090	12
Sodium Hydroxide 0.2M (0.2N) Standardized Solution - Liquid d. 1.01	02428 00500	PB	500 ml	38220090	12
Sodium Hydroxide 0.5M (0.5N) Standardized Solution - Liquid d. 1.02	02429 00500	PB	500 ml	38220090	12
Sodium Hydroxide 1M (1N) Standardized Solution - Liquid d. 1.04	02430 00500	PB	500 ml	38220090	12
	02430 02500	PB	2.5 lit	38220090	12
Sodium Hydroxide 2M (2N) Standardized Solution - Liquid d. 1.09	02431 00500	PB	500 ml	38220090	12
Sodium Hydroxide 4M (4N) Standardized Solution - Liquid d. 1.15	02432 00500	PB	500 ml	38220090	12
Sodium Hydroxide 0.01Mol/L (0.1N) Standardized Solution - Liquid d. 1.01	02433 00500	PB	500 ml	38220090	12
Sodium Hydroxide 0.1mol/L (0.01N) Solution when diluted to 500 ml with water (Concn. Of solution in each ampoule is 1N) (2x2 amps. Of set in a box)	02434 04Amp	Amp	4 amp	38220090	12

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Sodium Hypobromate Solution (Hypobromate Solution)	02435 00500	GB	500 ml	38220090	12
Sodium Hypochlorite Solution (5 to 6% Concentrated Solution) (Available Chlorine 4 to 5% w/v approx.) Liquid, d. 1.12	02436 00500	PB	500 ml	28289019	18
	02436 05000	PC	5 lt	28289019	18
Sodium Hypophosphite (hydrated) AR (Cas No. 10039-56-2) (sodium phosphinate) Assay : Min. 99% $\text{NaH}_2\text{PO}_2 \cdot \text{H}_2\text{O}$ M.W. 105.99	02437 00500	PB	500 gm	28353900	18
Sodium Iodate Extra Pure (Cas No. 7681-55-2) Assay : Min. 99-101% NaIO_3 M.W. 197.89	02438 00100	PB	100 gm	28299030	18
	02438 00500	PB	500 gm	28299030	18
Sodium Iodate AR (Cas No. 7681-55-2) Assay : Min. 99.5% NaIO_3 M.W. 197.89	02439 00100	PB	100 gm	28299030	18
	02439 00500	PB	500 gm	28299030	18
Sodium Iodide Extra Pure (Cas No. 7681-82-5) Assay : Min. 99% NaI M.W. 149.89	02928 00100	PB	100 gm	28276020	18
	02928 00250	PB	250 gm	28276020	18
Sodium Iodide AR (Cas No. 7681-82-5) Assay : Min. 99.5% NaI M.W. 149.89	02929 00100	PB	100 gm	28276020	18
	02929 00250	PB	250 gm	28276020	18
Sodium Lactate 60% (Cas No. 72-17-3) (d. 1.33) $\text{C}_3\text{H}_5\text{NaO}_3$ M.W. 112.06	02440 00500	GB	500 gm	29181190	18
	02440 02500	GB	2.5 lit	29181190	18
Sodium Lauryl Ether Sulphate (Cas No. 9004-82-4) (SLES)	02441 00500	PB	500 ml	29209099	18
	02441 05000	PC	5 lt	29209099	18
Sodium Lauryl Sulphate (powder) (Cas No. 151-21-3) (SDS) (SLS) (sodium dodecyl sulphate) Assay : Min. 98% $\text{C}_{12}\text{H}_{25}\text{O}_4\text{SNa}$ M.W. 288.38	02442 00500	PB	500 gm	29209099	18
	02442 05000	PC	5 kg	29209099	18
Sodium Lauryl Sulphate (For Molecular Biology) (Cas No.151-21-3) (SDS, Lauryl Sulphate Sodium Salt, Dodecylsulphate Sodium Salt) Assay : Min. 99% $\text{C}_{12}\text{H}_{25}\text{O}_4\text{SNa}$ M.W. 288.38	02443 00100	PB	100 gm	29209099	18
	02443 00250	PB	250 gm	29209099	18
Sodium Metabisulphite (Cas No. 7681-57-4) (sodium disulphite) Assay : Min. 97% $\text{Na}_2\text{S}_2\text{O}_5$ M.W. 190.10	02444 00500	PB	500 gm	28321090	18
	02444 05000	PC	5 kg	28321090	18
Sodium Metabisulphite AR (Cas No. 7681-57-4) (sodium disulphite) Assay : Min. 98% $\text{Na}_2\text{S}_2\text{O}_5$ M.W. 190.10	02445 00500	PB	500 gm	28321090	18
Sodium Metaborate (tetrahydrate) (Cas No. 10555-76-7) Assay : Min. 98% $\text{NaBO}_2 \cdot 4\text{H}_2\text{O}$ M.W. 137.86	02446 00500	PB	500 gm	28401900	18
Sodium Metaperiodate (Cas No. 7790-28-5) (sodium periodate meta) Assay : Min. 99% INaO_4 M.W. 213.89	02447 00100	GB	100 gm	28299030	18
	02447 00500	GB	500 gm	28299030	18
Sodium Metaperiodate AR (Cas No. 7790-28-5) (sodium periodate meta) Assay : Min. 99.8% INaO_4 M.W. 213.89	02448 00100	GB	100 gm	28299030	18
	02448 00500	GB	500 gm	28299030	18
Sodium Metasilicate powder Extra Pure (Cas No. 13517-24-3) (nonahydrate) (sodium silicate meta) Assay : Min. 98% $\text{Na}_2\text{O}_3 \cdot \text{Si} \cdot 9\text{H}_2\text{O}$ M.W. 284.20	02449 00500	PB	500 gm	28391100	18
	02449 05000	PC	5 kg	28391100	18
Sodium Metavanadate (Cas No. 13718-26-8) (sodium monovanadate) [sodium vanadate (metal)] Assay : Min. 98% NaVO_3 M.W. 121.93	02450 00100	PB	100 gm	28419000	18
	02450 00500	PB	500 gm	28419000	18
Sodium Methoxide (Cas No. 124-41-4) (sodium methylate) Assay : Min. 98% CH_3NaO M.W. 54.02	02451 00500	PB	500 gm	29054900	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Sodium Methoxide 30% Solution (in Methanol), Liquid, d. 0.97	02452 00500	GB	500 ml	29051990	18
Sodium Molybdate Extra Pure (dihydrate) (Cas No. 10102-40-6) Assay : Min. 98% $\text{Na}_2\text{MoO}_4 \cdot 2\text{H}_2\text{O}$ M.W. 241.95	02453 00100 02453 00250 02453 00500	PB PB PB	100 gm 250 gm 500 gm	28417020 28417020 28417020	18 18 18
Sodium Molybdate AR (dihydrate) (Cas No. 10102-40-6) Assay : Min. 99% $\text{Na}_2\text{MoO}_4 \cdot 2\text{H}_2\text{O}$ M.W. 241.95	02454 00100 02454 00250 02454 00500	PB PB PB	100 gm 250 gm 500 gm	28417020 28417020 28417020	18 18 18
Sodium Monochloroacetate (For synthesis) (Cas No. 3926-62-3) Assay : Min. 97.5% $\text{C}_2\text{H}_2\text{ClNaO}_2$ M.W. 116.48	02455 00500	PB	500 gm	29154010	18
Sodium Naphthionate (Cas No. 130-13-2) Assay : Min. 75% $\text{C}_{10}\text{H}_8\text{NNaO}_3\text{S}$ M.W. 245.23	02456 01000	PB	1 kg	29214516	18
Sodium 1-Naphthyl Phosphate AR (Cas No. 81012-89-7) Assay : Min. 99% $\text{C}_{10}\text{H}_8\text{NaO}_4\text{P} \cdot \text{H}_2\text{O}$ M.W. 264 (store at 2-80C)	02457 00005	GB	5 gm	29199090	18
Sodium Nitrate (Cas No. 7631-99-4) (Extra Pure) (purified crystals) Assay : Min. 99% NaNO_3 M.W. 84.99	02458 00500	PB	500 gm	31025000	18
Sodium Nitrate AR (Cas No. 7631-99-4) Assay : Min. 99.5% NaNO_3 M.W. 84.99	02459 00500	PB	500 gm	31025000	18
Sodium Nitrite Extra Pure (Cas No. 7632-00-0) Assay : Min. 97% NaNO_2 M.W. 69.00	02460 00500	PB	500 gm	28341010	18
Sodium Nitrite AR (Cas No. 7632-00-0) Assay : Min. 98% NaNO_2 M.W. 69.00	02461 00500	PB	500 gm	31025000	18
Sodium Nitrite 0.1M (0.2N) Standardized Solution, Liquid, d. 1.00	02462 00500	PB	500 ml	38220090	12
Sodium Nitrite 0.2M (0.4N) Standardized Solution, Liquid, d. 1.010	02463 00500	PB	500 ml	38220090	12
Sodium Nitrite 0.5M (1N) Standardized Solution	02464 00500	PB	500 ml	38220090	12
Sodium Nitrite 1M (2N) Standardized Solution	02465 00500	PB	500 ml	38220090	12
Sodium Nitrite 4M (8N) Standardized Solution	02466 00500	PB	500 ml	38220090	12
Sodium Nitroprusside (Cas No. 13755-38-9) [sodium nitroso pentacyano ferrate (III)] Assay : Min. 98% $\text{Na}_2[\text{Fe}(\text{CN})_5\text{NO}] \cdot 2\text{H}_2\text{O}$ M.W. 297.95	02467 00100 02467 00500	PB PB	100 gm 500 gm	28372050 28372050	18 18
Sodium Nitroprusside AR (Cas No. 13755-38-9) [sodium nitroso pentacyano ferrate (III)] Assay : Min. 99% $\text{Na}_2[\text{Fe}(\text{CN})_5\text{NO}] \cdot 2\text{H}_2\text{O}$ M.W. 297.95	02468 00100 02468 00500	PB PB	100 gm 500 gm	28372050 28372050	18 18
Sodium Nitroprusside solution	02469 00500	PB	500 ml	38220090	12
Sodium 1-Octane Sulphonate AR & HPLC See 1-Octanesulphonic Acid Sodium Salt (anhydrous & monohydrate) Page No. 110					
Sodium Oleate (Cas No. 143-19-1) Assay : Min. 99% $\text{C}_{18}\text{H}_{33}\text{NaO}_2$ M.W. 304.44	02470 00500	PB	500 gm	29161590	18
tri-Sodium Orthophosphate See Sodium Phosphate tribasic Page No. 145					
Sodium Oxalate Extra Pure (Cas No. 62-76-0) (di-sodium oxalate) Assay : Min. 99.5% $\text{C}_2\text{Na}_2\text{O}_4$ M.W. 134.00	02471 00500	PB	500 gm	29171190	18
Sodium Oxalate AR (Cas No. 62-76-0) (di-sodium oxalate) Assay : Min. 99.9% $\text{C}_2\text{Na}_2\text{O}_4$ M.W. 134.00	02472 00500	PB	500 gm	29171190	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Sodium Oxalate 0.05M (0.1N) Standardized Solution, Liquid, d. 1.1	02473 00500	PB	500 ml	38220090	12
Sodium Pentachlorophenate (Cas No. 131-52-2) (sentobrite) Assay : Min. 99% C_5Cl_5NaO M.W. 288.32	02474 00500	PB	500 gm	29071190	18
Sodium 1-Pentanesulphate AR & HPLC See n-pentane Sulphonic Acid Sodium Salt (anhydrous & monohydrate) Page No. 114					
Sodium Perborate (Tetrahydrate) (Cas No. 10486-00-7) Assay : 97% $NaBO_3 \cdot 4H_2O$ M.W. 153.86	02475 00500	PB	500 gm	28403000	18
	02475 01000	PB	1 kg	28403000	18
Sodium Perchlorate AR (monohydrate) (For Molecular Biology) (Cas No. 7791-07-3) Assay : Min. 98% $NaClO_4 \cdot H_2O$ M.W. 140.46	02476 00100	PB	100 gm	28291100	18
	02476 00500	PB	500 gm	28291100	18
Sodium Periodate (meta) See Sodium Metaperiodate Page No. 143					
Sodium Peroxide (granular) AR (Cas No. 1313-60-6) Assay : Min. 93% Na_2O_2 M.W. 77.98	02477 00100	ST	100 gm	28153000	18
	02477 00500	ST	500 gm	28153000	18
	02477 01000	ST	1 kg	28153000	18
Sodium Persulphate AR (Cas No. 7775-27-1) Assay : Min. 99% $Na_2S_2O_8$ M.W. 238.10	02478 00500	PB	500 gm	28331990	18
Sodium Persulphate Extra Pure (Cas No. 7775-27-1) Assay : Min. 95% $Na_2S_2O_8$ M.W. 238.10	02479 00500	PB	500 gm	28331990	18
Sodium Phosphate dibasic (anhydrous) (Cas No. 7558-79-4) (di-sodium hydrogen orthophosphate anhydrous) Assay : Min. 98-100.5% Na_2HPO_4 M.W. 141.96	02480 00500	PB	500 gm	28352990	18
	02480 05000	PC	5 Kg	28352990	18
Sodium Phosphate dibasic AR (anhydrous) (Cas No. 7558-79-4) (di-sodium hydrogen orthophosphate anhydrous) Assay : Min. 99% Na_2HPO_4 M.W. 141.96	02481 00500	PB	500 gm	28352990	18
Sodium Phosphate dibasic (anhydrous) (For molecular Biology) (Cas No. 7558-79-4) (di-sodium hydrogen orthophosphate anhydrous) Assay : Min. 99% Na_2HPO_4 M.W. 141.96	02482 00250	PB	250 gm	28352990	18
Sodium Phosphate dibasic (dihydrate) (Cas No. 10028-24-7) (di-sodium hydrogen orthophosphate dihydrate) Assay : Min. 99% $Na_2HPO_4 \cdot 2H_2O$ M.W. 177.99	02483 00500	PB	500 gm	28353900	18
	02483 05000	PC	5 kg	28353900	18
Sodium Phosphate dibasic AR (dihydrate) (Cas No. 10028-24-7) (di-sodium hydrogen orthophosphate dihydrate) Assay : Min. 99.5% $Na_2HPO_4 \cdot 2H_2O$ M.W. 177.99	02484 00500	PB	500 gm	28353900	18
Sodium Phosphate dibasic Extra Pure (dodecahydrate) (Cas No. 10039-32-4) (di-sodium hydrogen orthophosphate dodecahydrate) Assay : Min. 98.5-101% $Na_2HPO_4 \cdot 12H_2O$ M.W. 358.14	02486 00500	PB	500 gm	28353900	18
Sodium Phosphate dibasic AR (dodecahydrate) (Cas No. 10039-32-4) (di-sodium hydrogen orthophosphate dodecahydrate) Assay : Min. 99% $Na_2HPO_4 \cdot 12H_2O$ M.W. 358.14	02487 00500	PB	500 gm	28353900	18
Sodium Phosphate monobasic (dihydrate) (Cas No. 13472-35-0) (sodium acid phosphate) (sodium dihydrogen orthophosphate) Assay : Min. 98% $NaH_2PO_4 \cdot 2H_2O$ M.W. 156.01	02488 00500	PB	500 gm	28352200	18
	02488 05000	PC	5 kg	28352200	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Sodium Phosphate monobasic AR (dihydrate) (Cas No. 13472-35-0) (sodium acid phosphate) (sodium dihydrogen orthophosphate) Assay : Min. 99% $\text{NaH}_2\text{PO}_4 \cdot 2\text{H}_2\text{O}$ M.W. 156.01	02489 00500	PB	500 gm	28352200	18
Sodium Phosphate tribasic Extra Pure (12H ₂ O) (Cas No. 10101-89-0) (dodecahydrate) (tri-sodium orthophosphate) Assay : Min. 98% $\text{Na}_3\text{PO}_4 \cdot 12\text{H}_2\text{O}$ M.W. 380.12	02490 00500	PB	500 gm	28352990	18
	02490 05000	PC	5 kg	28352990	18
Sodium Phosphate tribasic AR (12H ₂ O) (Cas No. 10101-89-0) (dodecahydrate) (tri-sodium orthophosphate) Assay : Min. 98-102% $\text{Na}_3\text{PO}_4 \cdot 12\text{H}_2\text{O}$ M.W. 380.12	02491 00500	PB	500 gm	28352990	18
Sodium Polyanethol Sulphonate AR (Cas No. 55963-78-5) (10,000 Anticoagulant U/g)	02492 00001	GB	1 gm	39119090	18
	02492 00005	GB	5 gm	39119090	18
Sodium Potassium Tartrate See Potassium Sodium Tartrate Page No. 126					
Sodium Propionate (Cas No. 137-40-6) Assay : Min. 98% $\text{CH}_3\text{CH}_2\text{COONa}$ M.W. 96.06	02493 00500	PB	500 gm	29155000	18
tetra-Sodium Pyrophosphate (anhydrous) (Cas No. 7722-88-5) Assay : Min. 97.5% $\text{Na}_4\text{P}_2\text{O}_7$ M.W. 265.90	02494 00500	PB	500 gm	28353900	18
tetra-Sodium Pyrophosphate (decahydrate) (Cas No. 13472-36-1) Assay : Min. 99% $\text{Na}_4\text{P}_2\text{O}_7 \cdot 10\text{H}_2\text{O}$ M.W. 446.06	02495 00500	PB	500 gm	28353900	18
Sodium Pyruvate (Cas No. 113-24-6) (for biochemistry) (pyruvic acid sodium salt) Assay : Min. 99% $\text{C}_3\text{H}_3\text{NaO}_3$ M.W. 110.04	02496 00025	PB	25 gm	29183090	18
	02496 00100	PB	100 gm	29183090	18
	02496 00500	PB	500 gm	29183090	18
Sodium Pyruvate N/10 Solution	02496A 00500	PB	500 ml	38220090	12
Sodium Rhodizonate AR (Cas No. 523-21-7) (rhodizonic acid sodium salt) Assay : Min. 97% $\text{C}_6\text{Na}_2\text{O}_6$ M.W. 214.04	02497 00001	GB	1 gm	29143990	18
	02497 00005	GB	5 gm	29143990	18
Sodium Rhodizonate Solution	02498 00100	PB	100 ml	38220090	12
	02498 00500	PB	500 ml	38220090	12
Sodium Salicylate Extra Pure (Cas No. 54-21-7) Assay : Min. 99% $\text{C}_7\text{H}_5\text{NaO}_3$ M.W. 160.10	02499 00500	PB	500 gm	29182120	18
Sodium Salicylate AR (Cas No. 54-21-7) Assay : Min. 99.5% $\text{C}_7\text{H}_5\text{NaO}_3$ M.W. 160.10	02500 00250	PB	250 gm	29182120	18
Sodium Selenate Extra Pure (anhydrous) (Cas No. 13410-01-0) Assay : Min. 98% Na_2SeO_4 M.W. 189.94	02501 00025	PB	25 gm	28429090	18
	02501 00100	PB	100 gm	28429090	18
	02501 00500	PB	500 gm	28429090	18
Sodium Selenate AR (anhydrous) (Cas No. 13410-01-0) Assay : Min. 99% Na_2SeO_4 M.W. 189.94	02502 00025	PB	25 gm	28429090	18
	02502 00100	PB	100 gm	28429090	18
Sodium Selenite Extra Pure (pentahydrate) (Cas No. 26970-82-1) Assay : Min. 98% $\text{Na}_2\text{SeO}_3 \cdot 5\text{H}_2\text{O}$ M.W. 263.01	02503 00100	PB	100 gm	28429090	18
	02503 00500	PB	500 gm	28429090	18
Sodium Selenite AR (pentahydrate) (Cas No. 26970-82-1) Assay : Min. 99% $\text{Na}_2\text{SeO}_3 \cdot 5\text{H}_2\text{O}$ M.W. 263.01	02504 00025	PB	25 gm	28429090	18
	02504 00100	PB	100 gm	28429090	18
	02504 00500	PB	500 gm	28429090	18
Sodium Silicate (meta) powder See Sodium Metasilicate powder Page No. 143					
Sodium Silicofluoride (Cas No. 16983-85-9) Assay : Min. 99% Na_2SiF_6 M.W. 188.06	02505 00500	PB	500 gm	28269000	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Sodium Stannate (trihydrate) (Cas No. 12209-98-2) Assay : Min. 43-44% $\text{Na}_2\text{SnO}_3 \cdot 3\text{H}_2\text{O}$ M.W. 266.73	02506 00500	PB	500 gm	28419000	18
Sodium Starch Glycolate Extra Pure (Cas No. 9063-38-1)	02507 00500	PB	500 gm	29389090	18
Sodium Succinate (hexahydrate) (Cas No. 6106-21-4) Assay : Min. 99% $\text{C}_4\text{H}_4\text{Na}_2\text{O}_4 \cdot 6\text{H}_2\text{O}$ M.W. 270.14	02508 00500	PB	500 gm	29171990	18
Sodium Succinate AR (hexahydrate) (Cas No. 6106-21-4) Assay : Min. 99% $\text{C}_4\text{H}_4\text{Na}_2\text{O}_4 \cdot 6\text{H}_2\text{O}$ M.W. 270.14	02509 00100	PB	100 gm	29171990	18
Sodium Sulphate (anhydrous) (Cas No. 7757-82-6) Assay : Min. 99% Na_2SO_4 M.W. 142.04	02510 00500	PB	500 gm	28331100	18
	02510 05000	PC	5 Kg	28331100	18
Sodium Sulphate AR (anhydrous) (Cas No. 7757-82-6) Assay : Min. 99.5% Na_2SO_4 M.W. 142.04	02511 00500	PB	500 gm	28331100	18
	02511 01000	PB	1 kg	28331100	18
Sodium Sulphate (anhydrous) (For Molecular Biology) (Cas No. 7757-82-6) Assay : Min. 99% Na_2SO_4 M.W. 142.04	02512 01000	PB	1 kg	28331100	18
Sodium Sulphide Flakes (Cas No. 27610-45-3) (iron free) Assay (ex Na_2S) : Min. 31% $\text{Na}_2\text{S} \cdot x\text{H}_2\text{O}$ M.W. 78.04	02513 00500	GB	500 gm	28301000	18
Sodium Sulphide AR (Cas No. 27610-45-3) Assay (ex Na_2S) : Min. 31% $\text{Na}_2\text{S} \cdot x\text{H}_2\text{O}$ M.W. 78.04	02514 00500	GB	500 gm	28301000	18
Sodium Sulphite (Cas No. 7757-87-3) (anhydrous) (purified) Assay : Min. 95% Na_2SO_3 M.W. 126.04	02515 00500	PB	500 gm	28321090	18
Sodium Sulphite AR (anhydrous) (Cas No. 7757-87-3) Assay : Min. 98% Na_2SO_3 M.W. 126.04	02516 00500	PB	500 gm	28321090	18
Sodium Sulphite (For molecular Biology) (Cas No. 7757-87-3) Assay : Min. 98% Na_2SO_3 M.W. 126.04	02517 00500	PB	500 gm	28321090	18
Sodium Sulphocyanide See Sodium Thiocyanate Page No. 147					
Sodium (+) Tartrate Extra Pure (dihydrate) (Cas No. 6106-24-7) (di-sodium tartrate) Assay : Min. 99% $\text{C}_4\text{H}_4\text{Na}_2\text{O}_6 \cdot 2\text{H}_2\text{O}$ M.W. 230.08	02518 00500	PB	500 gm	29181390	18
Sodium (+) Tartrate AR (dihydrate) (Cas No. 6106-24-7) (di-sodium tartrate) Assay : Min. 99.5% $\text{C}_4\text{H}_4\text{Na}_2\text{O}_6 \cdot 2\text{H}_2\text{O}$ M.W. 230.08	02519 02500	PB	250 gm	29181390	18
	02519 00500	PB	500 gm	29181390	18
Sodium DL-Tartrate Extra Pure (Cas No. 868-18-8) Assay : Min. 99% $\text{C}_4\text{H}_4\text{Na}_2\text{O}_6$ M.W. 194.05	02520 00500	PB	500 gm	29181390	18
Sodium Taurocholate (for bacteriology) (Cas No. 145-42-6) Assay (bile acid content): Min. 65% $\text{C}_{26}\text{H}_{44}\text{NNaO}_7\text{S}$ M.W. 537.68	02521 00100	PB	100 gm	38210000	18
	02521 00500	PB	500 gm	38210000	18
Sodium Tauroglycocholate See Bile Salt Page No. 23					
Sodium Tellurite AR (Cas No. 10102-20-2) Assay : Min. 98% Na_2TeO_3 M.W. 221.58	02522 00025	GB	25 gm	28429090	18
	02522 00100	GB	100 gm	28429090	18
di-Sodium Tetraborate See Borax Page No. 25					
Sodium Tetraphenyl Borate AR See Kalignost Page No. 86					
Sodium Thiocyanate Extra Pure (Cas No. 540-72-7) (sodium sulphocyanide) Assay : Min. 98-102% NaSCN M.W. 81.07	02523 00500	PB	500 gm	28419000	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Sodium Thiocyanate AR (Cas No. 540-72-7) (sodium sulphocyanide) Assay : Min. 98% NaSCN M.W. 81.07	02524 00500	PB	500 gm	28419000	18
Sodium Thiocyanate 0.1M (0.1N) Standardized Solution	02525 00500	PB	500 ml	38220090	12
Sodium Thioglycollate (Cas No. 367-51-1) (for bacteriology) (thioglycollic acid sodium salt) Assay : Min. 80% C ₂ H ₃ NaO ₂ S M.W. 114.10	02526 00100	PB	100 gm	29309070	18
	02526 00500	PB	500 gm	29309070	18
Sodium Thiosulphate Extra Pure (Cas No. 10102-17-7) (crystals) (pentahydrate) (hypo) Assay : Min. 99% Na ₂ S ₂ O ₃ .5H ₂ O M.W. 248.17	02527 00500	PB	500 gm	28323010	18
	02527 05000	PC	5 kg	28323010	18
Sodium Thiosulphate AR (For Molecular Biology) (Cas No. 10102-17-7) (crystals) (pentahydrate) (hypo) Assay : Min. 99.5% Na ₂ S ₂ O ₃ .5H ₂ O M.W. 248.17	02528 00500	PB	500 gm	28323010	18
	02528 05000	PC	5 kg	28323010	18
Sodium Thiosulphate AR (anhydrous) (For Molecular Biology) (Cas No. 7772-98-7) Assay : Min. 97% Na ₂ S ₂ O ₃ M.W. 158.18	02529 01000	PB	1 kg	28323010	18
Sodium Thiosulphate N/10 solution. Liquid, d. 1.22	02530 00500	PB	500 ml	38220090	12
Sodium Thiosulphate 0.01M (0.01N) Standardized Solution, Liquid, d. 1.02	02531 00500	PB	500 ml	38220090	12
Sodium Thiosulphate 0.05M (0.05N) Standardized Solution, Liquid, d. 1.00	02532 00500	PB	500 ml	38220090	12
Sodium Thiosulphate 1M (1N) Standardized Solution, Liquid, d. 1.120	02533 00500	PB	500 ml	38220090	12
Sodium Thiosulphate 0.1mol/L (0.1N) Solution when diluted to 500 ml with water (Concn. Of solution in each ampoule is 1N) (2x2 amps. Of set in a box)	02924 AMP4	Amp	4 amp	38220090	12
Sodium Triacetox Borohydride (for synthesis) (Cas No. 56553-60-7) Assay : Min. 95% C ₆ H ₁₀ BNaO ₆ M.W. 211.94	02534 00025	PB	25 gm	29420090	18
	02534 00100	PB	100 gm	29420090	18
	02534 00500	PB	500 gm	29420090	18
Sodium Tripolyphosphate (anhydrous) (Cas No.7758-29-4) (STPP) Assay : Min. 85% Na ₅ P ₃ O ₁₀ M.W. 367.86	02535 00500	PB	500 gm	28353100	18
	02535 01000	PB	1 kg	28353100	18
Sodium Tungstate (dihydrate) (Cas No. 10213-10-2) Assay : Min. 98% Na ₂ WO ₄ .2H ₂ O M.W. 329.85	02536 00100	PB	100 gm	28418010	18
	02536 00250	PB	250 gm	28418010	18
	02536 00500	PB	500 gm	28418010	18
Sodium Tungstate AR (dihydrate) (Cas No. 10213-10-2) Assay : Min. 99% Na ₂ WO ₄ .2H ₂ O M.W. 329.85	02537 00100	PB	100 gm	28418010	18
	02537 00250	PB	250 gm	28418010	18
	02537 00500	PB	500 gm	28418010	18
Sodium Tungstate solution 10% w/v (folin & wu), Liquid, d. 1.07	02538 00100	PB	100 ml	38220090	12
	02538 00500	PB	500 ml	38220090	12
Sodium Vanadate (meta) See Sodium Metavanadate Page No. 143					
Solochrome Black T See Eriochrome Black T Page No. 64					
Solochrome Cyanine R See Eriochrome Cyanine R Page No. 64					
Solochrome Dark Blue See Calcon Page No. 36					
Sorbic Acid (Purified) (Cas No. 110-44-1) (trans-2, 4-Hexadienoic Acid) Assay : Min. 99.8% C ₆ H ₈ O ₂ M.W. 112.13	02539 00500	PB	500 gm	29161960	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Sorbitol (liquid) Extra Pure (Cas No. 50-70-4) Assay : Min. 68-72% (w/w) $C_6H_{14}O_6$ M.W. 182.17	02540 00500	PB	500 ml	29054400	18
Sorbitol (Powder) Extra Pure (For Microbiology) (D-Sorbitol) (Cas No. 50-70-4) Assay : Min. 99% $C_6H_{14}O_6$ M.W. 182.17	02541 00250 02541 01000	PB PB	500 gm 1 kg	29054400 29054400	18 18
D (-) Sorbitol (For Molecular Biology) (Cas No.50-70-4) (D-glucitol) Assay : Min. 98% $C_6H_{14}O_6$ M.W. 182.17	02542 00500	PB	500 gm	29054400	18
L (-) Sorbose (Cas No. 87-79-6) (for biochemistry) Assay : Min. 99% $C_6H_{12}O_6$ M.W. 80.16	02543 00025 02543 00100	PB PB	25 gm 100 gm	29400000 29400000	18 18
Soyabean Meal (Cas No. 68513-95-1)	02544 00500	PB	500 gm	12081000	5
Soya Peptone (Cas No. 68513-95-1) (soyotone) (papaic digest of soyabena meal)	02545 00500	PB	500 gm	35040010	18
SPADNS AR (Cas No. 23647-14-5) (1, 8-dihydroxy-2-) (4-sulphope-nylazo)naphthalene-3-6-disulphonic acid trisodium salt) Assay : Min. 80% $C_{16}H_9N_2O_{11}S_3Na_3$ VM.W. 570.41	02546 00001 02546 00005 02546 00025	GB GB GB	1 gm 5 gm 25 gm	29270090 29270090 29270090	18 18 18
SPAN 20 (Cas No. 1338-39-2) (sorbitan monolaurate) $C_{18}H_{34}O_6$ M.W. 346.47, Liquid, d. 1.032	02547 00500	GB	500 gm	29321990	18
SPAN 40 (Cas No. 26266-57-9) (sorbitan monopalmitate) $C_{22}H_{42}O_6$ M.W. 402.57 Liquid,d.1.075	02548 00500	GB	500 gm	29400000	18
SPAN 60 (Cas No. 1338-41-6) (sorbitan monostearate) $C_{24}H_{44}O_6$ M.W. 430.63 Liquid,d.1.00	02549 00500	GB	500 gm	29400000	18
SPAN 80 (Cas No. 1338-43-8) (sorbitan monooleate) $C_{24}H_{44}O_6$ M.W. 428.6, Liquid, d. 0.986	02550 00500 02550 02500	GB GB	500 ml 2.5 lit	29159090 29159090	18 18
Spearmint Oil Extra Pure (Cas No. 8008-79-5) Liquid,d.0.941	02550A 00500	GB	500 ml	33012510	18
Spearmacetic Wax (Cas No. 8002-23-1)	02550B 00500	PB	500 gm	15211090	18
Stannic Chloride (pentahydrate) (Cas No. 10026-06-9) [tin (IV) chloride] Assay : Min. 98% $SnCl_4 \cdot 5H_2O$ M.W. 350.58	02551 00500	GB	500 gm	28273990	18
Stannic Oxide Extra Pure (Cas No. 18282-10-5) [tin (IV) oxide] Assay : Min. 99% SnO_2 M.W. 150.71	02552 00500	PB	500 gm	28259010	18
Stannic Oxide AR (Cas No. 18282-10-5) [tin (IV) oxide] Assay : Min. 99.9% SnO_2 M.W. 150.71	02553 00250	PB	250 gm	28259010	18
Stannous Chloride (dihydrate) (Cas No. 10025-69-1) [tin(II) oxide] Assay : Min. 97% $SnCl_2 \cdot 2H_2O$ M.W. 225.65	02554 00100 02554 00250	PB PB	100 gm 250 gm	28273990 28273990	18 18
Stannous Chloride AR (dihydrate) (Cas No. 10025-69-1) [tin (II) chloride] Assay : Min. 98% $SnCl_2 \cdot 2H_2O$ M.W. 225.65	02555 00100 02555 00250 02555 00500	GB GB GB	100 gm 250 gm 500 gm	28273990 28273990 28273990	18 18 18
Stannous Sulphate (Cas No. 7488-55-3) [tin (II) sulphate] Assay (Sn) : Min. 50% $SnSO_4$ M.W. 214.75	02556 00500	PB	500 gm	28332990	18
Stannous Sulphate AR (Cas No. 7488-55-3) [tin (II) sulphate] Assay (Sn) : Min. 50% $SnSO_4$ M.W. 214.75	02557 00250	PB	250 gm	28332990	18
Starch Iodide papers (pkt contains 100 leaves)	02925 PKT01 02925 PKT24 02925 200IVS	CB CB CB	pkt 24 pkt 200IVS	38220090 38220090 38220090	12 12 12
Starch Potato See Starch Soluble Page No. 149					

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Starch Maize powder (Cas No. 9005-25-8) (corn starch) (C ₆ H ₁₀ O ₅) _n	02558 00500	PB	500 gm	11081200	12
	02558 05000	PB	5 kg	11081200	12
Starch Soluble Extra Pure (Cas No. 9005-84-9) (starch potato) (xpotato) C ₁₂ H ₂₂ O ₁₁ M.W. 342.30	02559 00500	PB	500 gm	35051090	18
Starch Soluble AR (Cas No. 9005-84-9) (starch potato) (xpotato) C ₁₂ H ₂₂ O ₁₁ M.W. 342.30	02560 00500	PB	500 gm	35051090	18
Starch Reagent Solution , Liquid, d. 1.005	02560A 00500	PB	500 ml	38220090	12
Starch Wheat Extra Pure (wheat starch) (C ₆ H ₁₀ O ₅) _n	02560B 00500	PB	500 gm	11081100	12
	02560B 02500	PC	2.5 kg	11081100	12
Stearic Acid (for synthesis) (Cas No. 57-11-4) (n-octadecanoic acid) Assay : Min. 98% C ₁₈ H ₃₆ O ₂ M.W. 284.48	02561 00500	PB	500 gm	29157020	18
Stearic Acid AR (for biochemistry) (Cas No. 57-11-4) (n-octadecanoic acid) Assay : Min. 99% C ₁₈ H ₃₆ O ₂ M.W. 284.48	02562 00005	GB	5 gm	29157020	18
	02562 00025	GB	25 gm	29157020	18
Stearyl Alcohol (Cas No. 112-92-5) (1-octadecanol) Assay : Min. 99% C ₁₈ H ₃₆ O M.W. 270.50	02563 00500	PB	500 gm	29051700	18
Strontium AAS Standard Solution 1000mg/L in Nitric Acid, Liquid, d. 1.02	02564 00125	GB	125 ml	38220090	12
	02564 00500	GB	500 ml	38220090	12
Strontium ICP Standard Solution 1000mg/L in Nitric Acid Liquid, d. 1.013	02564A 00125	GB	125 ml	38220090	12
Strontium Carbonate (Cas No. 1633-05-2) Assay : Min. 99% SrCO ₃ M.W. 147.63	02565 00250	PB	250 gm	28369200	18
	02565 00500	PB	500 gm	28369200	18
Strontium Chloride (hexahydrate) (Cas No. 10025-70-4) Assay : Min. 98% SrCl ₂ .6H ₂ O M.W. 266.62	02566 00500	PB	500 gm	28273930	18
Strontium Chloride AR (hexahydrate) (Cas No. 10025-70-4) Assay : Min. 99% SrCl ₂ .6H ₂ O M.W. 266.62	02567 00500	PB	500 gm	28273930	18
Strontium Hydroxide (Octahydrate) (Cas No. 1311-10-0) Assay : Min. 97% H ₂ O ₂ Sr ₈ .H ₂ O M.W. 265.76	02568 00500	PB	500 gm	28164000	18
Strontium Nitrate (anhydrous) (Cas No. 10042-76-9) Assay : Min. 99% Sr(NO ₃) ₂ M.W. 211.63	02569 00500	PB	500 gm	28342910	18
Strontium Nitrate AR (anhydrous) (Cas No. 10042-76-9) Assay : Min. 99% Sr(NO ₃) ₂ M.W. 211.63	02570 00500	PB	500 gm	28342910	18
Strontium Oxalate (Cas No. 814-95-9) Assay : Min. 97% SrC ₂ O ₄ M.W. 175.64	02571 00500	PB	500 gm	29171130	18
Strontium Sulphate (Cas No. 7759-02-6) Assay : Min. 99% SrSO ₄ M.W. 183.68	02572 00500	PB	500 gm	28309010	18
Strontium Sulphite (Cas No. 7757-83-7) Assay : Min. 98% Na ₂ SO ₃ M.W. 126.04	02573 00500	PB	500 gm	28301000	18
Strontium Tartrate (dihydrate) (Cas No. 6106-24-7) Assay : Min. 99% C ₄ H ₄ Na ₂ O ₆ .2H ₂ O M.W. 230.08	02574 00500	PB	500 gm	29181590	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Succinic Acid (for synthesis) (Cas No. 110-15-6) Assay : Min. 99% $C_4H_6O_4$ M.W. 118.09	02575 00500	PB	500 gm	29171930	18
Succinic Acid AR (Cas No. 110-15-6) Assay : Min. 99.5% $C_4H_6O_4$ M.W. 118.09	02576 00100	PB	100 gm	29171930	18
	02576 00500	PB	500 gm	29171930	18
Succinic Anhydride (for synthesis) (Cas No. 108-30-5) Assay : Min. 99% $C_4H_4O_3$ M.W. 100.07	02577 00100	PB	100 gm	29171990	18
	02577 00500	PB	500 gm	29171990	18
Succinimide (for synthesis) (Cas No. 123-56-8) Assay : Min. 99.9% $C_4H_5NO_2$ M.W. 99.09	02578 00100	PB	100 gm	29251900	18
	02578 00500	PB	500 gm	29251900	18
Sucrose Extra Pure (Cas No. 57-50-1) (saccharose) Assay : Min. 99% $C_{12}H_{22}O_{11}$ M.W. 342.3	02579 00500	PB	500 gm	17019990	18
Sucrose AR (saccharose) (Cas No. 57-50-1) Assay : Min. 99.5% $C_{12}H_{22}O_{11}$ M.W. 342.30	02580 00500	PB	500 gm	17019990	18
Sucrose (for Molecular Biology) (Cas No. 57-50-1) Assay : Min. 99.5% $C_{12}H_{22}O_{11}$ M.W. 342.3	02581 00500	PB	500 gm	17019990	18
Sudan III (Cas No. 85-86-9) (M.S.) (C.I. No. 26100) Dye Content : Min. 85% $C_{22}H_{16}N_4O$ M.W. 352.39	02582 00010	PB	10 gm	32049000	18
	02582 00025	PB	25 gm	32049000	18
	02582 00100	PB	100 gm	32049000	18
Sudan III Stain Solution Liquid, d. 0.917	02583 00125	PB	125 ml	38220090	12
	02583 00500	PB	500 ml	38220090	12
Sudan IV (M.S.) (C.I. No. 26105) (Cas No. 85-83-6) (alcohol soluble) (biebrich scarlet R) (scarlet red) Dye Content : Min. 80% $C_{24}H_{20}N_4O$ M.W. 380.44	02584 00010	PB	10 gm	32049000	18
	02584 00025	PB	25 gm	32049000	18
	02584 00100	PB	100 gm	32049000	18
Sudan IV stain solution (scarlet red solution)	02585 00125	PB	125 ml	38220090	12
	02585 00500	PB	500 ml	38220090	12
Sudan Black B (M.S.) (For Molecular Biology) (C.I. No. 26150) (Cas No. 4197-25-5) Dye Content : Min. 80% $C_{29}H_{24}N_6$ M.W. 456.54	02586 00010	PB	10 gm	32049000	18
	02586 00025	PB	25 gm	32049000	18
	02586 00100	PB	100 gm	32049000	18
Sudan Black B staining solution	02587 00125	PB	125 ml	38220090	12
	02587 00500	PB	500 ml	38220090	12
Sulphamic Acid AR (Cas No. 5329-14-6) (amido sulphonic acid) Assay : Min. 99% $NH_2.SO_3H$ M.W. 97.09	02588 00100	PB	100 gm	28111990	18
	02588 00500	PB	500 gm	28111990	18
Sulphanilamide Extra Pure (Cas No. 63-74-1) (p-amino benzene sulphonamide) Assay : Min. 98% $C_6H_8N_2O_2S$ M.W. 172.20	02589 00100	PB	100 gm	29350090	18
	02589 00500	PB	500 gm	29350090	18
Sulphanilamide AR (Cas No. 63-74-1) (p-amino benzene sulphonamide) Assay : Min. 99% $C_6H_8N_2O_2S$ M.W. 172.20	02590 00100	PB	100 gm	29350090	18
	02590 00500	PB	500 gm	29350090	18
Sulphanilic Acid (Cas No. 121-57-3) (purified white) Assay : Min. 98% $NH_2C_6H_4SO_3H$ M.W. 173.19	02591 00100	PB	100 gm	29214234	18
	02591 00500	PB	500 gm	29214234	18
Sulphanilic Acid AR (Cas No. 121-57-3) Assay : Min. 99% $NH_2C_6H_4SO_3H$ M.W. 173.19	02592 00100	PB	100 gm	29214234	18
	02592 00500	PB	500 gm	29214234	18
Sulphosalicylic Acid Extra Pure (Cas No. 5965-83-3) (5-sulphosalicylic acid) Assay : Min. 99% $C_7H_6O_6S.2H_2O$ M.W. 254.21	02593 00250	PB	250 gm	29182390	18
	02593 00500	PB	500 gm	29182390	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Sulphosalicylic Acid AR (Cas No. 5965-83-3)	02594 00250	PB	250 gm	29182390	18
(5-sulphosalicylic acid)	02594 00500	PB	500 gm	29182390	18
Assay : Min. 99.5% C ₇ H ₆ O ₆ S.2H ₂ O M.W. 254.21					
Sulphosalicylic Acid 3% Solution (For Synthesis)	02595 00125	PB	125 ml	38220090	12
Liquid, d. 1.00	02595 00500	PB	500 ml	38220090	12
Sulphosalicylic Acid 20% Solution	02596 00125	PB	125 ml	38220090	12
(For Synthesis) Liquid, d. 1.00	02596 00500	PB	500 ml	38220090	12
Sulphur powder Extra Pure (Cas No. 7704-34-9) (sulphur flower)	02597 00500	PB	500 gm	28020010	18
Assay : Min. 98% S M.W. 32.06	02597 05000	PB	5 Kg	28020010	18
Sulphur powder AR (sulphur flower) (Cas No. 7704-34-9)	02598 00500	PB	500 gm	28020010	18
Assay : Min. 99.5-100.5% S M.W. 32.06					
Sulphuric Acid (Cas No. 7664-93-9)	02599 00500	PB	500 ml	28070010	18
(sp. gr. 1.835)	02599 02500	PB	2.5 lt	28070010	18
Assay : Min. 98% H ₂ SO ₄ M.W. 98.08, Liquid, d. 1.84	02599 05000	PC	5 lt	28070010	18
Sulphuric Acid AR	02600 00500	GB	500 ml	28070010	18
(Cas No. 7664-93-9) (sp. gr. 1.84)	02600 02500	GB	2.5 lt	28070010	18
Assay : Min. 98% H ₂ SO ₄ M.W. 98.08, Liquid, d. 1.84	02600 05000	PC	5 lt	28070010	18
Sulphuric Acid 20% (Cas No. 7664-93-9)	02601 00500	GB	500 ml	28070010	18
Assay : Min. 20%vH ₂ SO ₄ M.W. 98.08, Liquid, d. 1.925					
Sulphuric Acid 25% AR (for analysis) (Cas No. 7664-93-9)	02602 00500	GB	500 ml	28070010	18
Assay : Min. 25% H ₂ SO ₄ M.W. 98.08, Liquid, d. 1.26					
Sulphuric Acid 40% (Cas No. 7664-93-9)	02603 00500	GB	500 ml	28070010	18
(for determination of gas metabolism) (according to knipping)					
Assay : Min. 40% H ₂ SO ₄ M.W. 98.08, Liquid, d. 1.30					
Sulphuric Acid N/10 solution	02604 00500	GB	500 ml	38220090	12
Sulphuric Acid N/50 (0.02N) Liquid, d. 1.83	02605 00500	GB	500 ml	38220090	12
Sulphuric Acid Solution 2N/3 Liquid, d. 1.83	02606 00500	GB	500 ml	38220090	12
Sulphuric Acid 0.1M (0.2N) Standardized Solution Liquid, d. 1.01	02607 00500	GB	500 ml	38220090	12
Sulphuric Acid 0.25M (0.5N) Standardized Solution Liquid, d. 1.02	02608 00500	GB	500 ml	38220090	12
Sulphuric Acid 1M (2N) Standardized Solution Liquid, d. 1.06	02609 00500	GB	500 ml	38220090	12
Sulphuric Acid 2.5M (5N) Standardized Solution Liquid, d. 1.15	02610 00500	GB	500 ml	38220090	12
Sulphuric Acid 5M (10N) Standardized Solution Liquid, d. 1.13.1.3	02611 00500	GB	500 ml	38220090	12
Sulphuric Acid 0.5Mol/L (1N) Standardized Solution	02612 00500	GB	500 ml	38220090	12
Liquid, d. 1.03					
Sulphuric Acid 0.05mol/L (0.1N) For 500 ml Solution	02926 AMP4	Amp	4 Amp	38220090	12
(2x2 amps. Of set in a box)					
Sulphuric Acid 0.5mol/L (1N) Solution when diluted to 500 ml	02927 AMP4	Amp	4 Amp	38220090	12
with water					
(Concn. Of solution in ampoule is 10N) (2x2 amps. Of set in a box)					
Sulphur Monochloride (for synthesis) (Cas No. 10025-67-9)	02613 00500	GB	500 ml	28129000	18
Assay : Min. 99% S ₂ Cl ₂ M.W. 135.0, Liquid, d. 1.668					
Sulphurous Acid (aqueous solution) (sulphur dioxide),	02931 00500	GB	500 ml	28070010	18
Liquid, d. 1.03 (CAS No.7782-99-2)					
Assay (as SO ₂) : Min. 5-6% H ₂ SO ₃ M.W. 82.08					

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Talcum Powder See French Chalk Powder Page No. No. 72					
Tannic Acid Extra Pure (Cas No. 1401-55-4) (light powder) (gallotannic acid) $C_{76}H_{52}O_{46}$ M.W. 1701.22	02615 00100	PB	100 gm	32019090	18
	02615 00250	PB	250 gm	32019090	18
Tannic Acid AR (Cas No. 1401-55-4) (light powder) (gallotannic acid) $C_{76}H_{52}O_{46}$ M.W. 1701.22	02616 00100	PB	100 gm	32019090	18
	02616 00250	PB	250 gm	32019090	18
Tannic Acid Solution	02616A 00500	PB	500 ml	38220090	12
TAPS Buffer For Biochemistry (Cas No. 29915-38-6) [N-Tris (Hydroxy Methyl) Methyl-3-Amino Propane Sulfonic Acid] Assay : Min. 99% $C_7H_{17}NO_6S$ M.W. 243.28	02617 00025	GB	25 gm	29221990	18
	02617 00100	GB	100 gm	29221990	18
L (+) Tartaric Acid Extra Pure (Cas No. 87-69-4) [dextro-rotatry (+) tartaric acid] Assay : Min. 99.5% $C_4H_6O_6$ M.W. 150.09	02618 00250	PB	250 gm	29181200	18
	02618 00500	PB	500 gm	29181200	18
	02618 05000	PC	5 kg	29181200	18
L (+) Tartaric Acid AR (Cas No. 87-69-4) [dextro-rotatry (+) tartaric acid] Assay : Min. 99.7% $C_4H_6O_6$ M.W. 150.09	02619 00250	PB	250 gm	29181200	18
	02619 00500	PB	500 gm	29181200	18
DL- Tartaric Acid (Cas No. 133-37-9) (synthetic) Assay : Min. 99% $C_4H_6O_6$ M.W. 150.09	02620 00500	PB	500 gm	29181200	18
Tartrazine (Cas No. 1934-21-0) (M.S.) (C.I. No. 19140) Dye Content : Min. 85% $C_{16}H_9N_4O_5S_2Na_3$ M.W. 534.4	02621 00025	PB	25 gm	32041982	18
	02621 00100	PB	100 gm	32041982	18
	02621 00500	PB	500 gm	32041982	18
Tartrazine solution	02622 00500	PB	500 ml	38220090	12
Taurine (Cas NO. 107-35-7) (for synthesis) (2-aminoethanesulphonic acid) Assay : Min. 99% $C_2H_7NO_3S$ M.W. 125.15	02623 00025	PB	25 gm	29211990	18
	02623 00100	PB	100 gm	29211990	18
	02623 01000	PB	1 kg	29211990	18
Tellurium AAS Standard Solution 1000mg/L in Hydrochloric Acid	02624 00125	PB	125 ml	38220090	12
	02624 00500	PB	100 ml	38220090	12
Tellurium ICP Standard Solution 1000mg/L in Hydrochloric Acid	02624A 00125	PB	125 ml	38220090	12
Tellurium (metal) Powder (Cas No. 13494-80-9) Assay : Min. 99.9% Te M.W. 127.60	02625 00100	PB	100 gm	28045020	18
TEMED See N,N,N,N,-Tetramethyl Ethylenediamine Page No.155					
Terephthalic Acid See tere-Phthalic Acid Page No. 119					
Terpentine Oil Extra Pure (Cas No. 8006-64-2) Liquid, d. 0.86	02626 00500	GB	500 ml	38051010	18
	02626 05000	GB	5 lt	38051010	18
Terpineol (Mixture of Isomers) (Cas No.8006-41-7) Liquid, d. 0.934	02627 00500	GB	500 ml	29061990	18
Di-Tert-Butyl Pyrocarbonate See Boc Anhydride Page No. 25					
TES (For Molecular Biology) (for Biochemistry)(Cas No.7365-44-8) [N-tris(hydroxymethyl) methyl-2-aminoethane sulphonic acid] Assay : Min 99% $C_6H_{15}NO_6S$ M.W. 229.25	02628 00005	GB	5 gm	29221990	18
	02628 00025	GB	25 gm	29221990	18
Testosterone Extra Pure (Cas No. 58-22-0) (17b-Hydroxy-4-androsten-3-one) Assay : Min 99% $C_{19}H_{28}O_2$ M.W. 288.42	02629 00005	GB	5 gm	29372900	18
	02629 00025	GB	25 gm	29372900	18
Testosterone Propionate (Cas No. 57-85-2) $C_{22}H_{32}O_3$ M.W. 344.50	02630 00005	GB	5 gm	32049000	18
	02630 00025	GB	25 gm	32049000	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
1,1,2,2 – Tetrabromo Ethane See Acetylene Tetrabromide Page No. 3					
Tetra Butyl Ammonium Bromide (for synthesis) (Cas No. 1643-19-2) Assay : Min. 98% $C_{16}H_{36}BrN$ M.W. 322.37	02631 00250	PB	250 gm	29239000	18
	02631 00500	PB	500 gm	29239000	18
Tetra Butyl Ammonium Bromide AR (phase transfer catalyst) (Cas No. 1643-19-2) Assay : Min. 99% $C_{16}H_{36}BrN$ M.W. 322.37	02632 00100	GB	100 gm	29239000	18
	02632 00500	GB	500 gm	29239000	18
Tetra Butyl Ammonium Hydrogen Phosphate (for HPLC) (Cas No. 5574-97-0) Assay : Min. 98% $C_{16}H_{38}NO_4P$ M.W. 339.45	02633 00005	GB	5 gm	29239000	18
	02633 00025	GB	25 gm	29239000	18
Tetra Butyl Ammonium Hydrogen Sulphate (for synthesis) (Cas No. 32503-27-8) Assay : Min. 99% $C_{16}H_{37}NO_4S$ M.W. 339.53	02634 00100	PB	100 gm	29239000	18
	02634 00500	PB	500 gm	29239000	18
Tetra Butyl Ammonium Hydroxide 10% aqueous solution (Cas No. 2052-49-5) Assay : Min. 10% $C_{16}H_{37}NO$ M.W. 259.47, Liquid, d. 0.995	02635A 00100	PB	100 ml	29239000	18
	02635A 00500	PB	500 ml	29239000	18
Tetra Butyl Ammonium Hydroxide 20% aqueous solution (Cas No. 2052-49-5) Assay : Min. 19.5-21% $C_{16}H_{37}NO$ M.W. 259.47, Liquid, d. 0.995	02635 00100	PB	100 ml	29239000	18
	02635 00500	PB	500 ml	29239000	18
Tetra Butyl Ammonium Hydroxide 40% aqueous solution (Cas No. 2052-49-5) Assay : Min. 40% $C_{16}H_{37}NO$ M.W. 259.47, Liquid, d. 0.995	02636 00100	PB	100 ml	29239000	18
	02636 00500	PB	500 ml	29239000	18
Tetra Butyl Ammonium Hydroxide 25% solution in Methanol (Cas No. 2052-49-5) Assay : Min. 20% $C_{16}H_{37}NO$ M.W. 259.47, Liquid, d. 0.830	02637 00100	PB	100 ml	29239000	18
	02637 00500	PB	500 ml	29239000	18
Tetra Butyl Ammonium Hydroxide 40% solution in Methanol (Cas No. 2052-49-5) Assay : Min. 40% $C_{16}H_{37}NO$ M.W. 259.47, Liquid, d. 0.830	02638 00100	PB	100 ml	29239000	18
	02638 00500	PB	500 ml	29239000	18
Tetra Butyl Ammonium Hydroxide 0.1 N in isopropanol (Cas No. 2052-49-5) $C_{16}H_{37}NO$ M.W. 259.47 Liquid, d. 0.762	02639 00100	PB	100 ml	29239000	18
	02639 00500	PB	500 ml	29239000	18
Tetra Butyl Ammonium Hydroxide 0.1 N in Methanol/toluene (Cas No. 2052-49-5) $C_{16}H_{37}NO$ M.W. 259.47, Liquid, d. 0.853	02640 00100	PB	100 ml	29239000	18
	02640 00500	PB	500 ml	29239000	18
Tetra Butyl Ammonium Iodide AR (phase transfer catalyst) (Cas No. 311-28-4) Assay : Min. 98% $C_{16}H_{36}IN$ M.W. 367.37	02641 00025	PB	25 gm	29239000	18
	02641 00100	PB	100 gm	29239000	18
Tetra Chloro-P-Benzoquinone See Chloranil Page No. 41					
1,1,2,2-Tetra Chloroethane (for synthesis) (Cas No. 79-34-5) Assay : Min. 98% $C_2H_2Cl_4$ M.W. 167.85, Liquid, d. 1.586	02642 00500	GB	500 ml	29031910	18
	02642 02500	GB	2.5 lit	29031910	18
1,1,2,2-Tetra Chloroethane AR (Cas No. 79-34-5) Assay : Min. 98.5% $C_2H_2Cl_4$ M.W. 167.85, Liquid, d. 1.586	02643 00500	GB	500 ml	29031910	18
	02643 02500	GB	2.5 lit	29031910	18
n-Tetradecane (Cas No. 629-59-4) Assay : Min. 99% $C_{14}H_{30}$ M.W. 198.4	02644 00025	GB	25 ml	29011000	18
	02644 00100	GB	100 ml	29011000	18
Tetrachloroethylene See Perchloroethylene Page No. 115					
Tetrachloro Phthalic Anhydride (Cas No. 117-08-8) Assay : Min. 98% $C_8Cl_4O_3$ M.W. 285.90	02645 01000	PB	1 kg	29173500	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Tetraethyl Ammonium Bromide (for synthesis) (Cas No. 71-91-0) (phase transfer catalyst) Assay : Min. 98% $C_8H_{20}BrN_3$ M.W. 210.17	02646 00100	GB	100 gm	29239000	18
	02646 00250	GB	250 gm	29239000	18
Tetraethyl Ammonium Hydroxide 25% (aqueous solution) (Cas No. 77-98-5) Assay : Min. 25% $(C_2H_5)_4N(OH)$ M.W. 147.26, Liquid, d.0.865	02647 00100	GB	100 ml	29239000	18
	02647 00025	GB	500 ml	29239000	18
Tetraethyl Ammonium Hydrogen Sulphate (HPLC) (Cas No. 16873-13-5) Assay : Min. 99% $C_8H_{21}NO_4S$ M.W. 227.32	02648 00025	PB	25 gm	29239000	18
	02648 00100	PB	100 gm	29239000	18
Tetraethyl Ammonium Iodide (for synthesis) (Cas No. 68-05-3) Assay : Min. 98% $C_8H_{20}IN$ M.W. 257.16	02649 00100	PB	100 gm	29239000	18
	02649 00500	PB	500 gm	29239000	18
Tetraheptyl Ammonium Bromide AR (Cas No. 4368-51-8) Assay : Min. 99% $C_{28}H_{60}BrN$ M.W. 490.69	02650 00025	PB	25 gm	29239000	18
	02650 00100	PB	100 gm	29239000	18
Tetrahydrofuran (Cas No. 109-99-9) (stabilized with 0.1% quinol) Assay : Min. 99% C_4H_8O M.W. 72.11, Liquid, d. 0.889	02651 00500	GB	500 ml	29321100	18
	02651 02500	GB	2.5 lt	29321100	18
Tetrahydrofuran AR (Cas No. 109-99-9) (stabilized with 0.1% quinol) Assay : Min. 99.5% C_4H_8O M.W. 72.11, Liquid, d. 0.889	02652 00500	GB	500 ml	29321100	18
	02652 02500	GB	2.5 lt	29321100	18
Tetralin (for synthesis) (Cas No. 119-64-2) Assay : Min. 98% $C_{10}H_{12}$ M.W. 132.21 Liquid, d. 0.97	02654 00500	GB	500 ml	29029090	18
	02654 02500	GB	2.5 lt	29029090	18
Tetra Methyl Ammonium Bromide (for synthesis) (Cas No. 64-20-0) Assay : Min. 98% $(CH_3)_4N(Br)$ M.W. 154.05	02655 00100	GB	100 gm	29239000	18
	02655 00500	GB	500 gm	29239000	18
Tetra Methyl Ammonium Chloride (for synthesis) (Cas No. 75-57-0) Assay : Min. 98% $C_4H_{12}ClN$ M.W. 109.60	02656 00100	PB	100 gm	29239000	18
	02656 00500	PB	500 gm	29239000	18
Tetra Methyl Ammonium Hydrogen Sulphate (for synthesis) (Cas No. 80526-82-5) Assay : Min. 98% $C_4H_{13}NO_4S$ M.W. 171.21	02657 00100	GB	100 gm	29239000	18
Tetra Methyl Ammonium Hydrogen Sulphate (HPLC) (Cas No. 80526-82-5) (for ion pair chromatography) Assay : Min. 99% $C_4H_{13}NO_4S$ M.W. 171.21	02658 00005	GB	5 gm	29239000	18
	02658 00025	GB	25 gm	29239000	18
Tetra Methyl Ammonium Iodide AR (Cas No. 75-58-1) Assay : Min. 99% $C_4H_{12}IN$ M.W. 201.05	02659 00100	PB	100 gm	29239000	18
	02659 00500	PB	500 gm	29239000	18
3,3',5,5'-Tetra Methyl Benzidine (for Molecular Biology) (Cas No. 54827-17-7) Assay : Min. 99% $C_{16}H_{20}N_2$ M.W. 240.34	02660 00001	GB	1 gm	29215990	18
	02660 00005	GB	5 gm	29215990	18
N,N,N,N-TetraMethyl Ethylenediamine AR (Cas No. 110-18-9) (TEMED) (For Molecular Biology) Assay : Min. 99% $C_6H_{16}N_2$ M.W. 116.21 Liquid, d. 0.777	02661 00100	GB	100 ml	29212990	18
	02661 00250	GB	250 ml	29212990	18
N,N,N,N-TetraMethyl-P-Phenylene Diamine Dihydrochloride (Cas No. 637-01-4) Assay : Min. 98% $C_{10}H_{18}Cl_2N_2$ M.W. 237.17	02662 00005	GB	5 gm	29215190	18
	02662 00025	GB	25 gm	29215190	18
Tetranitro B.T. AR (Cas No. 1184-43-6) Assay : Min. 98% $C_{40}H_{28}Cl_2N_{12}O_{10}$ M.W. 907.63	02663 00100	GB	100 gm	32049000	18
	02663 00250	GB	250 gm	32049000	18
Tetraphenyl Phosphonium Bromide (Cas No. 2751-90-8) Assay : Min. 98% $C_{24}H_{20}BrP$ M.W. 419.31	02664 00025	PB	25 gm	29319090	18
	02664 00100	PB	100 gm	29319090	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Tetra Propyl Ammonium Bromide (Cas No. 1941-30-6)	02665 00100	PB	100 gm	29239000	18
Assay : Min. 99% $C_{12}H_{28}BrN$ M.W. 266.26	02665 00500	PB	500 gm	29239000	18
Tetra Propyl Ammonium Hydroxide (10% Aqueous Solution) (Cas No. 4499-86-9)	02666 00100	PB	100 ml	29239000	18
$C_{12}H_{29}NO$ M.W. 203.36, Liquid. d.1.012	02666 00500	PB	500 ml	29239000	18
Tetra Propyl Ammonium Hydroxide (20% Solution in Water) (Cas No. 4499-86-9)	02667 00100	PB	100 ml	29239000	18
$C_{12}H_{29}NO$ M.W. 203.36, Liquid. d.1.012	02667 00500	PB	500 ml	29239000	18
Tetra Propyl Ammonium Hydroxide (40% Solution in Water) (Cas No. 4499-86-9)	02668 00100	PB	100 ml	29239000	18
$C_{12}H_{29}NO$ M.W. 203.36, Liquid. d.1.012	02668 00500	PB	500 ml	29239000	18
1H-Tetrazole (for DNA synthesis) (For Molecular Biology) (Cas No. 288-94-8)	02669 00005	GB	5 gm	29339900	18
Assay : Min. 99% CH_2N_4 M.W. 70.05	02669 00025	GB	25 gm	29339900	18
Tetrazolium Blue See Blue Tetrazolium Page No. 25					
Tetrazolium Salt AR (For Molecular Biology) (TTC) (Cas No. 298-96-4)(2,3,5-triphenyl tetrazolium chloride)	02670 00010	GB	10 gm	29339900	18
Assay : Min. 99% $C_{19}H_{15}ClN_4$ M.W. 334.80	02670 00025	GB	25 gm	29339900	18
Tetrazolium Violet AR (For Molecular Biology) (Cas No.1719-71-7) (2,5-diphenyl-3-(1-naphthyl) tetrazolium chloride)	02671 00001	GB	1 gm	32049000	18
Assay : Min. 94% $C_{23}H_{17}N_4Cl$ M.W. 384.87					
1-(2-Theonyl) 3,3,3-Trifluoroacetone (Cas No. 326-91-0)	02672 00005	GB	5 gm	29349900	18
Assay : Min. 99% $C_8H_5F_3O_2S$ M.W. 222.19	02672 00010	GB	10 gm	29349900	18
	02672 00025	GB	25 gm	29349900	18
	02672 00100	GB	100 gm	29349900	18
Theophylline Extra Pure (Cas No. 58-55-9) (for lab use)	02673 00100	PB	100 gm	29395900	18
Assay : Min. 99% $C_7H_8N_4O_2$ M.W. 180.16					
Thiamne Hydrochloride See Vitamin B1 Page No. 166					
Thioacetamide (Cas No. 62-55-5)	02674 00100	PB	100 gm	29309099	18
Assay : Min. 97% $CH_3CS.NH_2$ M.W. 75.13	02674 00500	PB	500 gm	29309099	18
Thioacetamide AR (Cas No. 62-55-5)	02675 00025	GB	25 gm	29309099	18
Assay : Min. 99% $CH_3CS.NH_2$ M.W. 75.13	02675 00100	GB	100 gm	29309099	18
Thioacetic Acid (for synthesis) (Cas No. 507-09-5) (thiolacetic acid)	02676 00100	GB	100 gm	29309099	18
Assay : Min. 98% C_2H_4OS M.W. 76.12	02676 00500	GB	500 gm	29309099	18
Thiobarbituric Acid AR (Cas No. 504-17-6)	02677 00500	PB	25 gm	29335200	18
Assay : Min. 99% $C_4H_4N_2O_2S$ M.W. 144.15	02677 00100	PB	100 gm	29335200	18
Thioflavine T (C.I. 49005) (Cas No. 2390-54-7)	02678 00005	GB	5 gm	32041329	18
Dye Content : Min. 75% $C_{17}H_{19}ClN_2S$ M.W. 318.87	02678 00025	GB	25 gm	32041329	18
1-Thioglycerol See Monothioglycerol Page No. 103					
Thioglycollic Acid Extra Pure (Cas No. 68-11-1)	02679 00500	GB	500 ml	29309099	18
Assay : Min. 80% $HSCH_2COOH$ M.W. 92.12 Liquid, d. 1.325					
Thioglycollic Acid 99% AR (Cas No. 68-11-1)	02680 00100	GB	100 ml	29309099	18
Assay : Min. 99% $HSCH_2COOH$ M.W. 92.12 Liquid, d. 1.325	02680 00250	GB	250 ml	29309099	18
Thioglycollic Acid Sodium Salt See Sodium Thioglycollate Page No. 147					

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Thiomalic Acid (for synthesis) (Cas No. 70-49-5)	02681 00100	PB	100 gm	29309099	18
Used in Cosmetic, Metallurgy, Printing ink and for electroplating	02681 01000	PB	1 kg	29309099	18
Assay : Min. 99% $C_4H_5O_4S$ M.W. 150.2					
Thiomersal (Cas No. 54-64-8)	02682 00010	GB	10 gm	28521000	18
[2(ethylmercurio)thio]-benzoic acid sodium salt]	02682 00025	GB	25 gm	28521000	18
Assay : Min. 97% $C_9H_9HgNaO_2S$ M.W. 404.81					
Thionyl Chloride (for synthesis) (Cas No. 7719-09-7)	02683 00500	GB	500 ml	28121700	18
Assay : Min. 99% $SOCl_2$ M.W. 118.97, Liquid, d. 1.64					
Thiophene (for synthesis) (Cas No. 110-02-1)	02684 00100	GB	100 ml	28129000	18
Assay : Min. 99% C_4H_4S M.W. 84.14, Liquid, d. 1.051	02684 00500	GB	500 ml	28129000	18
Thiophenol (for synthesis)	02685 00250	GB	250 ml	29309070	18
(Cas No. 108-98-5)	02685 00500	GB	500 ml	29309070	18
Assay : Min. 99% C_6H_6S M.W. 110.18, Liquid, d. 1.073	02685 02500	GB	2.5 lit	29309070	18
Thiosalicylic Acid See 2-Mercaptobenzoic Acid Page No. 96					
Thiosemicarbazide	02686 00025	PB	25 gm	29309099	18
(Cas No. 79-19-6) (for synthesis)	02686 00100	PB	100 gm	29309099	18
Assay : Min. 98% CH_5N_3S M.W. 91.14	02686 00500	PB	500 gm	29309099	18
Thiosemicarbazide AR (Cas No. 79-19-6)	02687 00025	PB	25 gm	29309099	18
Assay : Min. 99% CH_5N_3S M.W. 91.14	02687 00100	PB	100 gm	29309099	18
2-Thiouracil (for synthesis) (Cas no. 141-90-2) (used in bioside & electroplanting) (4 hydroxy-2-mercaptopyrimidine)	02688 00025	PB	25 gm	29335990	18
Assay : Min. 98% $C_4H_4N_2OS$ M.W. 128.15	02688 00100	PB	100 gm	29335990	18
Thiourea AR (Cas No. 62-56-6)	02689 00500	PB	500 gm	29309010	18
Assay : Min. 99% $NH_2.CS.NH_2$ M.W. 76.12					
Thiourea Extra Pure (Cas No. 62-56-6)	02690 00500	PB	500 gm	29309010	18
Assay : Min. 98% $NH_2.CS.NH_2$ M.W. 76.12					
Thorin indicator AR (Cas No. 3688-92-4)	02691 00005	GB	5 gm	29319090	18
(reagent for thorium, beryllium & other metals)	02691 00010	GB	10 gm	29319090	18
$C_{16}H_{11}AsN_2Na_2O_{10}S_2$ M.W. 576.30					
DL-Threonine (For Biochemistry) (Cas No. 80-68-2)	02692 00025	PB	25 gm	29225090	18
Assay : Min. 99% $C_4H_9NO_3$ M.W. 119.12	02692 00100	PB	100 gm	29225090	18
L-Threonine (for biochemistry)	02693 00005	GB	5 gm	29225011	18
(Cas No. 72-19-5)	02693 00025	GB	25 gm	29225011	18
Assay : Min. 99% $C_4H_9NO_3$ M.W. 119.12	02693 00100	GB	100 gm	29225011	18
Thyme Oil Extra Pure (Cas No. 8007-46-3) Liquid, d. 0.917	02693A 00500	GB	500 ml	3390	18
Thymidine (for biochemistry) (Cas No. 50-89-5)	02694 00001	GB	1 gm	29214490	18
Assay : Min. 99% $C_{10}H_{14}N_2O_5$ M.W. 242.23	02694 00005	GB	5 gm	29214490	18
Thymine (for biochemistry) (Cas No. 65-71-4)	02695 00010	GB	10 gm	29335990	18
Assay : Min. 99% $C_5H_8N_2O_2$ M.W. 126.12	02695 00025	GB	25 gm	29335990	18
Thymol Blue indicator AR	02696 00005	PB	5 gm	29335990	18
(Cas No. 76-61-9)	02696 00025	PB	25 gm	29349900	18
$C_{27}H_{30}O_5S$ M.W. 466.60	02696 00100	PB	100 gm	29349900	18
Thymol Blue solution	02697 00125	PB	125 ml	38220090	12
(indicator solution)	02697 00500	PB	500 ml	38220090	12

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Thymol Blue Sodium Salt (water soluble) (Cas No. 62625-21-2) Dye Content : Min. 95% $C_{27}H_{29}NaO_5S$ M.W. 488.58	02698 00005	GB	5 gm	29349900	18
Thymol Crystals Extra Pure (Cas No. 89-83-8) Assay : Min. 99% $C_{10}H_{14}O$ M.W. 150.22	02699 00100	PB	100 gm	29071930	18
	02699 00250	PB	250 gm	29071930	18
Thymolphthalein Complexone AR (Cas No. 1913-93-5) (thymolphthalexone) (methylthymolphthalein) Assay : Min. 97% $C_{38}H_{44}N_2O_{12}$ M.W. 720.78	02700 00001	GB	1 gm	32049000	18
	02700 00005	GB	5 gm	32049000	18
Thymolphthalein Indicator AR (Cas No. 125-20-2) (pH 9.3-10.5 colourless to blue) Dye Content : Min. 95% $C_{28}H_{30}O_4$ M.W. 430.54	02701 00005	GB	5 gm	29322090	18
	02701 00025	PB	25 gm	29322090	18
Thymolphthalein Solution (indicator solution) Liquid. d. 0.79	02702 00125	GB	125 ml	38220090	12
	02702 00500	GB	500 ml	38220090	12
TIN AAS Standard Solution 1000mg/L in water Liquid. d. 1.00	02703 00125	GB	125 ml	38220090	12
	02703 00500	GB	500 ml	38220090	12
Tin ICP Standard Solution 1000mg/L in water, Liquid, d. 1.00	02703A 00125	PB	125 ml	38220090	12
TIN (Metal) Foil 99.9% (Cas No. 7440-31-5) Assay : Min. 99.9% Sn M.W. 118.71	02704 00250	PB	250 gm	80070090	18
	02704 00500	PB	500 gm	80070090	18
TIN (Metal) Granular (Cas No. 7440-31-5) Assay : Min. 99% Sn M.W. 118.71	02705 00100	PB	100 gm	80070090	18
	02705 00500	PB	500 gm	80070090	18
TIN (Metal) Granular AR (Cas No. 7440-31-5) Assay : Min. 99% Sn M.W. 118.71	02706 00100	PB	100 gm	80070090	18
	02706 00500	PB	500 gm	80070090	18
TIN (metal) Powder Extra Pure (Cas No. 7440-31-5) Assay : Min. 99% Sn M.W. 118.71	02707 00100	PB	100 gm	80070090	18
	02707 00250	PB	250 gm	80070090	18
	02707 00500	PB	500 gm	80070090	18
TIN (metal) Powder AR (Cas No. 7440-31-5) Assay : Min. 99.9% Sn M.W. 118.71	02708 00100	PB	100 gm	80070090	18
	02708 00250	PB	250 gm	80070090	18
Tin Chloride (IC) See Stannic Chloride Page No. 149					
Tin Chloride (OUS) See Stannous Chloride Page No. 149					
Tin Fluoborate 50% solution (Cas No. 13814-97-6) $Sn(BF_4)_2$ M.W. 292.3, Liquid, d. 1.67	02709 00500	GB	500 ml	28269000	18
Tinidazole Extra Pure (For Lab Use) (Cas No. 19387-91-8) $C_8H_{13}N_3O_4S$ M.W. 247.27	02710 00100	PB	100 gm	29332910	18
	02710 00500	PB	500 gm	29332910	18
Tin (IV) Oxide See Stannic Oxide Page No. 149					
Tin (II) Sulphate See Stannous Sulphate Page No. 149					
Tiron AR (Monohydrate) (Cas No. 270573-71-2) (3,5-Pyrocatechol Disulphonic Acid Disodium Salt) Assay : Min. 95% $C_6H_4O_8Na_2S_2.H_2O$ M.W. 332.20	02711 00010	GB	10 gm	29089990	18
	02711 00025	GB	25 gm	29089990	18
Titanium ICP Standard Solution 10000mg/L in Nitric Acid Liquid, d. 1.00	02711A 00125	GB	125 ml	38220090	12
Titanium (metal) Powder pure (Cas No. 7440-32-6) Assay : Min. 98% Ti M.W. 47.90	02712 00025	GB	25 gm	81082000	18
	02712 00100	GB	100 gm	81082000	18
Titanium Dioxide Extra Pure (Cas No. 13463-67-7) [titanium (IV) oxide] Assay : Min. 99% TiO_2 M.W. 79.87	02713 00500	PB	500 gm	28332990	18
	02713 01000	PB	1 kg	28332990	18
	02713 05000	PB	5 kg	28332990	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Titanium Dioxide AR (Cas No. 13463-67-7) [titanium (IV) oxide] Assay : Min. 99.5% TiO_2 M.W. 79.87	02714 00500	PB	500 gm	28332990	18
Titanium Potassium Oxalate See Potassium Titanium Oxalate Page No. 127					
Titanium Tetrachloride (anhydrous) Fuming Liquid (Cas No. 7550-45-0) Assay : Min. 99.5% TiCl_4 M.W. 189.71 Liquid, d. 1.73	02715 00500	GB	500 ml	28273990	18
Titanium Trichloride 15% solution (Cas No. 7705-07-9) (titanous chloride solution) (titanium chloride solution) TiCl_3 M.W. 154.23	02716 00250	GB	250 ml	28273990	18
	02716 00500	GB	500 ml	28273990	18
Titan Yellow AR (C.I. No. 19540) (Cas No. 1829-00-1) (clayton yellow) $\text{C}_{28}\text{H}_{19}\text{N}_5\text{Na}_2\text{O}_6\text{S}_4$ M.W. 695.73	02717 00010	GB	10 gm	32049000	18
	02717 00025	GB	25 gm	32049000	18
	02717 00050	GB	50 gm	32049000	18
Titan Yellow (indicator solution) (clayton yellow indicator solution)	02718 00125	PB	125 ml	38220090	12
	02718 00500	PB	500 ml	38220090	12
o-Tolidine AR (Powder) (Cas No. 119-93-7) (Reagent for the Halogens and gold) Assay : Min. 97% $\text{C}_{14}\text{H}_{16}\text{N}_2$ M.W. 212.29	02719 00025	PB	25 gm	29214330	18
	02719 00100	PB	100 gm	29214330	18
	02719 00500	PB	500 gm	29214330	18
o-Tolidine Hydrochloride AR (Cas No. 612-82-8) Assay : Min. 95% $\text{C}_{14}\text{H}_{16}\text{N}_2 \cdot 2\text{HCL} \cdot x\text{H}_2\text{O}$ M.W. 285.21	02720 00025	PB	25 gm	29215990	18
	02720 00100	PB	100 gm	29215990	18
o-Tolidine solution (reagent for chlorine estimation) Liquid . d. 1.008	02721 00500	GB	500 ml	38220090	12
	02721 05000	PC	5 lt	38220090	12
Tollen's Reagent solution Liquid . d. 1.01	02722 00100	PB	100 ml	38220090	12
Toluene (Cas no. 108-88-3) (rectified) (sulphur free) Assay : Min. 99% C_7H_8 M.W. 92.14, Liquid, d. 0.865	02723 00500	GB	500 ml	29023000	18
	02723 02500	GB	2.5 lt	29023000	18
Toluene AR (Cas no. 108-88-3) Assay : Min. 99.5% C_7H_8 M.W. 92.14, Liquid, d. 0.865	02724 00500	GB	500 ml	29023000	18
	02724 02500	GB	2.5 lt	29023000	18
o-Toluene Sulphonamide (For Synthesis) (Cas No. 88-19-7) Assay : Min. 99% $\text{C}_7\text{H}_9\text{NO}_2\text{S}$ M.W. 171.22	02726 00500	PB	500 gm	29359090	18
p-Toluene Sulphonamide (Cas no. 70-55-3) Assay : Min. 99% $\text{C}_7\text{H}_9\text{NO}_2\text{S}$ M.W. 171.22	02727 00500	PB	500 gm	29350090	18
p-Toluene Sulphonic acid (monohydrate) (Cas no. 6192-52-5) (toluene-4-sulphonic acid) Assay : Min. 98% $\text{C}_7\text{H}_8\text{O}_3\text{S} \cdot \text{H}_2\text{O}$ M.W. 190.22	02728 00500	PB	500 gm	29041090	18
	02728 05000	PC	5 kg	29041090	18
p-Toluene Sulphonic acid AR (monohydrate) (Cas no. 6192-52-5) (toluene-4-sulphonic acid) Assay : Min. 98.5% $\text{C}_7\text{H}_8\text{O}_3\text{S} \cdot \text{H}_2\text{O}$ M.W. 190.22	02729 00100	PB	100 gm	29041090	18
	02729 00500	PB	500 gm	29041090	18
p-Toluene Sulphonyl Chloride (Cas no. 98-59-9) (4-toluene sulphonyl chloride) Assay : Min. 98% $\text{C}_7\text{H}_7\text{ClO}_2\text{S}$ M.W. 190.65	02730 00500	PB	500 gm	29049090	18
m-Toluic Acid (for synthesis) (Cas no. 99-04-7) (3-methylbenzoic acid) Assay : Min. 98% $\text{C}_8\text{H}_8\text{O}_2$ M.W. 136.15	02731 00500	PB	500 gm	29049090	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
o-Toluic Acid (for synthesis) (Cas no. 118-90-1) (2-methylbenzoic acid) Assay : Min. 98% C ₈ H ₈ O ₂ M.W. 136.15	02732 00500	PB	500 gm	29163990	18
p-Toluic Acid (for synthesis) (Cas no. 99-94-5) (4-methylbenzoic acid) Assay : Min. 99% C ₈ H ₈ O ₂ M.W. 136.15	02733 00500	PB	500 gm	29163990	18
Toluidine Blue (M.S.) (Cas no. 92-31-9) (C.I. No. 52040) Dye Content : Min. 80% C ₁₅ H ₁₆ ClN ₃ S M.W. 305.83	02734 00025	PB	25 gm	32049000	18
	02734 00100	PB	100 gm	32049000	18
Toluidine Acid Blue solution (indicator solution)	02735 00125	PB	125 ml	38220090	12
	02735 00500	PB	500 ml	38220090	12
m-Toluidine (Cas no. 108-44-1) (3-methylaniline) Assay : Min. 99% C ₇ H ₉ N M.W. 107.16, Liquid, d. 0.889	02736 00500	GB	500 ml	29214340	18
o-Toluidine (Cas no. 95-53-4) Assay : Min. 99% C ₇ H ₉ N M.W. 107.16, Liquid, d. 1.008	02737 00500	GB	500 ml	29214330	18
o-Toluidine AR (Cas no. 95-53-4) (for determination of blood glucose) Assay : Min. 99% C ₇ H ₉ N M.W. 107.16, Liquid, d. 1.008	02738 00250	GB	250 ml	29214330	18
	02738 00500	GB	500 ml	29214330	18
p-Toluidine (for synthesis) (Cas no. 106-49-0) (p-aminotoluene) Assay : Min. 99% C ₇ H ₉ N M.W. 107.16, Liquid, d. 1.05	02739 00500	PB	500 gm	29214350	18
p-Toluidine AR (Cas no. 106-49-0) (p-aminotoluene) Assay : Min. 99.7% C ₇ H ₉ N M.W. 107.16, Liquid, d. 1.05	02740 00100	GB	100 gm	29214350	18
	02740 00500	GB	500 gm	29214350	18
p-Toluidine Hydrochloride (for synthesis) (Cas no. 540-23-8) Assay : Min. 99% C ₇ H ₉ N.HCl M.W. 143.62	02741 00100	GB	100 gm	29214350	18
	02741 00250	GB	250 gm	29214350	18
Tommer's Reagent Solution	02741A 00125	PB	125 ml	38220000	12
	02741A 00500	PB	500 ml	38220000	12
Topfer's Reagent solution	02742 00125	PB	125 ml	38220000	12
	02742 00500	PB	500 ml	38220000	12
Tragacanth Gum powder See Gum Tragacanth Page No. 76					
Trehalose (Cas No. 6138-23-4) (For Biochemistry) Assay : Min. 99% C ₁₂ H ₂₂ O ₁₁ .2H ₂ O M.W. 378.34	02743 00005	GB	5 gm	29400000	18
	02743 00010	GB	10 gm	29400000	18
	02743 00025	GB	25 gm	29400000	18
Triacetin See Glycerol Triacetate Page No. 74					
Tributylamine (for synthesis) (Cas no. 102-82-9) Assay : Min. 97% C ₁₂ H ₂₇ N M.W. 185.36, Liquid, d. 0.778	02744 00500	GB	500 ml	29211990	18
	02744 02500	GB	2.5 lt	29211990	18
Tri-N-Butyl Phosphate (Cas no. 126-73-8) (n-butyl phosphate) Assay : Min. 99% C ₁₂ H ₂₇ O ₄ P M.W. 266.31, Liquid, d. 0.979	02745 00500	GB	500 ml	29199090	18
Tributyltin Chloride (for synthesis) (Cas no. 1461-22-9) Assay : Min. 96% C ₁₂ H ₂₇ ClSn M.W. 325.51, Liquid, d. 1.2	02746 00250	GB	250 ml	29312000	18
	02746 01000	GB	1 lt	29312000	18
Tributyltin Oxide (For Synthesis) (Cas No. 56-35-9) [Bis (Tributyltin) Oxide] Assay : Min. 98% C ₂₄ H ₅₄ OSn M.W. 596.08, Liquid, d. 1.17	02747 00100	GB	100 ml	29319090	18
	02747 00500	GB	500 ml	29319090	18
Tributyryn (for biochemistry) (Cas no. 60-01-5) (glycerol tributyrate) (suitable for milk bacteriology) Assay : Min. 99% C ₁₅ H ₂₆ O ₆ M.W. 302.36, Liquid, d. 1.032	02748 00100	GB	100 ml	29156010	18
	02748 00500	GB	500 ml	29156010	18
Tribromomethane See Bromoform Page No. 28					

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Trichloroacetic Acid See Chloroacetic Acid (tri) Page No. 41					
1,2,4-Trichlorobenzene 98% (for synthesis) (Cas no. 120-82-1)	02749 01000	GB	1 lt	29039229	18
Assay : Min. 98% $C_6H_3Cl_3$ M.W. 181.45	02749 02500	GB	2.5 lt	29039229	18
Trichloroethylene (purified)	02750 00500	GB	500 ml	29032200	18
(Cas no. 79-01-06)	02750 02500	GB	2.5 lt	29032200	18
Assay : Min. 99% $CHCl:CCl_2$ M.W. 131.39, Liquid, d. 1.463	02750 05000	PC	5 lt	29032200	18
Trichloroethylene EL Grade (Cas no. 79-01-06)	02751 02500	GB	2.5 lt	29032200	18
Assay : Min. 99.5% $CHCl:CCl_2$ M.W. 131.39, Liquid, d. 1.463					
Trichloromethane See Chloroform Page No. 43					
Tricine (For Molecular Biology) (Cas No. 5704-04-1)	02752 00025	GB	25 gm	29225090	18
[N-tris (hydroxymethyl) methyl glycine]	02752 00100	GB	100 gm	29225090	18
Assay : Min. 99% $C_6H_{13}NO_5$ M.W. 179.17					
Tricresyl Phosphate (Cas no. 1330-78-5) (tritolyl phosphate)	02753 00500	GB	500 ml	29199050	18
Assay : Min. 90% $C_{21}H_{21}O_4P$ M.W. 368.37, Liquid, d. 1.143	02753 02500	GB	2.5 lt	29199050	18
Triethanolamine (for synthesis) (Cas no. 102-71-6)	02754 00500	PB	500 ml	29221990	18
Assay : Min. 98% $C_6H_{15}NO_3$ M.W. 149.19, Liquid, d. 1.127	02754 02500	PB	2.5 lt	29221990	18
Triethanolamine AR (Cas no. 102-71-6)	02755 00500	GB	500 ml	29221990	18
Assay : Min. 99% $C_6H_{15}NO_3$ M.W. 149.19, Liquid, d. 1.127	02755 02500	GB	2.5 lit	29221990	18
Triethanolamine Hydrochloride AR (Cas no. 637-39-8)	02756 00100	PB	100 gm	29221300	18
(Buffer Component)	02756 00500	PB	500 gm	29221300	18
Assay : Min. 99% $C_6H_{15}NO_3.HCl$ M.W. 185.65					
Triethanolamine Lauryl Sulphate (Cas no. 139-96-8)	02757 00500	PB	500 gm	34021300	18
$C_{18}H_{41}NO_7S$ M.W. 415.59					
Triethanolamine Stearate	02758 00500	PB	500 gm	29221310	18
Triethylamine (for synthesis) (Cas no. 121-44-8)	02759 00500	GB	500 ml	29215990	18
Assay : Min. 99% $(C_2H_5)_3N$ M.W. 101.19 Liquid, d. 0.726	02759 02500	GB	2.5 lt	29215990	18
Triethylamine AR (Cas no. 121-44-8)	02760 00500	GB	500 ml	29215990	18
Assay : Min. 99.5% $(C_2H_5)_3N$ M.W. 101.19, Liquid, d. 0.726	02760 02500	GB	2.5 lt	29215990	18
Triethylamine HPLC & SPECTROSCOPY (Cas no. 121-44-8)	27610 00500	GB	500 ml	29215990	18
Assay : Min. 99.5% $(C_2H_5)_3N$ M.W. 101.19, Liquid, d. 0.726	27610 01000	GB	1 lit	29215990	18
Triethylene Glycol (for synthesis)	02762 00500	PB	500 ml	29094900	18
(Cas no. 112-27-6) (triglycol, trigol)	02762 02500	PB	2.5 lt	29094900	18
Assay : Min. 98% $C_6H_{14}O_4$ M.W. 150.18, Liquid, d. 1.124					
Triethylene Tetramine (Cas no. 112-24-3)	02763 00500	GB	500 ml	29212990	18
Assay : Min. 95% $C_6H_{18}N_4$ M.W. 146.23, Liquid, d. 0.982					
Triethyl Orthoformate See Ethyl Orthoformate Page No. 68					
Triethyl Phosphite (for synthesis) (Cas no. 122-52-1)	02764 00250	GB	250 ml	29209099	18
Assay : Min. 98% $C_6H_{15}O_3P$ M.W. 166.16, Liquid, d. 0.969	02764 01000	GB	1 lt	29209099	18
Trifluoroacetic Acid	02765 00100	GB	100 ml	29159090	18
(Cas No. 76-05-1)	02765 00500	GB	500 ml	29159090	18
Assay : Min. 98% $C_2HF_3O_2$ M.W. 114.02, Liquid, d. 1.489	02765 02500	GB	2.5 lit	29159090	18
Trifluoroacetic Acid AR (Cas No. 76-05-1)	02766 00100	GB	100 ml	29159090	18
(for IR and NMR spectroscopy)					
Assay : Min. 99.8% $C_2HF_3O_2$ M.W. 114.02, Liquid, d. 1.489					

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Trifluoro Acetic Anhydride (Cas No. 407-25-0) (TFAA)	02767 00100	GB	100 ml	29159090	18
(for sequential analysis)	02767 00500	GB	500 ml	29159090	18
Assay : Min. 99% $C_4F_6O_3$ M.W. 210.03, Liquid, d. 1.511					
2,2,2-Trifluoroethanol (for synthesis)	02768 00100	GB	100 ml	29159090	18
(Cas No. 75-89-8) (bbb-trifluoroethyl alcohol)	02768 00500	GB	500 ml	29159090	18
Assay : Min. 99% $C_2H_3F_3O$ M.W. 100.04, Liquid, d. 1.373					
3,4,5-Trihydroxy Benzoic Acid See Gallic Acid Page No. 73					
2,3,5-Triiodobenzoic Acid AR (Cas No. 88-82-4) (TIBA)	02769 00005	GB	5 gm	29163990	18
Assay : Min. 97% $C_7H_3I_3O_2$ M.W. 499.81	02769 00010	GB	10 gm	29163990	18
Trimethylamine Hydrochloride (For Synthesis)	02769 00100	PB	100 gm	29211990	18
(Cas No. 593-81-7)	02770 00500	PB	500 gm	29211990	18
Assay : Min. 98% $C_3H_9N.HCl$ M.W. 95.57					
Trimethylol Propane (Cas No. 77-99-6)	02771 00500	PB	500 gm	29054100	18
(2-ethyl 2-hydroxymethyl-1, 3 propanediol)					
Assay : Min. 98% $C_6H_{14}O_3$ M.W. 134.17					
Trimethyl Orthoformate (for synthesis)	02772 00500	GB	500 ml	29159090	18
(Cas No. 149-73-5) (methyl orthoformate)	02772 02500	GB	2.5 lt	29159090	18
Assay : Min. 98% $C_4H_{10}O_5$ M.W. 106.12, Liquid, d. 0.97					
2,2,4-Trimethyl Pentane See iso-Octane Page No. 110					
Trimethyl Phosphite (for synthesis) (Cas No. 121-45-9)	02773 00250	GB	250 ml	29209099	18
Assay : Min. 98.5% $C_3H_9O_3P$ M.W. 124.08, Liquid, d. 1.052	02773 01000	GB	1 lt	29209099	18
2,4,6-Trimethyl Pyridine (Cas No. 108-75-8)	02774 00100	GB	100 ml	29333919	18
Assay : Min. 98% $C_8H_{11}N$ M.W. 121.18, Liquid, d. 0.917	02774 00500	GB	500 ml	29333919	18
2,4,6-Trinitrophenol See Picric Acid Page No. 119					
Tri-n-Octyl Phosphine Oxide AR (Cas No. 78-50-2)	02775 00010	PB	10 gm	29319090	18
(for extraction analysis)	02775 00050	PB	50 gm	29319090	18
Assay : Min. 99% $C_{24}H_{51}OP$ M.W. 386.63	02775 00100	PB	100 gm	29319090	18
Triphenyl Ethyl Phosphonium Bromide	02776 00025	GB	25 gm	29319090	18
(for synthesis) (Cas No. 1530-32-1)	02776 00100	GB	100 gm	29319090	18
Assay : Min. 98% $C_{20}H_{20}BrP$ M.W. 371.27					
Triphenyl Phosphate	02777 00100	PB	100 gm	29199090	18
(Cas No. 115-86-6)	02777 00250	PB	250 gm	29199090	18
Assay : Min. 99% $C_{18}H_{15}O_4P$ M.W. 326.28	02777 00500	PB	500 gm	29199090	18
Triphenyl Phosphine (Cas No. 603-35-0)	02778 00100	PB	100 gm	29319090	18
Assay : Min. 98% $C_{18}H_{15}P$ M.W. 262.29	02778 00250	PB	250 gm	29319090	18
2,3,5-Triphenyl Tetrazolium Bromide AR	02779 00001	GB	1 gm	29339900	18
(Cas No. 1096-80-6)					
Assay : Min. 98% $C_{19}H_{15}BrN_4$ M.W. 379.24					
2,3,5-Triphenyl Tetrazolium Chloride See Tetrazolium Salt Page No. 156					
2,4,6-Tri-(2-Pyridyl)-1,3,5-Triazine AR (Cas No. 3682-35-7)	02780 00001	GB	1 gm	29333990	18
(for the determination of iron in water & serum)	02780 00005	GB	5 gm	29333990	18
Assay : Min. 99% $C_{18}H_{12}N_6$ M.W. 312.33					
Tris Buffer Extra Pure (Cas No. 77-86-1)	02781 00100	PB	100 gm	29225090	18
(tris (hydroxymethyl) amino methane)	02781 00500	PB	500 gm	29225090	18
Assay : Min. 99% $C_{14}H_{11}NO_3$ M.W. 121.14					

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Tris Buffer AR (Cas No. 77-86-1)	02782 00100	GB	100 gm	29225090	18
(tris (hydroxymethyl) amino methane)	02782 00500	GB	500 gm	29225090	18
Assay : Min. 99.5% C ₁₄ H ₁₁ NO ₃ M.W. 121.14					
Tris-Hydrochloride AR (For Molecular Biology)	02783 00100	PB	100 gm	29221990	18
(Cas No. 1185-53-1)	02783 00500	PB	500 gm	29221990	18
Assay : Min. 99% C ₄ H ₁₁ NO ₃ .HCl M.W. 157.60					
Triton X 100 (Cas No. 9002-93-1)	02784 00500	GB	500 ml	34021300	18
(iso-octyl phenoxy polyethoxy ethanol)					
Assay : Min. 98% C ₃₄ H ₆₂ O ₁₁ M.W. 646.87, Liquid, d. 1.06					
Triton® X 100 (For Molecular Biology)	02785 00050	GB	50 ml	34021300	18
(Cas No. 9002-93-1)	02785 00100	GB	100 ml	34021300	18
Assay : Min. 98% C ₃₄ H ₆₂ O ₁₁ M.W. 646.87, Liquid, d. 1.06	02785 00500	GB	500 ml	34021300	18
Tropaeolin O (C.I. No. 14270) (Cas No. 547-57-9)	02786 00025	GB	25 gm	32129090	18
(resorcin yellow)	02786 00100	GB	100 gm	32129090	18
C ₁₂ H ₉ N ₂ O ₃ SNa M.W. 316.27					
Tropaeolin OO (C.I. No. 13080) (Cas No. 554-73-4) (orange IV)	02787 00025	GB	25 gm	32129090	18
C ₁₈ H ₁₄ N ₃ NaO ₃ S M.W. 375.38	02787 00100	GB	100 gm	32129090	18
Tropaeolin OOO (C.I. No. 15510) (Cas No. 633-96-5) (orange II)	02788 00025	GB	25 gm	32129090	18
C ₁₆ H ₁₁ N ₂ NaO ₄ S M.W. 350.32	02788 00100	GB	100 gm	32129090	18
Trypan Blue (M.S.) (C.I. No. 23850) (Cas No. 72-57-1)	02789 00025	PB	25 gm	32049000	18
Dye Content : Min. 60% C ₃₄ H ₂₄ N ₆ O ₁₄ S ₄ Na ₄ M.W. 960.81	02789 00100	PB	100 gm	32049000	18
Trypsin 1:250 (from bovine pancrease)	02790 00025	PB	25 gm	35079099	18
(Cas No. 9002-07-7)	02790 00100	PB	100 gm	35079099	18
Trypsin 2000 u/g (Cas No. 9002-07-7)	02791 00100	PB	100 gm	35079099	18
(0.2 Anson unit/g)	02791 00500	PB	500 gm	35079099	18
Tryptone (for bacteriology) (Cas No. 73049-73-7)	02792 00500	PB	500 gm	35019000	18
(pancreatic digestion of casein)					
L-Tryptophane (Cas No. 73-22-3)	02793 00005	GB	5 gm	29339900	18
(for biochemistry)	02793 00025	PB	25 gm	29339900	18
Assay : Min. 99% C ₁₁ H ₁₂ N ₂ O ₂ M.W. 204.23					
DL-Tryptophane (Cas No. 54-12-6)	02794 00005	GB	5 gm	29339900	18
(for biochemistry)	02794 00025	PB	25 gm	29339900	18
Assay : Min. 99% C ₁₁ H ₁₂ N ₂ O ₂ M.W. 204.23					
Tryptose (For Bacteriology) (Cas No. 84843-69-6)	02795 00500	PB	500 gm	35040099	18
Tulsi Oil (Cas No. 8015-73-4), Liquid, d. 0.961	02795A 00500	GB	500 ml	33012590	18
Tung Oil Extra Pure (Cas No. 8001-20-5)	02795B 00500	GB	500 ml	15159010	5
(China wood oil) Liquid, d. 0.937					
Tungsten AAS Standard Solution	02795C 00125	GB	125 ml	38220090	12
1000mg/L in Nitric Acid	02795C 00500	GB	500 ml	38220090	12
Tungsten ICP Standard Solution 1000mg/L in Nitric Acid	02795D 00125	PB	125 ml	38220090	12
Tungsten (metal) Powder (325 mesh)	02796 00100	PB	100 gm	81011000	18
(Cas No. 7440-33-7)	02796 00500	PB	500 gm	81011000	18
Assay : Min. 98% W M.W. 183.85					
Tungsten (VI) Oxide (tungsten trioxide) (Cas No. 1314-35-8)	02797 00100	PB	100 gm	28259090	18
Assay : Min. 98% Wo ₃ M.W. 183.85	02797 00250	PB	250 gm	28259090	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Tungstic Acid (Cas No. 7783-03-1) Assay : Min. 99% H_2WO_4 M.W. 249.87	02798 00100	PB	100 gm	28259090	18
	02798 00250	PB	250 gm	28259090	18
	02798 00500	PB	500 gm	28259090	18
Tungstic Acid AR (Cas No. 7783-03-1) Assay : Min. 99% H_2WO_4 M.W. 249.87	02799 00100	PB	100 gm	28259090	18
	02799 00250	PB	250 gm	28259090	18
Tungsto Phosphoric Acid See Phosphotungstic Acid Page No. 119					
Tungsto Silicic Acid See Silicotungstic Acid Page No. 135					
Turkey Red Oil (35%) (Sodium Salt) (Cas No. 8002-33-3) Liquid, d. 1.039	02799A 00500	GB	500 ml	34029020	5
Turkey Red Oil (50%) (Sodium Salt) (Cas No. 8002-33-3) Liquid, d. 1.039	02799B 00500	GB	500 ml	34029020	5
Turkey Red Oil (75%) (Sodium Salt) (Cas No. 8002-33-3) Liquid, d. 1.039	02799C 00500	GB	500 ml	34029020	5
Turpentine Oil See Turpentine Oil See Page No. 153					
Tween 20 (polysorbate 20) [polyethylene (20) sorbitan mono laurate] (Cas No. 9005-64-5) $C_{56}H_{114}O_{26}$ M.W. 6418, Liquid, d. 1.095	02800 00500	PB	500 ml	34021300	18
Tween® 20 (For molecular Biology) (Cas No. 9005-64-5) $C_{56}H_{114}O_{26}$ M.W. 6418, Liquid, d. 1.095	02801 00100	PB	100 ml	34021300	18
Tween 40 (polysorbate 40), [polyethylene (60) sorbitan mono stearate] (Cas No. 9005-66-7)	02801A 00500	GB	500 gm	34021300	18
Tween 80 (Cas No. 9005-65-6) (polysorbate 80), Liquid, d. 1.064 [polyethylene (80) sorbitan mono oleate]	02802 00100	GB	100 ml	34021300	18
	02802 00500	GB	500 ml	34021300	18
	02802 02500	GB	2.5 lit	34021300	18
L-Tyrosine (Cas No. 60-18-4) (for biochemistry) Assay : Min. 99% $C_9H_{11}NO_3$ M.W. 181.19	02803 00025	PB	25 gm	29225015	18
	02803 00100	PB	100 gm	29225015	18
	02803 00500	PB	500 gm	29225015	18

U

Universal Indicator papers 1-10 (with chart) (pkt contains 100 leaves)	02930 PKT01	CB	pkt	38220090	12
	02930 PKT24	CB	24 pkt	38220090	12
Universal Indicator Paper pH 1-10 (Including Colour Scale in Plastic Dispense)	02804 001RL	CB	Roll	38220090	12
	02804 010RL	CB	10XRoll	38220090	12
Universal Indicator solution pH 4-11 (with colour chart) Liquid, d. 0.89	02805 00125	PB	125 ml	38220090	12
	02805 00500	PB	500 ml	38220090	12
Uracil (for biochemistry) (Cas NO. 66-22-8) Assay : Min. 99% $C_4H_4N_2O_2$ M.W. 112.09	02806 00005	PB	5 gm	29335990	18
	02806 00025	PB	25 gm	29335990	18
	02806 01000	PB	1 kg	29335990	18
Uranyl Actetate AR (dihydrate) (reagent for sodium) (Cas No. 6159-44-0) Assay : Min. 98% $UO_2(OCOCH_3)_{2.2}H_2O$ M.W. 424.15	02807 00005	GB	5 gm	28443010	18
	02807 00010	GB	10 gm	28443010	18
	02807 00025	GB	25 gm	28443010	18
Urea Extra Pure (Cas No. 57-13-6) (crystals) (purified) [minimum assay (Kjeldahl) 99%] Assay : Min. 99% CH_4N_2O M.W. 60.06	02808 00500	PB	500 gm	31021000	18
	02808 05000	PC	5 kg	31021000	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Urea AR (Cas No. 57-13-6) (special for biochemical purpose) Assay : Min. 99.5% CH ₄ N ₂ O M.W. 60.06	02809 00500	PB	500 gm	31021000	12
Urea (For Molecular Biology) (Cas No. 57-13-6) Assay : Min. 99.5% CH ₄ N ₂ O M.W. 60.06	02810 00500	PB	500 gm	31021000	12
	02810 01000	PB	1 kg	31021000	12
Urea Solution 0.1 M	02810A 00500	PB	500 ml	31021000	12
Urea Phosphate Extra Pure (Cas No. 4861-19-2) Assay : Min. 98% CH ₄ N ₂ O.H ₃ PO ₄ M.W. 158.05	02811 00500	PB	500 gm	28352990	18
Urease Active Meal See Jack Bean Meal Page No. 86					
Uric Acid Extra Pure (Cas No. 69-93-2) Assay : Min. 98% C ₅ H ₄ N ₄ O ₃ M.W. 168.11	02812 00025	PB	25 gm	29335990	18
	02812 00100	PB	100 gm	29335990	18
Uric Acid AR (Cas No. 69-93-2) Assay : Min. 99% C ₅ H ₄ N ₄ O ₃ M.W. 168.11	02813 00025	PB	25 gm	29335990	18
	02813 00100	PB	100 gm	29335990	18
Uric Acid Reagent solution (folin/newton)	02814 00100	PB	100 ml	38220090	12
	02814 00500	PB	500 ml	38220090	12
Uric Acid Reagent Benedict's See Benedict's Uric acid Reagent Page No. 21					
Uridine (for biochemistry) (Cas No. 58-96-8) Assay : Min. 99% C ₉ H ₁₂ N ₂ O ₆ M.W. 244.20	02815 00001	GB	1 gm	29349900	18
	02815 00005	GB	5 gm	29349900	18
	02815 00025	GB	25 gm	29349900	18
***** V					
Vacuum Grease See Silicone Grease Page No. 135					
Valerion Oil	02815A 00250	GB	250 ml	33011990	18
n-Valeric Acid (for synthesis) (Cas No. 109-52-4) (pentanoic acid) Assay : Min. 98% C ₅ H ₁₀ O ₂ M.W. 102.13, Liquid, d. 0.939	02816 00500	GB	500 ml	29156020	18
	02816 02500	GB	2.5 lt	29156020	18
Valeronitrile (for synthesis) (Cas No. 110-59-8) (n-butyl cyanide) Assay : Min. 98% C ₅ H ₉ N M.W. 83.13, Liquid, d. 0.795	02817 00100	GB	100 ml	29269000	18
	02817 00500	GB	500 ml	29269000	18
L-Valine (Cas No. 72-18-4) (for biochemistry) Assay : Min. 99% C ₅ H ₁₀ NO ₂ M.W. 117.15	02818 00025	PB	25 gm	29224990	18
	02818 00100	PB	100 gm	29224990	18
DL-Valine (Cas No. 516-06-3) (for biochemistry) Assay : Min. 99% C ₅ H ₁₁ NO ₂ M.W. 117.15	02819 00005	GB	5 gm	29224990	18
	02819 00025	PB	25 gm	29224990	18
	02819 00100	PB	100 gm	29224990	18
Vanadium AAS Standard solution 1000mg/L in Nitric Acid Liquid . d 1.013	02820 00125	GB	125 ml	38220090	12
	02820 00500	GB	500 ml	38220090	12
Vanadium ICP Standard Solution 1000mg/L in Nitric Acid Liquid, d. 1.013	02820A 00125	GB	125 ml	38220090	12
Vanadium Pentoxide Extra Pure (Cas No. 1314-62-1) [vanadium (v) oxide] Assay : Min. 98% V ₂ O ₅ M.W. 181.88	02821 00100	PB	100 gm	28253010	18
	02821 00500	PB	500 gm	28253010	18
Vanadium Pentoxide AR (Cas No. 1314-62-1)[vanadium (v) oxide] Assay : Min. 99% V ₂ O ₅ M.W. 181.88	02822 00100	PB	100 gm	28253010	18
	02822 00500	PB	500 gm	28253010	18
Vaniline (for synthesis) (Cas No. 121-33-5) Assay : Min. 98% C ₈ H ₈ O ₃ M.W. 152.15	02823 00100	PB	100 gm	29124100	18
	02823 00500	PB	500 gm	29124100	18
Vaniline AR (Cas No. 121-33-5) Assay : Min. 99% C ₈ H ₈ O ₃ M.W. 152.15 Liquid,d.1.06	02824 00025	PB	25 gm	29124100	18
	02824 00100	PB	100 gm	29124100	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Vaseline white (Cas No. 8009-03-8) (soft paraffin white) (petroleum jelly white) (petrolatum white)	02825 00500	PB	500 gm	27121090	18
Vaseline Yellow (Cas No. 8009-03-8) (soft paraffin yellow) (petroleum jelly yellow)	02826 00500	PB	500 gm	27121090	18
Veratrole (for synthesis) (Cas No. 91-16-7) Assay : Min. 98% C ₈ H ₁₀ O ₂ M.W. 138.2 Liquid d. 1.086	02827 00100	GB	100 ml	29093090	18
	02827 00500	GB	500 ml	29093090	18
Vetiver Oil (Cas No. 8016-96-4)	02827A 00500	GB	500 ml	3390	18
Victoria Blue (M.S.) (C.I. No. 44045) (Cas No. 2580-56-5) Assay : Min. 65% C ₃₃ H ₃₂ ClN ₃ M.W. 506.10	02828 00025	PB	25 gm	32041352	18
	02828 00100	PB	100 gm	32041352	18
Vinyl Acetate (Monomer) (Cas No. 108-05-4) (acetoxymethylene) (for synthesis) (stabilized with hydroquinone) Assay : Min. 99% C ₄ H ₆ O ₂ M.W. 86.09 Liquid, d. 0.93	02829 00500	GB	500 ml	29153200	18
	02829 02500	GB	2.5 lt	29153200	18
Vitamin A Acetate (for biochemistry) (Cas No. 127-47-9) (retinyl acetate) C ₂₂ H ₃₂ O ₂ M.W. 328.49	02830 00025	PB	25 gm	29362100	18
	02830 00100	PB	100 gm	29362100	18
Vitamin B1 (for biochemistry) (Cas No. 67-03-8) (thiamine hydrochloride) Assay : Min. 99% C ₁₂ H ₁₈ Cl ₂ N ₄ OS.H ₂ O M.W. 337.27	02831 00010	GB	10 gm	29362210	18
	02831 00025	PB	25 gm	29362210	18
Vitamin B2 See Riboflavin Page No. 132					
Vitamin B2 Phosphate See Riboflavin Monophosphate Page No. 132					
Vitamin B6 See Pyridoxine Hydrochloride Page No. 129					
Vitamin B12 (for biochemistry) (Cas No. 68-19-9) (cyanocobalamin) Assay : Min. 98% C ₆₃ H ₈₈ CON ₁₄ O ₁₄ P M.W. 1355.37	02832 0250M	GB	250 mg	29362610	18
	02832 00001	GB	1 gm	29362610	18
Vitamin B12 (L-Carnitine)	02833 00005	GB	5 gm	29239000	18
Vitamin C L-Ascorbic Acid Page No. 18					
Vitamin E-Acetate (Cas No. 7695-91-2) (DL-α-tocopherol acetate) Assay : Min. 99% C ₃₁ H ₅₂ O ₃ M.W. 427.74, Solidified Liquid, d. 0.953	02835 00050	PB	50 gm	29362800	18
	02835 01000	PB	1 kg	29362800	18
Vitamin K3 Sodium Bisulphite See menadione sodium bisulphite Page No. 96					
Vitamin H See D-Biotin Page No. 24					

W

Wagner's Reagent Indication Solution	02835A 00125	GB	125 ml	38220090	12
	02835A 00500	GB	500 ml	38220090	12
Wanklyn Solution 1 ml=CaCo ₃ Liquid . 1.935	02836 00500	GB	500 ml	38220090	12
	02836 02500	GB	2.5 lt	38220090	12
Water for HPLC (Cas No. 7732-18-5)H ₂ O M.W. 18.02 Liquid. 1.000	02837 01000	PB	1 lt	28530010	18
W.B.C. Diluting Fluid (solution)	02838 00500	PB	500 ml	38220090	12
Wheat Germ Oil (Cas No. 68917-73-7), Liquid, d. 0.93	02838A 00500	GB	500 ml	33019090	18
Wheat Oil	02838B 00500	GB	500 ml	15159099	5
WIJ's solution (wij's reagent) (Iodine monochloride solution) Liquid . 1.06	02839 00125	GB	125 ml	38220090	12
	02839 00500	GB	500 ml	38220090	12
Winles's Solution (A)	02839A 00500	GB	500 ml	38220090	12
Winles's Solution (B)	02839B 00500	GB	500 ml	38220090	12

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
WOOD's metal AR (Cas No. 8049-22-7)	02840 00250	PB	250 gm	81060090	18
Wright's stain (Cas No. 68988-92-1)	02841 00025	PB	25 gm	32049000	18
(M.S.) (wright's eosin methylene blue)	02841 00100	PB	100 gm	32049000	18
Wright's stain solution	02842 00125	PB	125 ml	38220090	12
(staining solution for microscopy), Liquid, d. 0.80	02842 00500	PB	500 ml	38220090	12

X

Xanthan Gum Extra Pure	02843 00500	PB	500 gm	13019034	5
(food grade) (gum xanthan)	02843 01000	PB	1 kg	13019034	5
(Cas no. 11138-66-2)					
Xanthine (for biochemistry) (Cas No. 69-89-6)	02844 00005	GB	5 gm	29335990	18
Assay : Min. 99% C ₅ H ₄ N ₄ O ₂ M.W. 152.11	02844 00025	GB	25 gm	29335990	18
X-Gal (For Molecular Biology)	02845 0100M	GB	100 mg	29329900	18
(Cas No. 7240-90-6)	02845 0500M	GB	500 mg	29329900	18
(5-Bromo-4-chloro-3-indolyl-B-Dgalactopyranoside)	02845 00001	GB	1 gm	29329900	18
Assay : Min. 98% C ₁₄ H ₁₅ BrClNO ₆ M.W. 408.6 (store at 2-80C)					
Xylene (Cas No. 1330-20-7) (rectified) (xylol)	02846 00500	GB	500 ml	29024400	18
Assay : Min. 98.5% C ₈ H ₁₀ M.W. 106.17, Liquid, d. 0.86	02846 02500	GB	2.5 lt	29024400	18
Xylene (Cas No. 1330-20-7)(sulphur free) (xylol)	02847 00500	GB	500 ml	29024400	18
Assay : Min. 98.5% C ₈ H ₁₀ M.W. 106.17, Liquid, d. 0.86	02847 02500	GB	2.5 lt	29024400	18
Xylene AR (Cas No. 1330-20-7) (xylol)	02848 00500	GB	500 ml	29024400	18
Assay : Min. 99.5% C ₈ H ₁₀ M.W. 106.17, Liquid, d. 0.86	02848 02500	GB	2.5 lt	29024400	18
m-Xylene (for synthesis) (Cas No. 108-38-3)	02849 00500	GB	500 ml	29024200	18
Assay : Min. 99% C ₈ H ₁₀ M.W. 106.17, Liquid, d. 0.868					
o-Xylene (for synthesis)	02850 00500	GB	500 ml	29024100	18
(Cas No. 95-47-6) (1,2-dimethylbenzene)	02850 02500	GB	2.5 lit	29024100	18
Assay : Min. 99% C ₈ H ₁₀ M.W. 106.17, Liquid, d. 0.881					
p-Xylene (for synthesis) (Cas No. 106-42-3)	02851 00500	GB	500 ml	29024300	18
(1,4-dimethylbenzene)					
Assay : Min. 99% C ₈ H ₁₀ M.W. 106.17, Liquid, d. 0.861					
Xylene Cyanol FF (C.I.No. 42135)	02852 00010	GB	10 gm	32041979	18
(Cas No. 2650-17-1)	02852 00025	GB	25 gm	32041979	18
Dye Content : Min.75% C ₂₅ H ₂₇ N ₂ NaO ₆ S M.W. 538.61					
p-Xylenol Blue Indicator AR (Cas No. 125-31-5)	02853 00001	GB	1 gm	32049000	18
Dye Content : Min. 90% C ₂₃ H ₂₂ O ₅ S M.W. 410.48	02853 00005	GB	5 gm	32049000	18
Xylenol Orange AR (Cas No. 3618-43-7)	02854 00005	GB	5 gm	29349900	18
(use in EDTA Zinc titration)	02854 00025	GB	25 gm	29349900	18
Dye Content : Min. 90% C ₃₁ H ₂₈ N ₂ O ₁₃ SN ₄ M.W. 760.58					
Xylenol Orange indicator solution	02855 00125	PB	125 ml	38220090	12
	02855 00500	PB	500 ml	38220090	12
2,4-Xylidine (purified) (Cas No. 95-68-1)	02856 00250	GB	250 ml	29214910	18
(2,4-dimethylaniline)	02856 02500	GB	2.5 lt	29214910	18
Assay : Min. 98% C ₈ H ₁₁ N M.W. 121.18, Liquid, d. 0.98					
2,6-Xylidine (purified) (Cas No. 87-62-7)	02857 00250	GB	250 ml	29214910	18
(2,6-dimethylaniline)	02857 02500	GB	2.5 lt	29214910	18
Assay : Min. 99% C ₈ H ₁₁ N M.W. 121.18, Liquid, d. 0.984					

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Xylidine Ponceau (Cas No. 3761-53-3) (M.S.)	02858 00025	PB	25 gm	32049000	18
(C.I. No. 16255)	02858 00100	PB	100 gm	32049000	18
Dye Content : Min. 60% $C_{18}H_{14}N_2Na_2O_7S_2$ M.W. 480.43	02858 00500	PB	500 gm	32049000	18
D-Xylose (purified) (Cas No. 58-86-6)	02859 00025	PB	25 gm	29400000	18
(reactant for biochemical identification & culture media additive)	02859 00100	PB	100 gm	29400000	18
Assay : Min. 99% $C_5H_{10}O_5$ M.W. 150.13					

Y

Yeast Extract paste (for bacteriology) (Cas No. 8013-01-2)	02860 00500	PB	500 gm	21021010	18
Yeast Extract powder (for bacteriology) (Cas No. 8013-01-2)	02861 00500	PB	500 gm	21021010	18
Assay : Min. 60%	02861 05000	PB	5 kg	21021010	18
Yttrium Oxide 99.9% AR	02862 00010	PB	10 gm	28469010	18
(Cas No. 1314-36-9)	02862 00025	PB	25 gm	28469010	18
Assay : Min. 99.99% Y_2O_3 M.W. 225.81	02862 00100	PB	100 gm	28469010	18

Z

Zinc AAS Standard Solution	02863 00125	GB	125 ml	38220090	12
100mg/L in Nitric Acid Liquid .d. 1.02	02863 00500	GB	500 ml	38220090	12
Zinc ICP Standard Solution 1000 mg/L in Nitric Acid	02863A 00125	GB	125 ml	38220090	12
Zinc ICP Standard Solution 10000 mg/L in Nitric Acid	02863B 00125	GB	125 ml	38220090	12
Zinc (metal) Dust Extra Pure	02864 00500	PB	500 gm	79031000	18
(fine powder) (250-300 mesh) (Cas No. 7440-66-6)					
Assay : Min. 95% Zn M.W. 65.39					
Zinc (metal) Dust AR (Cas No. 7440-66-6)	02865 00500	PB	500 gm	79031000	18
Assay : Min. 98% Zn M.W. 65.39					
Zinc (metal) Foil (Cas No. 7440-66-6)	02866 00250	PB	250 gm	79050040	18
Assay : Min. 99.5% Zn M.W. 65.39					
Zinc (metal) Granulated Extra Pure (Cas No. 7440-66-6)	02867 00500	PB	500 gm	79050040	18
Assay : Min. 99.5% Zn M.W. 65.39					
Zinc (metal) Granulated AR (Cas No. 7440-66-6)	02868 00500	PB	500 gm	79050040	18
Assay : Min. 99.9% Zn M.W. 65.39					
Zinc Acetate Extra Pure (dihydrate) (Cas No. 5970-45-6)	02869 00500	PB	500 gm	29152990	18
Assay : Min. 98% $(CH_3COO)_2Zn \cdot 2H_2O$ M.W. 219.50					
Zinc Acetate AR (dihydrate) (Cas No. 5970-45-6)	02870 00500	PB	500 gm	29152990	18
Assay : Min. 99.5% $(CH_3COO)_2Zn \cdot 2H_2O$ M.W. 219.50					
Zinc Borate (Cas No. 10361-94-1)	02871 00500	PB	500 gm	28402090	18
Assay (as ZnO) : Min. 45% $BH_3O_3 \cdot xZn$					
Zinc Bromide (anhydrous) (for synthesis) (Cas No. 7699-45-8)	02872 00500	PB	500 gm	28275990	18
Assay : Min. 99% $ZnBr_2$ M.W. 225.19					
Zinc Carbonate (basic) (Cas No. 5263-02-5)	02873 00500	PB	500 gm	28369990	18
Assay (as Zn) : Min. 47% $[ZnCO_3]_2[Zn(OH)_2]_3$ M.W. 549.01					
Zinc Chloride (dry) (Cas No. 7646-85-7) (purified powder)	02874 00500	PB	500 gm	28273990	18
Assay : Min. 97% $ZnCl_2$ M.W. 136.3					

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Zinc Chloride (dry) AR (Cas No. 7646-85-7) Assay : Min. 98% ZnCl_2 M.W. 136.3	02875 00500	GB	500 gm	28273990	18
Zinc Chloride (For Molecular Biology) (Cas No. 7646-85-7) Assay : Min. 98% ZnCl_2 M.W. 136.3	02876 00100	GB	100 gm	28273990	18
	02876 00500	GB	500 gm	28273990	18
Zinc Chloride 0.1M Standardized Solution, Liquid . d . 1.01	02877 00500	PB	500 ml	38220090	12
Zinc Chloride 0.5M Standardized Solution	02878 00500	PB	500 ml	38220090	12
Zinc Nitrate (hexahydrate) (Cas No. 10196-18-6) Assay : Min. 96-103% $\text{Zn}(\text{NO}_3)_2 \cdot 6\text{H}_2\text{O}$ M.W. 297.49	02879 00500	PB	500 gm	28342990	18
Zinc Nitrate AR (hexahydrate) (Cas No. 10196-18-6) Assay : Min. 98% $\text{Zn}(\text{NO}_3)_2 \cdot 6\text{H}_2\text{O}$ M.W. 297.49	02880 00500	PB	500 gm	28342990	18
Zinc Oxide Extra Pure (Cas No. 1314-13-2) Assay : Min. 98% ZnO M.W. 81.39	02881 00500	PB	500 gm	28170010	18
	02881 05000	PC	5 kg	28170010	18
Zinc Oxide AR (Cas No. 1314-13-2) Assay : Min. 99% ZnO M.W. 81.39	02882 00500	PB	500 gm	28170010	18
Zinc Phosphate (Cas No. 7779-90-0) Assay : Min. 99.998% $\text{Zn}_3(\text{PO}_4)_2$ M.W. 386.11	02883 00500	PB	500 gm	28353900	18
Zinc Stearate Extra Pure (Cas No. 557-05-1) Assay (as Zn) : Min. 10-12% $[\text{CH}_3(\text{CH}_2)_{16}\text{COO}]_2\text{Zn}$ M.W. 632.33	02884 00500	PB	500 gm	29157090	18
Zinc Sulphate Extra Pure (purified) (heptahydrate) (Cas No. 7446-20-0) (iron free white crystals) Assay : Min. 99% $\text{ZnSO}_4 \cdot 7\text{H}_2\text{O}$ M.W. 287.56	02885 00500	PB	500 gm	28332690	18
Zinc Sulphate AR (heptahydrate) (Cas No. 7446-20-0) Assay : Min. 99.5% $\text{ZnSO}_4 \cdot 7\text{H}_2\text{O}$ M.W. 287.56	02886 00500	PB	500 gm	28332690	18
Zinc Sulphate (dried) (monohydrate) (Cas No. 7446-19-7) Assay : Min. 99-100.5% $\text{ZnSO}_4 \cdot \text{H}_2\text{O}$ M.W. 179.45	02887 00500	PB	500 gm	28332690	18
Zinc Sulphate 0.05M Standardized Solution Liquid . d . 1.005	02888 00500	PB	500 ml	38220090	12
Zinc Sulphate 0.1M Standardized Solution Liquid . d . 1.16	02889 00500	PB	500 ml	38220090	12
Zinc Sulphide AR (Cas No. 1314-98-3) Assay : Min. 99.9% ZnS M.W. 97.44	02890 00500	PB	500 gm	28309010	18
ZINCON AR (for photometric determination of copper & zinc) (CAS No.135-52-4) $\text{C}_{20}\text{H}_{16}\text{N}_4\text{O}_6\text{S}$ M.W. 440.43	02891 00001	GB	1 gm	29280090	18
	02891 00005	GB	5 gm	29280090	18
Zincon Monosodium Salt AR (Cas No. 62625-22-3) Assay : Min. 98% $\text{C}_{20}\text{H}_{15}\text{N}_4\text{NaO}_6\text{S}$ M.W. 462.41	02892 00001	GB	1 gm	29270090	18
	02892 00005	GB	5 gm	29270090	18
Zirconium ICP Standard Solution 1000mg/L in water	02892A 00125	GB	125 ml	38220090	12
Zirconium (IV) Carbonate basic (hydrate) (Cas No. 57219-64-4) (zirconium oxycarbonate)	02893 00100	PB	100 gm	28369990	18
Assay (as ZrO_2) : Min. 40% $\text{Zr}(\text{OH})_2\text{CO}_3 \cdot \text{ZrO}_2$ M.W. 308.46	02893 00500	PB	500 gm	28369990	18
Zirconium Dioxide (calcined) (Cas No. 1314-23-4) (zirconium (IV) oxide) Assay : Min. 97% ZrO_2 M.W. 123.22	02894 00500	PB	500 gm	28256020	18
Zirconium Dioxide AR (Cas No. 1314-23-4) (zirconium (IV) oxide) Assay : Min. 99.5% ZrO_2 M.W. 123.22	02895 00500	PB	500 gm	28256020	18
Zirconium Nitrate (Cas No. 14985-18-3) (zirconyl nitrate) Assay : Min. 99% $\text{ZrO}(\text{NO}_3)_2 \cdot \text{H}_2\text{O}$ M.W. 231.23 (anhy basis)	02896 00100	GB	100 gm	28342990	18
	02896 00250	GB	250 gm	28342990	18

PRODUCT NAME	CODE	PKG	UNIT	HSN CODE	GST
Zirconium Oxychloride AR (octahydrate) (Cas No. 13520-92-8)	02898 00100	GB	100 gm	28273990	18
(zirconyl chloride)	02898 00250	GB	250 gm	28273990	18
Assay : Min. 99.5% $ZrOCl_2 \cdot 8H_2O$ M.W. 322.25					
Zirconium Silicate Extra Pure (Cas No. 10101-52-7) (zirconium orthosilicate)	02899 00250	PB	250 gm	28399090	18
Assay : Min. 98.5% $ZrSiO_4$ M.W. 183.30	02899 01000	PB	1 kg	28399090	18
Zirconium Oxychloride (octahydrate) (Cas No. 13520-92-8) (zirconyl chloride)	02897 00100	GB	100 gm	28273990	18
Assay : Min. 99% $ZrOCl_2 \cdot 8H_2O$ M.W. 322.25	02897 00500	GB	500 gm	28273990	18



По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

эл.почта: pva@nt-rt.ru || сайт: <https://pallav.nt-rt.ru/>